

# Visual Warning

*“Minimize mistakes and confusion with visually instructive markings that inform workers of potential hazards and risks.”*



|                                    |          |
|------------------------------------|----------|
| Anti-Skid                          | 162-163  |
| Diecut Cleats                      | 163      |
| Glow-in-the Dark Diecut Cleats     | 163      |
| Hazard Marking Diecut Cleats       | 163      |
| Hazard Marking Tape                | 162      |
| SafetyTrack® Resilient Tape        | 163      |
| Striped Anti-Skid Tape             | 162      |
| Aisle Markermatic                  | 164      |
| Aisle Marking Supplies             | 160, 168 |
| Barricade Tape                     | 157      |
| Biodegradable Tape                 | 159      |
| Bradystrip™ Temporary Tape         | 157      |
| Economy Grade Tape                 | 157      |
| Flagging Tape                      | 159      |
| Pennant Tape                       | 159      |
| Reinforced Tape                    | 157      |
| Re-Pulpable Cotton Tape            | 158      |
| Tape Tender                        | 158      |
| Woven Tape                         | 158      |
| Brady Boys                         | 155      |
| Bradycone® Warning System          | 153      |
| Bradylink® Warning Chain and Hooks | 151      |
| Bradylink® Warning Posts           | 150      |
| Bradystake™ Warning Stakes         | 166-167  |
| C-Hooks                            | 150      |
| Direction Arrows/Dots              | 164-165  |
| Directional Footprints             | 165      |
| Floor Stands                       | 154-155  |
| Reversible Floor Stands            | 154      |
| Handy Cone™ Floor Signs            | 155      |
| Heavy Duty Floor Stands            | 154      |
| Glow-in-the Dark Tape              | 161      |
| Pictogram Labels                   | 153      |
| Post Sign Holder / Adapter         | 151      |
| Reflective Tape                    | 161      |
| Roll Mounted Dots                  | 164      |
| Safety Mirrors                     | 168      |
| Striped Aisle Marking              | 160      |
| Tensabarrier™ Barricade System     | 152      |
| Traffic Cones                      | 152      |
| Warning Panels                     | 160      |
| Warning Stripe & Check Tape        | 160      |
| Warning Tape                       | 156      |
| Detectable Identoline® Warning     | 156      |
| Identoline® Warning                | 156      |

E

Visual Warnings

# Warning Posts

## Bradylink® Warning Post



Bradylink® Warning Posts provide sturdy support for barricading chain and tapes.



- Bases and tops are made of polyethylene - posts are made of polystyrene
- Bases and tops included
- Non-conductive - posts can be safely used in electrically hazardous areas
- Non-rusting - unlike metal posts, Bradylink® plastic parts cannot rust
- Fillable base - hollow base can be filled with sand for more stable application
- Large C-hook holds chain in place on large posts – use open or closed for greater security
- Post dimension: Lg - 3" O.D., Sm - 2.5" O.D.
- Post height: Lg - 41", Sm - 40"
- Base dimension: Lg - 16" diameter, Sm - 14" diameter

### ► Solid Color Warning Posts

- Available in black, white and yellow

| Post Color | Size | Catalog Number |              |
|------------|------|----------------|--------------|
|            |      | Per Box of 1   | Per Box of 6 |
| Black      | LG   | 92116          | 92119        |
| White      | LG   | 92117          | 92120        |
| Yellow     | LG   | 92118          | 92121        |
| Black      | SM   | 80937          | 80943        |
| White      | SM   | 80939          | 80945        |
| Yellow     | SM   | 80938          | 80944        |

### ► Striped Warning Posts

- Use reflective posts for added visibility at night or in low light areas to warn of potential hazards
- Posts have alternating two-color 4" bands

#### Non-Reflective

| Post Color       | Size | Catalog Number |              |
|------------------|------|----------------|--------------|
|                  |      | Per Box of 1   | Per Box of 6 |
| Black & Yellow   | LG   | 92122          | 92123        |
| Yellow & Magenta | LG   | 92126          | 92127        |
| Black & Yellow   | SM   | 80940          | 80946        |
| Yellow & Magenta | SM   | 80941          | 80947        |

#### Reflective

| Post Color     | Size | Catalog Number |              |
|----------------|------|----------------|--------------|
|                |      | Per Box of 1   | Per Box of 6 |
| Black & Yellow | LG   | 92124          | 92125        |
| Black & Yellow | SM   | 80942          | 80948        |

### ► Replacement Bases and Tops

- Made of B-900 polyethylene
- Replacement parts for Warning Posts
- Bases and Tops available in black, white and yellow
- Standard package: 1

#### Bases

| Color  | Size | Catalog Number |
|--------|------|----------------|
| Black  | LG   | 92128          |
| White  | LG   | 92129          |
| Yellow | LG   | 92130          |
| Black  | SM   | 80949          |
| White  | SM   | 80951          |
| Yellow | SM   | 80950          |

#### Tops

| Color  | Size | Catalog Number |
|--------|------|----------------|
| Black  | LG   | 92131          |
| White  | LG   | 92132          |
| Yellow | LG   | 92133          |
| Black  | SM   | 80952          |
| White  | SM   | 80954          |
| Yellow | SM   | 80953          |

### ► C-Hooks

- Made of B-900 polyethylene
- Available in black, white and yellow
- Standard package: 6

| Color  | Catalog Number |
|--------|----------------|
| Black  | 92011          |
| White  | 92012          |
| Yellow | 92010          |



Barricade potentially hazardous areas indoors or outdoors with portable plastic Post and Chain. Their lightweight yet tough construction stands up to years of indoor use in temporary or permanent applications.



Insert Post into base and turn into place. Base may be filled with sand or gravel to make the assembly more stable.



Drop C-hook into Post slots, insert Post top, and turn into place. Large C-hook holds chain in place.


# Warning Chain

## Bradylink® Warning Chain

- Made of polyethylene
- Available in yellow, white, orange and black; and alternating black/yellow and magenta/yellow - colors alternate every 24"
- Link design prevents kinking
- For decorative use only - not intended to support heavy objects
- Available in 3 sizes: 1½", 2" and 3"
- Standard package: 100 feet
- Indoor Use Only

| Color                      | Catalog Number |         |         |
|----------------------------|----------------|---------|---------|
|                            | Size 1½"       | Size 2" | Size 3" |
| Yellow                     | 78234          | 78238   | 37860   |
| White                      | 78235          | 78239   | 37861   |
| Orange                     | -              | 78241   | 37862   |
| Black                      | -              | 78268   | 37863   |
| Alternating Black/Yellow   | -              | 78254   | 37864   |
| Alternating Magenta/Yellow | -              | 78267   | 37865   |
| Weight Per 100' Bag        | 4 lbs.         | 6 lbs.  | 16 lbs. |

**Bradylink® Warning Chain is lighter than similar metal parts - chain weighs 6 lbs. per 100 feet of link design.**



### Customize It

Additional Bradylink® Warning Chain colors are also available. Contact your local Brady Distributor for more information.

## Brady Connecting Hooks and Links

### Connecting Hooks

- Used to attach lengths of chain
- Made of B-900 polyethylene
- Available in three sizes: 1½", 2" and 3"
- Available in yellow, white and black
- Standard package: 36 hooks

| Size | Catalog Number |       |       |
|------|----------------|-------|-------|
|      | Yellow         | White | Black |
| 1½"  | 78255          | 78256 | -     |
| 2"   | 78257          | 78258 | 78259 |
| 3"   | 37866          | 37867 | 37868 |



### Connecting Links

- Use for more permanent applications or to repair chain link
- Made of B-900 polyethylene
- Available in three sizes: 1½", 2" and 3"
- Choose from yellow, white or black
- Standard package: 36 links

| Size | Catalog Number |       |       |
|------|----------------|-------|-------|
|      | Yellow         | White | Black |
| 1½"  | 78244          | 78245 | -     |
| 2"   | 78246          | 78247 | 78248 |
| 3"   | 37869          | 37870 | 37871 |



## Post Sign Holder and Adapter

### Post Sign Holder

- Made of polycarbonate
- Use indoors or outdoors
- Readable from two sides - able to display different legend on each side
- Open end allows for easy changing
- Supplied with mounting holes in each corner for wall mounting
- Need to be placed in Post Sign Adapter (sold separately at right) for use with large Bradylink® Warning Posts
- Accommodates 7" x 10" or 10" x 14" Self-Sticking Vinyl Safety Signs
- Choose from yellow or black
- Standard package: one holder

| Color  | Size      | Catalog Number |
|--------|-----------|----------------|
| Yellow | 7" x 10"  | 92262          |
| Yellow | 10" x 14" | 92264          |
| Black  | 7" x 10"  | 92263          |
| Black  | 10" x 14" | 92265          |



The Brady Sign Holder will meet your variable message requirements.

### Post Sign Adapter

- Made of polyethylene
- Adapter locks in place on top of Brady Warning Posts
- Choose from yellow or black
- Adapter size: 6" x 2" for large post
- Adapter size 5" x 1.75" for small post



Use the Post Sign Adapter to inexpensively convert Brady Warning Posts into a sign holder.

| Color  | Size     | Catalog Number | Catalog Number |
|--------|----------|----------------|----------------|
| Yellow | 6" x 2"  | 92134          | 92136          |
| Black  | 6" x 2"  | 92135          | 92137          |
| Yellow | 5" x 1¾" | 80959          | 80961          |
| Black  | 5" x 1¾" | 80958          | 80960          |



# Stanchions / Cones

## Indoor Tensabarrier™ System



This attractive pedestrian control system is portable and easy to change.

### ► Tensabarrier™ Barricade System

- Black posts are 40" high
- 14" diameter base weighs 26 pounds
- Pull out belts are 7.5' long

| Catalog No. | Description                                      |
|-------------|--|
| 80125       | Post w/ Black/White Stripe Belt                  |
| 80126       | Post w/ Black/Yellow Stripe Belt                 |
| 80127       | Post w/ Black/Yellow "CAUTION—DO NOT ENTER" Belt |
| 58413       | Wall-mount End                                   |

### ► Plexiglass Signs

- Signs are made of durable Plexiglass
- 11" x 7" signs are available in 5 legends
- Signs are white letters on black background
- Signs are 1/8" thick

| Catalog No. | Description   |
|-------------|---|
| 80129       | "Please Wait Here For Next Available Teller" (single faced) |
| 80133       | "Please Enter Here" (double faced)                          |
| 80132       | "Exit" /Back reads "Exit, Please Do Not Enter"              |
| 80130       | "Please Wait Here For Next Available Clerk" (single faced)  |
| 80131       | "Please Wait Here For Next Available Agent" (single faced)  |
| 80128       | Sign Bracket  |

## Traffic Cones

### ► Standard Traffic Cones

- Meets MUTCD specifications
- All vinyl construction assures flexible, yet rugged durability in all types of weather
- High visibility fluorescent color
- Ultraviolet stabilized to resist fading
- Available in 2 sizes: 18" and 28"

### ► Cone Collars

- High intensity reflective collar
- Adhesive backed reflective sheeting is easy to mount
- One size fits many size and shape cones
- UV and abrasion resistant



### ► Cone Signs

- 10½" x 12¾"
- Firm-Grip locks on traffic cone
- Durable plastic sign fits any standard traffic cone or delineator
- Easy to install, no tools needed
- Use for traffic direction
- Legend on one side only

### ► Cone Sleeves

- Convert your traffic cones into warning signs automatically.
- Durable vinyl sleeves are great for use indoors and out.
- Sleeves fit snugly over your cones and are flexible, durable and waterproof.
- Size: 19.75" x 9.398" (H x W)

| Catalog No. | Description                           |
|-------------|---------------------------------------|
| 101969      | Caution – Do Not Enter                |
| 101970      | Caution – Keep Out                    |
| 101971      | Caution – Wet Floor                   |
| 101972      | Danger – Vehicle May Become Energized |

### ► Cone Stabilizer

- Prevents cones from blowing over in high winds
- Octagonal stabilizer fits 18" and 28" cones
- Weighs 7 lbs.



| Catalog No. | Description     |
|-------------|-----------------|
| 80111       | 18" Cone        |
| 80112       | 24" Cone        |
| 80113       | 4" Cone Collar  |
| 80114       | 6" Cone Collar  |
| 80115       | Cone stabilizer |

### ► Easy Snap-On Sign

- Fits like a paper-clip

| Description |
|-------------|
| 10½" x 12¾" |



101969



101970



101971



101972

# Cones

## Bradycone™ Warning System/Pictograms

### Bradycone™ Warning System

- Made of high impact, weather-resistant materials
- Use indoors and outdoors
- Four-sided visual cautions eliminate blind areas
- Easy stacking for storage
- Cones available in two sizes: 25" and 35"
- Choose from a variety of colors and legends
















Use Bradycone™ Warning System for any of your hazardous warning needs.

| Height | Description  | Catalog Number |
|--------|--|----------------|
| 25"    | Yellow cone, red and black "Wet Floor" legend        | 77200          |
| 25"    | Yellow cone, red and black "Safety First" legend     | 77201          |
| 25"    | Orange cone, blank                                   | 77199          |
| 25"    | Yellow cone, blank                                   | 77198          |
| 35"    | Yellow cone, red and black "Wet Floor" legend        | 77202          |
| 35"    | Yellow cone, red and black "Safety First" legend     | 77203          |
| 35"    | Lime Green cone, red and black "Wet Floor" legend    | 98124          |
| 35"    | Lime Green cone, red and black "Safety First" legend | 98125          |
| 35"    | Orange cone, blank                                   | 77204          |
| 35"    | Yellow cone, blank                                   | 77205          |

### Pictogram Labels

- For use with Bradycone™ Warning System
- Self-sticking labels
- Label size: 8¼" x 8¼"
- Sold separately

| Description      |
|------------------|
| Pictogram labels |

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| 77217   | 77219   | 77220   | 77221   | 77223   | 94917   |
|  |  |  |    |  |  |
| 77222   | 77218   | 77216   | 77224   | 77225   | 77226   |
|   |   |   |   |   |  |
|   |   |   |   |   | 77227   |

### Bradycone™ Accessories

- Accessories work with above Bradycone™ Warning System
- Belt attaches to any Bradycone™ in minutes and alleviates traffic in work areas
- Lock-in signs provide warning for specific problems
- Lock-in chains control pedestrian traffic
- Lock-in safety lights for use in darkened areas

| Product            | Description   | Catalog Number |
|--------------------|---|----------------|
| Warning Belt       | Retractable spring unit with 2" belt extends 0-7'6"                   | 98126          |
| Lock-in Sign Frame | Black, 10" height (when attached), 8½" x 8½" face                     | 77210          |
| Safety Light       | Flashes up to 200 hours on 2 "D" cell batteries (batteries not incl.) | 77206          |
| Lock-In Chain      | Yellow, 20' plastic link, locks directly into cone                    | 77207          |
| Weight Ring        | For 25" Cone – 7 lbs.   | 77228          |
| Weight Ring        | For 35" Cone – 9 lbs.   | 77208          |
| Weight Ring        | For 35" Cone – 21 lbs.  | 98127          |



Lock-in Sign Frame



Weight Ring



Safety Light



Bradycone™ Warning Cones with Warning Belt



# Floor Stands

## Heavy Duty Floor Stands



Heavy-Duty Floor Stands help warn employees and visitors of potential floor hazards.

| Legend    | Catalog Number |
|-----------|----------------|
| WET FLOOR | 104809         |
| CAUTION   | 104810         |
| CLOSED    | 104811         |
| Blank     | 104808         |

- Made of heavy-duty, high density yellow polypropylene
- Lettering will not chip, peel or fade
- Maintenance-free floor stand will not dent or corrode
- Large message area is visible from over 30'
- Wording appears on both outside panels
- Three legends or blank stand available
- Wording in Spanish, German and French for CAUTION and CLOSED legends
- Stand height: 24¾" (closed)
- Standard package: 1 unit

**Customize It**  
 Custom Heavy Duty Floor Stand legends are also available.

## Reversible Floor Stands

- Made of lightweight corrugated polypropylene material (B-836)
- Printed on both sides - inside and out - offering two stands for the price of one
- Stand size: 12" wide by 20" high (closed)
- Standard package: 1 unit



(side 1) (side 2)  
92284



(side 1) (side 2)  
92286



(side 1) (side 2)  
92281



(side 1) (side 2)  
92285



(side 1) (side 2)  
92280



(side 1) (side 2)  
92283



(side 1) (side 2)  
92288



(side 1) (side 2)  
92289



(side 1) (side 2)  
92282

**Customize It**  
 Custom Reversible Floor Stands are also available. (minimum of 10).

# Floor Signs

## Floor Stands



- Made of durable Polystyrene Plastic
- Printed with same message on both sides
- Size: 12" wide by 20" high
- Standard package: 1 unit



47241



47242



47243



47244



47245



47248



47236



47237



47239



47240



47250



47251



47238



47249

## The Brady Boys



The Brady Boys offer an attractive alternative for barricading hazardous areas.

- Made of high-impact polyethylene
- Interlocking - no tools or added parts needed
- Legend reads: Caution...Out of Service
- Weight: 5½ lbs. each
- Height: 41" each
- Thickness: 1"
- Width: 31" each
- Standard package: box of two

**Customize It**

Custom Brady Boys are also available.

| Legend         | Catalog Number |
|----------------|----------------|
| Caution...     |                |
| Out of Service | 92270          |

## Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped signs set up in seconds
- Stored in a 2" diameter tube
- Standard package: 1 unit



18" - 47374  
31" - 47380



18" - 47372  
31" - 47378



18" - 47371  
31" - 47377



18" - 47376  
31" - 47382



# Underground Warning Tape

## Identoline® Underground Warning Tape



- Made of heavy-duty B-720 polyethylene material
- Resists acid, alkalis and other soil substances
- Tape is 4.0 mil. thick with a tough tensile strength of 1750 psi
- Easily identified - APWA (American Public Works Association) color coding
- Overcoated graphics provide long-lasting legibility and hold color values
- Economical - compared to the cost of line damage, Identoline® tape is cost-effective for use over the entire length of the line
- Available in seven utility classes in corresponding APWA colors
- Roll size: 6" x 1,000 ft.
- Standard package: one roll

| Utility Class   | APWA Color | Size W X L     | Catalog Number |
|-----------------|------------|----------------|----------------|
| Cable T.V.      | Orange     | 6" x 1,000 ft. | 63009          |
| Reclaimed Water | Purple     | 6" x 1,000 ft. | 63050          |
| Gas             | Yellow     | 6" x 1,000 ft. | 91294          |
| Electric*       | Red        | 3" x 1,000 ft. | 91295          |
| Electric        | Red        | 6" x 1,000 ft. | 91296          |
| Telephone       | Orange     | 6" x 1,000 ft. | 91297          |
| Water           | Blue       | 6" x 1,000 ft. | 91298          |
| Sewer           | Green      | 6" x 1,000 ft. | 91299          |

Identoline® Underground Warning Tape is buried 12" to 18" below ground level. Digging crews receive warning of buried lines and cables, allowing a margin of safety between the tape and the buried line.

## Detectable Identoline® Warning Tape



- Made of tough B-721 metal detectable polyester material
- Subsurface graphics seal the legend from acids, alkalis and other soil substances
- Easily identified - sharply printed legend on APWA color-coded background
- OSHA approved - meets OSHA regulation 1926.956(c)(1) covering location or underground utility lines
- Cost-effective - detectability feature minimizes line locating time and needless digging expenses. Utility/contractor liability is reduced and expensive line damage is averted
- Easily installed - may be manually or automatically installed
- Available in five utility classes in corresponding APWA colors
- Foil is 4.5 mils
- Roll size: 2" x 1,000 ft.
- Standard package: one roll

- ▶ Subsurface Printed Polyester
- ▶ Aluminum Foil Core
- ▶ Polyester Underlamine



Detectable Identoline® tape minimizes time spent locating buried lines thus reducing field costs. The tape is buried 4" to 6" below the surface for maximum detectability.

| Utility Class | APWA Color | Size W X L     | Catalog Number |
|---------------|------------|----------------|----------------|
| Gas           | Yellow     | 2" x 1,000 ft. | 91600          |
| Electric      | Red        | 2" x 1,000 ft. | 91601          |
| Water         | Blue       | 2" x 1,000 ft. | 91603          |
| Sewer         | Green      | 2" x 1,000 ft. | 91604          |
| Fiber Optic   | Orange     | 2" x 1,000 ft. | 91606          |

E

Visual Warnings



# Barricade Tape

## Barricade Tape

| Legend                      | Color           | Catalog Number |            |
|-----------------------------|-----------------|----------------|------------|
|                             |                 | 3" x 200'      | 3" x 1000' |
| AUTHORIZED PERSONNEL ONLY   | Black/Yellow    | 91468*         | 91462*     |
| CAUTION                     | Black/Yellow    | 91212          | 91450      |
| CAUTION BIOHAZARD           | Black/Orange    | -              | 91448      |
| CAUTION CONSTRUCTION AREA   | Black/Yellow    | 91217          | 91453      |
| CAUTION DO NOT ENTER        | Black/Yellow    | 91224          | 91451      |
| CAUTION HIGH VOLTAGE        | Black/Yellow    | 91220          | 91458      |
| CAUTION MEN WORKING         | Black/Yellow    | 91215          | 91452      |
| CAUTION OPEN TRENCH         | Black/Yellow    | -              | 91457      |
| CAUTION RADIATION HAZARD    | Magenta/Yellow  | -              | 91464      |
| CONFINED SPACE DO NOT ENTER | Black/Yellow    | 91256          | 91257      |
| DANGER                      | Black/Yellow    | 91213          | 91455      |
| DANGER                      | Black/Red       | 91200          | 91201      |
| DANGER ASBESTOS DUST HAZARD | Black/Yellow    | 91255          | 91456      |
|                             | Black/Yellow    | 91214          | 91454      |
| DANGER ASBESTOS HAZARD      | Red/White/Black | -              | 102382     |
| DANGER CONFINED SPACE       | Red/White/Black | -              | 102822     |
| DANGER CONFINED SPACE       | Red/Black       | 102821         | 102824     |

\*Legend is on 2 lines



Visual barricading provides fast on-the-spot warning of potential danger.

- Made of non-adhesive B-912 polyethylene
- Use for temporary outdoor or permanent indoor applications
- Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades
- Variety of legends available
- Two roll sizes available: 3" x 200' and 3" x 1,000'
- Standard package: one roll



**Customize It**

Custom Barricade Tape legends are also available. Contact your local Brady Distributor for more information.

## Reinforced Barricade Tape

| Legend                    | Color        | Size      | Catalog Number |
|---------------------------|--------------|-----------|----------------|
| CAUTION                   | Black/Yellow | 3" x 500' | 91100          |
| CAUTION CONSTRUCTION AREA | Black/Yellow | 3" x 500' | 91101          |
| CAUTION DO NOT ENTER      | Black/Yellow | 3" x 500' | 91102          |
| CAUTION MEN WORKING       | Black/Yellow | 3" x 500' | 91103          |
|                           | Black/Yellow | 3" x 500' | 91104          |

- Stronger than ordinary Barricade Tape
- No stretch or sag in sunlight or wind
- Tough enough to be used again and again
- Black lettering on yellow background
- Five standard legends available
- Roll size: 3" x 500'
- Standard package: one roll
- 250 lbs tensile strength



Reinforced Barricade Tape provides long-lasting hazard protection even with long distances between tie points.

## Economy Grade Barricade Tape

- Made of lightweight polyethylene
- Ideal for temporary use outdoors or permanent indoor warning
- Yellow with black horizontal stripes
- Available in two roll sizes: 1" x 500' and 3" x 500'
- Standard package: one roll

| Size      | Color        | Catalog Number |
|-----------|--------------|----------------|
| 1" x 500' | Black/Yellow | 91237          |
| 3" x 500' | Black/Yellow | 91238          |



Block off potential hazards with Economy Grade Barricade Tape.

# Barricade & Flagging Tape

## Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking
- Choice of three colors
- Two roll sizes available: ¾" x 150' and 2" x 200'
- Standard package: one roll

| Size      | Color          | Catalog Number |
|-----------|----------------|----------------|
| ¾" x 150' | Black/Yellow   | 91172          |
| ¾" x 150' | Magenta/Yellow | 91173          |
| ¾" x 150' | Black/Red      | 91175          |
| 2" x 200' | Black/Yellow   | 91176          |
| 2" x 200' | Black/Red      | 91179          |



Use Woven Barricade Tape for any of your permanent outdoor marking needs.

## Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system
- Three stock legends available
- Choose from two colors: black on yellow or black on red
- Two roll sizes available: 2" x 50 yds. and 3" x 50 yds.
- Standard package: one roll

| Legend              | Color        | Size W X L   | Catalog Number |
|---------------------|--------------|--------------|----------------|
| Caution             | Black/Yellow | 2" x 50 yds. | 91082          |
| Caution             | Black/Yellow | 3" x 50 yds. | 91083          |
| Danger              | Black/Red    | 2" x 50 yds. | 91086          |
| Danger              | Black/Red    | 3" x 50 yds. | 91084          |
| Danger Do Not Enter | Black/Red    | 3" x 50 yds. | 91085          |
| Danger Do Not Enter | Black/Yellow | 3" x 50 yds. | 91087          |



Re-Pulpable Cotton Barricade Tape is ideal where traditional plastic tapes could cause contamination.

## Bradystripe™ Temporary Sign Tape

- Made of B-933 vinyl tape
- Self-sticking - adhesive tape allows easy installation to most wood, metal or concrete walls and floors
- Tears apart easily - perforated every 14" for easy application
- Removes cleanly with no adhesive residue
- Seven legends available
- Roll size: 2" x 100'
- Standard package: one roll

| Legend                       | Legend Color | Background Color | Catalog Number |
|------------------------------|--------------|------------------|----------------|
| Caution/Do Not Enter         | Black        | Yellow           | 91230          |
| Caution/Men Working          | Black        | Yellow           | 91231          |
| Caution/Construction Area    | Black        | Yellow           | 91232          |
| Caution                      | Black        | Yellow           | 91233          |
| Danger/High Voltage          | Black        | White            | 91234          |
| Fire Extinguisher            | Red          | White            | 91235          |
| Caution/Radioactive Material | Magenta      | Yellow           | 91236          |



Highly visible striped pattern is combined with a worded legend to provide instant recognition of hazard areas.

## Tape Tender

- Lightweight, indestructible, polypropylene construction
- Dispenses 1,000' rolls of any 2" or 3" plastic tape
- Tape advances as needed using thumb
- Steel safety cutting blade cuts fast and smooth
- Easy-fill, self-storing reel ends waste and snarl
- Patent No. 5,538,170

Catalog Number  
72412

Tape Tender dispenses plastic barricade and identification tape quickly, safely and efficiently.



E


Visual Warnings

# Barricade & Flagging Tape

## Flagging Tape

- Flag boundary stakes, trees and hazardous areas
- Size : 1<sup>3</sup>/<sub>16</sub>" wide x 150' long for Fluorescent colors, 1<sup>3</sup>/<sub>16</sub>" wide x 300' for Solid colors
- Standard Package: 1 roll
- Non-adhesive

| Color         | Catalog No. |
|---------------|-------------|
| White         | 58342       |
| Green         | 58343       |
| Orange        | 58344       |
| Blue          | 58345       |
| Red           | 58346       |
| Yellow        | 58347       |
| Fluor. Yellow | 58348       |
| Fluor. Red    | 58349       |
| Fluor. Blue   | 58351       |
| Fluor. Orange | 58352       |
| Fluor. Green  | 58353       |
| Fluor. Pink   | 58354       |



## Biodegradable Flagging Tape

- Made with 69% wood fiber
- Non-toxic - will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6 to 12 months depending on environmental conditions
- Five stock legends available
- Choose from two colors: black on red or black on yellow
- Roll size: 3" x 50 yds.
- Standard package: one roll



Use Brady's Biodegradable Flagging Tape when hazardous marking is required in ecology conscious situations.

| Legend                       | Color        | Catalog Number |
|------------------------------|--------------|----------------|
| Danger                       | Black/Red    | 91088          |
| Danger Do Not Enter          | Black/Red    | 91089          |
| Caution                      | Black/Yellow | 91090          |
| Caution Do Not Enter         | Black/Yellow | 91091          |
| Caution-Men Working Overhead | Black/Yellow | 91092          |

## Marking Flags

- Marking flags are ideal for ground marking
- Flags are 4"h x 5"w and attach to a 30", 15.5 gauge steel rod
- Available blank or with stock legend
- Custom legends available, contact your local Brady distributor for more information
- 100 per package

| Legend                   | Color           | Catalog Number |
|--------------------------|-----------------|----------------|
| Buried Sewer Line        | Black/Green     | 98165          |
| Buried Cable             | Black/Red       | 98166          |
| Buried Water Line        | White/Blue      | 98167          |
| Buried Electric Line     | Black/Red       | 98168          |
| Buried Fiber Optic Cable | Black/Orange    | 98169          |
| Buried Pipeline          | Blue/White      | 98170          |
| Buried Gas Line          | Black/Yellow    | 98171          |
| Blank                    | Orange          | 98172          |
| Blank                    | Red             | 98173          |
| Blank                    | Yellow          | 98174          |
| Blank                    | Blue            | 98175          |
| Blank                    | White           | 98176          |
| Blank                    | Green           | 98177          |
| Blank                    | Fluorescent Red | 98178          |



## Pennant Barricade Tape

- Tough and durable flag barricade can be used repeatedly
- Pennants are 18" x 18" triangles spaced evenly across tape
- 15 pennants on 83' tape, 25 pennants on 113' tape

| Size                 | Catalog No. |
|----------------------|-------------|
| 83 ft (15 Pennants)  | 58388       |
| 113 ft (25 Pennants) | 58389       |



Fluorescent Vinyl Coated Nylon



# Warning Stripe & Check Tapes

## Warning Stripe & Check Tape



### Safety Color Code for Marking Physical Hazards

[1910.144(a)]. Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.

- Made of B-950 vinyl
- Locked-in colors - sealed beneath protective layer of abrasion resistant clear vinyl
- Permanent adhesive - holds on almost any clean, dry surface
- Stands up to the toughest indoor conditions
- Meets OSHA specifications
- Easy application
- Bold patterns
- Choice of four sizes
- Stripes available in four colors; checks available in two colors
- Standard package: one 18 yd. roll



Hazardous areas are clearly indicated with high visibility Warning Stripe & Check Tape.

| Width | Catalog Number Stripes |             |               |                  |               | Checks        |                |
|-------|------------------------|-------------|---------------|------------------|---------------|---------------|----------------|
|       | Black & Yellow         | Red & White | Black & White | Magenta & Yellow | Green & White | Black & White | Black & Yellow |
| 1"    | 55300                  | 55294       | 55290         | -                | -             | -             | -              |
| 1½"   | 55301                  | 55295       | 55291         | 55312            | -             | -             | -              |
| 2"    | 55302                  | 55296       | 55292         | 55313            | 90019         | 76316         | 76317          |
| 3"    | 55303                  | 55297       | 55293         | 55314            | 90020         | 76318         | 76319          |

## Warning Panels



Yellow & Black

- Made of B-946 self-stick vinyl
- Two sizes available: 5½" x 16⅞" and 11¼" x 16⅞"
- Yellow and black stripes on panel
- Standard package: 10 panels

| Size        | Yellow & Black |
|-------------|----------------|
| 5½" x 16⅞"  | 55318          |
| 11¼" x 16⅞" | 55319          |

## Stripe Aisle Marking Tape




Use Striped Aisle Marking Tape to warn against potential hazards or to caution against unsafe practices.

- Made of B-950 vinyl
- Three legends available
- Black and yellow stripes
- Tape size: 3"
- Standard package: one 60' roll



### Yellow and Black Caution Tape-29 CFR 1910.145(c)(2)

Caution signage shall be used to warn against potential hazards or to caution against unsafe practices.

| Legend  | Size | Color        | Catalog Number |
|---|------|--------------|----------------|
| Caution   | 3"   | Black/Yellow | 58255          |
| Caution/Do Not Enter  | 3"   | Black/Yellow | 58256          |
|  | 3"   | Black/Yellow | 58257          |

# Warning Stripe & Check Tapes

## Reflective Stripes, Checks & Color Tape

- Made of B-957 reflective tape
- Choice of two sizes: 2" and 3"
- Solid Color Tapes available in white, yellow or orange
- Stripes available in black & yellow, red & white, or black & white; checks available in black and yellow
- Standard package: one 5 yd. roll

### Solid Color Tapes

| Width | Catalog Number |        |        |
|-------|----------------|--------|--------|
|       | White          | Yellow | Orange |
| 2"    | 78985          | 78986  | 78989  |
| 3"    | 78987          | 78988  | 78990  |

### Stripes & Checks

| Width | Catalog Number            |             |               | Checks<br>Black & Yellow |
|-------|---------------------------|-------------|---------------|--------------------------|
|       | Stripes<br>Black & Yellow | Red & White | Black & White |                          |
| 2"    | 76308                     | 76309       | 76310         | 76321                    |
| 3"    | 76312                     | 76313       | -             | -                        |



Give an extra margin of safety during blackouts, at night, or in low light conditions with Reflective Stripes, Checks and Solid Color Tapes.

## "Glow-in-the-Dark" Stripes & Solid Tape

- Made of B-324 phosphorescent
- Two sizes available: 2" and 3"
- Standard package: one 5 yd. roll

### Stripes

| Width | Catalog Number |
|-------|----------------|
| 2"    | 76430          |
| 3"    | 76431          |

### Solid

| Width | Catalog Number |
|-------|----------------|
| 2"    | 76432          |
| 3"    | 76433          |



Use Brady "Glow-in-the-Dark" Tapes for visible marking at night or in low light conditions.

## "Glow-in-the-Dark" Arrow Tape

- BradyGlo™ B-324 arrow tapes exceed ASTM E 2072-00 standard specifications
- Designed for safe LLL (Low Level Lighting) egress pathway marking during power outages and emergency situations
- Made of B-324 phosphorescent surface printed polyester
- Two sizes available: 2" and 3"
- Two directional graphic styles available: V and Arrow
- Standard package: one 5 yd. roll

### V-Style

| Width | Catalog No. |
|-------|-------------|
| 2"    | 90971       |
| 3"    | 90972       |

### Arrow-Style

| Width | Catalog No. |
|-------|-------------|
| 2"    | 90973       |
| 3"    | 90974       |



**FYI**

**BradyGlo™ 10+ hour material exceeds these standards:**

ASTM E2072-00/E2073-02/  
E2030-02  
ASTM/E162/E648/E662,  
SMP800C  
IMO Resolution A. 752(18)  
ISO/CD 15370  
PSPA Standard 002  
Part 2 1993  
Class A Rev. 2: 09/99  
DIN 67 510, Parts 1-4  
NFPA 101 Life Safety Code  
2000 710.7.2  
OSHA 1910.37  
Lloyd's Register Cert.  
01/6007

# Anti-Skid Tape

## Anti-Skid Tape – Roll Mounted



- Made of rugged B-916 adhesive-backed polyester tape coated with thousands of particles of durable aluminum oxide grit
- Bonds permanently to clean, dry floors
- Works indoors and outdoors
- Withstands grease and oil
- Eliminates masking, cleanup and drying time
- Available in a variety of sizes and colors
- Standard package: one 60' roll

| Color         | Size      | Catalog Number |
|---------------|-----------|----------------|
| Black         | 1" x 60'  | 78189          |
| Red           | 1" x 60'  | 78197          |
| Black         | 2" x 60'  | 78190          |
| Red           | 2" x 60'  | 78198          |
| Safety Yellow | 2" x 60'  | 78091          |
| Pebble White  | 2" x 60'  | 78187          |
| Clear         | 2" x 60'  | 78188          |
| Black         | 4" x 60'  | 78191          |
| Red           | 4" x 60'  | 78199          |
| Safety Yellow | 4" x 60'  | 78092          |
| Black         | 6" x 60'  | 78193          |
| Black         | 12" x 60' | 78194          |




Anti-Skid Tape is available in a variety of colors for any floor marking needs.

Sure traction of Anti-Skid Tape helps prevent slipping and falling on wet or slick floors.

## Hazard Marking Tape



- Made of B-819 matte anti-slip overlamine
- Available in four legends
- Tape size: 3"
- Standard package: one 18 yd. roll

| Legend  | Size | Color        | Catalog Number |
|---|------|--------------|----------------|
| Caution   | 3"   | Black/Yellow | 92414          |
| Caution/Do Not Enter  | 3"   | Black/Yellow | 92415          |
| Caution/Watch Your Step   | 3"   | Black/Yellow | 92416          |
|  | 3"   | Black/Yellow | 92417          |

Mark dangerous areas of your plant with Hazard Marking Tape.

## Striped Anti-Skid Tape



- Made of B-916 grit coated polyester tape
- Adhesive backed plastic tape with an oxide grit coating
- Five sizes available
- Black and yellow striped
- Standard package: one 60' roll

| Color                 | Size     | Catalog Number |
|-----------------------|----------|----------------|
| Black & Yellow Stripe | 1" x 60' | 78146          |
| Black & Yellow Stripe | 2" x 60' | 78147          |
| Black & Yellow Stripe | 3" x 60' | 78148          |
| Black & Yellow Stripe | 4" x 60' | 78149          |
| Black & Yellow Stripe | 6" x 60' | 78150          |

Bright yellow and black Striped Anti-Skid Tape aids visibility of hazardous areas.

E

Visual Warnings



# Anti-Skid Tape


## Safety Track® Resilient Tapes

- Easily cleaned—can be mopped
- Aesthetically pleasing
- Kinder, gentler product without sacrificing performance
- Ideal for clean room, lab facilities, food processing
- Made of laminated, calendared film

| Size           | Catalog Number |        |
|----------------|----------------|--------|
|                | Black          | Gray   |
| 2" x 60'       | 98454          | 98458  |
| 4" x 60'       | 98455          | 98459  |
| 6" x 60'       | 98456          | 98460  |
| 6" x 24" cleat | 98457*         | 98461* |

\*Cleats are 50 per package

Safety Track® Resilient is tough enough to use where other grit anti-slip tapes are used, but is gentler to the touch. Embossed blend of synthetic products create a high performance, non-skid surface.



## Anti-Skid Tape – Diecut Cleats

- Made of B-916 grit-coated polyester tape
- Available in black
- Choice of three sizes
- Standard package: 50 cleats

| Color | Size      | Catalog Number |
|-------|-----------|----------------|
| Black | ¾" x 24"  | 78192          |
| Black | 6" x 24"  | 78195          |
| Black | 5½" x 5½" | 78196          |



Installation of Diecut Cleats is easy - just peel off protective liner and press in place.



## "Glow-in-the-Dark" Anti-Skid Tape – Diecut Cleats

- Cost effective to purchase and install
- Easy to clean
- Made from B-916 grit-coated polyester tape
- Material is non-toxic, non-radioactive, environmentally friendly and installs easily
- Tape and cleats comply with ASTM E-2072 and ASTM E2073 standard specifications for photoluminescent safety markings and standard test methods for luminance of photoluminescent markings

| Catalog No. | Description                          | Size               |
|-------------|--------------------------------------|--------------------|
| 99048       | Glow-in-the-Dark ANTI-SKID Tape Roll | 1" x 60'           |
| 99049       | Glow-in-the-Dark ANTI-SKID Tape Roll | 2" x 60'           |
| 99050       | Glow-in-the-Dark ANTI-SKID Tape Roll | 4" x 60'           |
| 99052       | Glow-in-the-Dark ANTI-SKID Tape Roll | 6" x 60'           |
| 99053       | Glow-in-the-Dark ANTI-SKID Tape Roll | 12" x 60'          |
| 99054       | Glow-in-the-Dark ANTI-SKID Cleat     | 6" x 24" (50/pack) |
| 99055       | Glow-in-the-Dark ANTI-SKID Cleat     | 6" x 24" (10/pack) |



## Anti-Skid Tape – Hazard Marking Diecut Cleats

- Made of B-916 grit coated polyester tape
- Two stock legends available: Caution and Watch Your Step
- Cleat size: 6" x 24"
- Standard package: 24 cleats

| Legend          | Size     | Catalog Number |
|-----------------|----------|----------------|
| Caution         | 6" x 24" | 78160          |
| Watch Your Step | 6" x 24" | 78163          |

Hazard Marking Diecut Cleats provide traction on slick floors. The printed message signals a visual warning.



# Aisle Marking Dots & Applicator

## Aisle Markermatic/Roll Mounted Dots



Use the Aisle Markermatic for dotted line aisle marking. Your areas will be marked and ready for work immediately - no downtime or overtime.

### ► Aisle Markermatic

- AMA-2 Aisle Markermatic automatically dispenses, spaces and applies 2" or 3" diameter Roll Mounted Dots
- Places Roll Mounted Dots at 12½" intervals
- One person can mark 2,500 feet per hour with ease
- Dotted line approach uses less tape than conventional solid striping

| Catalog Number |
|----------------|
| 55544          |



Roll Mounted Dots are designed for machine application.

### ► Roll Mounted Dots

- Made of B-933 vinyl tape
- Single roll of dots will mark over 1,000 lineal feet of aisle or passageway
- Choose from white, red, green or yellow
- Dots available in two sizes: 2" and 3"
- Standard package: one roll of 1,000 dots

| Size | Catalog Number |       |       |        |
|------|----------------|-------|-------|--------|
|      | White          | Red   | Green | Yellow |
| 2"   | 55349          | 56909 | 56911 | 55331  |
| 3"   | 55350          | 56910 | 56912 | 55332  |

## Direction Arrows

### ► Vinyl Arrows

- Made of B-933 vinyl tape
- Four sizes available
- Choose from yellow, green, white or red
- Standard package: 100 arrows per pkg.



Vinyl Arrows

| Size | Catalog Number |       |       |       |
|------|----------------|-------|-------|-------|
|      | Yellow         | Green | White | Red   |
| 2"   | 55352          | 56914 | 56916 | 56918 |
| 3"   | 55353          | 56915 | 56917 | 56919 |
| 4"   | 55354          | -     | -     | -     |
| 5"   | 55355          | -     | -     | -     |

### ► "Glow-in-the-Dark" Photoluminescent Arrows

- Made of B-324 photoluminescent vinyl film
- Visually aids a fast exit during power outages and emergency situations
- Arrow size: 3"
- Standard package: 100 arrows per pkg.
- 10+ hour glow life
- Exceeds standards listed on pg. 181



"Glow-in-the-Dark" Photoluminescent Arrows

| Size | Catalog Number |
|------|----------------|
| 3"   | 93275          |

E

Visual Warnings

# Dots & Footprint Markings

## Aisle Marking Arrows/Dots


### ► Vinyl Dots

- Made of B-933 self-sticking vinyl tape
- Four sizes available
- Choose from yellow, red, green or white
- Standard package: 500 dots

| Size | Catalog Number |       |       |       |
|------|----------------|-------|-------|-------|
|      | Yellow         | Red   | Green | White |
| 2"   | 55324          | 55337 | 55342 | 55347 |
| 3"   | 55325          | 55338 | 55343 | 55348 |
| 4"   | 55326          | -     | -     | -     |
| 5"   | 55327          | -     | -     | -     |



Self-sticking Aisle Marking Dots are designed for easy hand application.




Aisle Marking Dots are perfect for marking short aisles, or around machines, equipment and storage areas.

### ► "Glow-in-the-Dark" Photoluminescent Dots

- Made of B-324 photoluminescent vinyl film
- Four sizes available
- Standard package: 100 dots
- 10+ hour glow life

| Size | Catalog Number |
|------|----------------|
| 2"   | 58315          |
| 3"   | 58316          |
| 4"   | 59527          |
| 5"   | 59528          |



## Directional Footprints

### ► "Glow-in-the-Dark" Photoluminescent Footprints

- Made of B-324 photoluminescent vinyl film
- Designed for safe exit during power outages and emergency situations
- Footprint size: 12"
- Standard package: one
- 10+ hour glow life

| Foot  | Catalog Number |
|-------|----------------|
| Left  | 55358          |
| Right | 55359          |

### ► Vinyl Footprints

- Made of B-933 vinyl tape
- Footprint size: 12"
- Standard package: one



Vinyl Footprints

| Foot  | Catalog Number | Color  |
|-------|----------------|--------|
| Left  | 55356          | Yellow |
| Right | 55357          | Yellow |
| Left  | 56920          | Green  |
| Right | 56921          | Green  |
| Left  | 56922          | Red    |
| Right | 56923          | Red    |
| Left  | 56924          | White  |
| Right | 56925          | White  |



**FYI**

"Glow-in-the-Dark" and dots directional footprints and arrows are compliant to:

10+ hour glow life  
 ASTM E2072-00/E2073-02/  
 E2030-02  
 ASTM/E162/E648/E662, SMP 800C  
 IMO Resolution A. 752(18)  
 ISO/CD 15370  
 PSPA Standard 002  
 Part 2 1993  
 Class A Rev. 2: 09/99



"Glow-in-the-Dark" Photoluminescent Footprints

### ► Removable Footprints

- Durable, skid-resistant footprints with removable back
- Available in yellow, green, blue and red
- Footprint size: 11 $\frac{7}{8}$ " x 3 $\frac{3}{4}$ "
- Standard package: 10 footprints (5 left/5 right)

| Catalog Number | Color  |
|----------------|--------|
| 31550          | Yellow |
| 31551          | Green  |
| 31552          | Blue   |
| 31553          | Red    |



Quickly and easily demonstrate the most efficient workflow procedure using these Removable Footprints.



# Bradystake™ Warning Stakes



Bradystakes™ are rugged and flexible; even if accidentally driven over, they bend, but don't break.




Bradystakes™ are made of tough, reinforced polymer that snaps back to the upright position with no damage.

- Made of a tough, reinforced polymer
- Highly visible - bright APWA colors are easy to see, reducing accidental dig-ins
- Durable graphics - ideal for harsh environments
- Impact resistant materials - resist effects of vandalism
- Flat on both sides - two-way readability
- Lightweight - six times lighter than conventional signs and posts, so installation is easy and shipping costs are greatly reduced

E



Reflective stakes provide high visibility - day or night.



## ▶ Reflective Bradystake™ Warning Stakes

- Combines the durability of the standard Bradystake™ with reflective sheeting to provide added visibility day or night
- Reflective sheeting in a 34" striped pattern is pre-applied to both sides
- Choose from two colors: orange on white reflective or black on yellow (color has 4 year life)
- Stake size: 66" tall

| Item                       | Catalog Number |
|----------------------------|----------------|
| Orange on White Reflective | 96922          |
| Black on Yellow Reflective | 96923          |



Stakes can be customized with warning stake decals, sold on next page.


## ▶ Blank Bradystake™ Warning Stakes

- Blank stakes with no sign assembly
- Variety of colors available
- Stake size: 66" tall, 3 3/4" wide

| Color      | Catalog Number |                |
|------------|----------------|----------------|
|            | With Points    | Without Points |
| Orange     | 96950          | 96920          |
| Yellow     | 96951          | 96921          |
| Blue       | 96952          | 96926          |
| Green      | 96953          | 96927          |
| White      | 96954          | 96928          |
| Red        | 96955          | 96929          |
| Dark Brown | 96957          | 96931          |

## ▶ Bradystake™ Anchors

- Made of resilient, long-lasting spring steel
- For added stability in loose and sandy soil
- Catch soil around the stake preventing unauthorized removal
- As a custom order, anchors can be attached to Bradystake™ Warning Stakes at the factory for quick field installation
- Available in a kit for customer installation. Kit includes: anchors for five stakes, fasteners and instructions




1. Profile of stake with anchor
2. Anchor compresses against stake during installation
3. Anchor catches surrounding soil and prevents removal


| Catalog Number |
|----------------|
| 97084          |

## ▶ Pilot Hole Driver and Bradystake™ Driver

- Hand tools simplify the installation of Bradystake™ Warning Stakes in any soil condition
- Use the Pilot Hole Driver to make a starter hole where the ground is hard or rocky. Then Move the Pilot Hole Driver up and down over the pilot shaft to drive the spade into the ground
- Use the Bradystake™ Driver to drive the marker into the ground
- Pilot Hole Driver weight: 37 lbs.
- Bradystake™ Driver weight: 20 lbs.



Pilot Hole Driver



Bradystake™ Driver

| Catalog Number | Description        | Weight  |
|----------------|--------------------|---------|
| 96901          | Pilot Hole Driver  | 37 lbs. |
| 96902          | Bradystake™ Driver | 20 lbs. |

Visual Warnings

# Bradystake™ Warning Stakes

## Bradystake™ Warning Stake Labels

- Made of B-302 polyester
- Decal size: 14" x 3" (H x W)
- 1" blank area at bottom will accommodate separate label with company name and telephone number
- Avoid custom lead times by ordering these stock labels with Blank Bradystake™ Warning Stakes (sold separately above)

### Catalog Number

|       |
|-------|
| 85552 |
| 85551 |
| 85406 |



Catalog No.  
85552



Catalog No.  
85551



Catalog No.  
85406

## Custom Bradystake™ Warning Stakes

- Made of highly visible, durable B-130 polymer
- Resistant to weathering and will not rust or corrode
- Stake size: 66" tall, 34/5" wide
- Weight: 2.75 lbs.
- APWA specified colors:
  - Yellow - oil/gas distribution and transmission
  - Orange - telecommunications and cable TV
  - Blue - water systems
  - Green - sewer systems
  - Red - electrical power
  - White - proposed excavations
- Patent No. 4,812,343
- Available with one of the sign options below:

### Bradystake™ Warning Stakes With B-302 Polyester Decal

- Decal made of B-302 premium outdoor grade polyester film with permanent adhesive
- UV and abrasion resistant
- Flat on both sides - decals can be applied to both sides of stake
- No assembly required - decal can be applied to both sides

### Bradystake™ Warning Stakes With B-120 Fibershield® Fiberglass Sign

- Sign made of B-120 Fibershield® fiberglass
- Subsurface printed graphics resist abrasion, impact, chemicals and vandalism
- Signs will not chip, fade, rust, shatter or peel - guaranteed for 15 years
- Single or double-sided available
- No assembly required - decal can be applied to both sides



### To Order Your Custom Bradystake™ Warning Stakes Please Specify:

1. Stake length (if other than standard 66" length)
2. Stake color
3. Sign option:
  - B-302 Polyester Decal
    - single-sided
    - double-sided
  - B-120 Fiber-Shield® Fiberglass Sign
    - single-sided
    - double-sided
4. Graphics color(s):
  - For B-302 Polyester Decal and B-120 Fiberglass Sign, choose from black, blue, green, red, yellow, white or orange
5. Sign size (if other than the standard 14" x 3" sign)
6. Stakes with or without points
7. Stakes with or without anchors
8. Provide legend and logo information per your specifications



**Prevent accidental dig-ins by marking underground gas/oil pipelines, telecommunication cables, electric power lines, and water and sewer lines with Bradystake™ Warning Stakes.**

### Bradystake™ Trial Kits

- Bradystake™ Warning Stakes available in Trial Kit form
- Kit contains: twenty 66" orange or yellow stakes with standard size B-302 decals pre-applied to both sides
- Kit also includes one Pilot Hole Driver and one Bradystake™ Driver



### Customize It

Bradystake™ Trial Kits include pre-applied decals with your custom legend.

# Accessories

## Brady Aisle Marking Supplies



### Aisle Marking Tape-for use with obsolete Brady Marking Tape Applier

- Tape fits aisle marking tape applier sold in prior catalogs
- Made of long-wearing B-725 vinyl tape
- Applies quickly and sticks tightly
- Choose from yellow, red, green, white, blue or black
- Tape available in two sizes: 2" and 3"
- Standard package: one 36 yd. Roll
- Tape does not work with Universal Line Applicator

| Size | Catalog No. |        |        |        |        |        |        |        |        |        |
|------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      | Yellow      | Red    | Green  | White  | Blue   | Black  | Orange | Brown  | Purple | Grey   |
| 2"   | 58200       | 58201  | 58202  | 58203  | 58220  | 58222  | 102825 | 102828 | 102827 | 102826 |
| 3"   | 58250       | 58251  | 58252  | 58253  | 58221  | 58223  | 102829 | 102832 | 102831 | 102830 |
| 4"   | 102838      | 102836 | 102834 | 102837 | 102833 | 102839 | 102835 | 102840 | -      | -      |

**!** **NEW**

Most colors available in 4" rolls and 4 new colors

### Paint-for use with obsolete Brady Paint Striper

- Paint is used with paint striper sold in previous catalogs
- Paint available in yellow, red, blue or white
- Standard package: case of twelve 20 fl. oz. Cans
- Paint does not work with Universal Line Marker

| Paint       |       |       |       |
|-------------|-------|-------|-------|
| Catalog No. |       |       |       |
| Yellow      | Red   | Blue  | White |
| 56901       | 56902 | 56903 | 56904 |

## Safety Mirrors



Convex - 60° visibility eliminates blind intersections.

- Made of impact-resistant plastic
- Improve visibility and safety by providing a wide or enhanced field of vision
- Perfect for warehouses, loading docks, production areas, offices and public areas
- Two styles available: dome or convex
- Use dome mirrors to view large areas or for overhead viewing
- Use convex mirrors in low ceiling areas, elevators and smaller viewing areas
- Hardware included



Dome - prevents collision in high hazard areas.

| Size      | Description      | Catalog Number |
|-----------|------------------|----------------|
| 26" diam. | Outdoor Convex   | 86340          |
| 18" diam. | Indoor Convex    | 86341          |
| 18" diam. | Half Dome 180°   | 86342          |
| 18" diam. | Quarter Dome 90° | 86343          |
| 24" diam. | Full Dome 360°   | 86344          |

E

Visual Warnings