



Air-Powered Pipe Belt Finisher

For High-Quality Finishes on Rounded Surfaces



- Ideal for Finishing on Pipe and Rounded Work Surfaces
- Abrasive Belt Contacts 180° of Workpiece Simultaneously
- Adjustable Head Assembly & Side Handle for Operator Comfort




Dynabrade Pipe Belt Finisher

Air-powered Pipe Belt Finisher achieves top-quality finishes on rounded surfaces in record time! Tool's unique design allows abrasive belt to contact 180° of workpiece, in diameters from 3/8" to 2-3/8" (10 mm - 60 mm). May also be used on diameters up to 6" (152 mm). Sand, blend, polish and finish on metals such as stainless steel and aluminum. An essential tool for metal and railing fabrication, plus pharmaceutical equipment, food industries and more!



Model 14360 .7 hp, 3,400 RPM

- Accepts abrasive belts in widths of 1/2" to 1-1/2", by 30" in length (13 mm - 38 mm x 762 mm).
- For use on rounded surfaces from 3/8" to 6" in diameter (10 mm - 152 mm).



Safety Lock Throttle Lever

Prevents accidental startup of tool.

Adjustable Side Handle
Side handle adjusts for optimum comfort and control.

Comfortable Hand Grip

Grip may be moved for left or right hand use.

Belt Contacts 180° of Circumference

Abrasive belt contacts 180° of workpiece, in diameters from 3/8" to 2-3/8" (10 mm - 60 mm). May also be used on rounded surfaces up to 6" (152 mm) in diameter.

Accepts Various Belt Widths

Accepts optional abrasive belts in widths of 1/2" to 1-1/2" by 30" in length (13 mm - 38 mm x 762 mm).

Extended Rear Exhaust Muffler

Ensures lowest sound levels.

Ergonomic Tool Housing

Comfortable housing is insulated for extended use.

Adjustable Head Assembly

Head is easily rotated to suit each application.

Tension Arm

Allows quick and easy changing of abrasive belts.

| Model Number | Motor RPM | Motor hp (W) | Sound Level | Abrasive Belt Size Inch (mm) | Maximum Air Flow SCFM (L/Min) | Maximum SFPM (SM/Min) | Weight Pound (kg) | Length Inch (mm) | Height Inch (mm) |
|--------------|-----------|--------------|-------------|--------------------------------------|-------------------------------|-----------------------|-------------------|------------------|------------------|
| 14360 | 3,400 | .7 (522) | 82 dB(A) | 1/2 - 1-1/2 W x 30 L (13 - 38 x 762) | 40 (1,124) | 2,100 (640) | 6.5 (2.9) | 18 (450) | 10 (254) |

Tune-Up Kit: No. 96234 • Additional Specifications: Air Inlet Thread 1/4" NPT • Hose I.D. Size 3/8" (10 mm) • Air Pressure 90 PSIG (6.2 Bar)

NOTE: Dynabrade tools undergo continuous in-house evaluation. Therefore a tool specification may be updated from the value shown above. For the most current specifications of any tool, please visit Dynabrade.com.

Abrasive Belts for Pipe Belt Finisher

Dynabrade is long established as the global leader in Abrasive Power Tool technology. We are also your source for the finest in Abrasive Belts, Discs, Sheets and more! Best of all, our abrasive products are backed by the Dynabrade Difference – outstanding technical support and unmatched customer service!

Narrow Abrasive Belts

1-1/2" Wide x 30" Long (38 mm x 762 mm)

DynaCut Zirconia Alumina (Z/A) Coated Abrasive Belts

Versatile, high-performance mineral that is sharp, hard and tough. For metalworking finishing on stainless steel, nickel alloy, forged steel and aluminum.

DynaCut Aluminum Oxide (A/O) Coated Abrasive Belts

The most common mineral for general purpose applications, primarily on softer metals. For light and heavier grinding, plus blending on aluminum, carbon steel, brass and bronze.

DynaCut Premium Ceramic (PCER) Coated Abrasive Belts

Self-sharpening design lasts 50% to 200% longer than other belts. For light/heavier grinding, coatings removal on stainless steel, carbon steel, titanium, nickel alloy, chrome and inconel.

DynaBrite® & DynaBrite® PLUS Surface Conditioning (NWN) Belts

Tough reinforced non-woven nylon impregnated with abrasive grain and resin. Ideal for surface conditioning, decorative finishing, light/heavy cleaning, blending and polishing.



Dynabrade's AbrasivEdge!

Contact our Customer Service Department today!

| W x L (Inches) | Belt Type | Belt Brand | COATED ABRASIVES | | | | | | | | SURFACE CONDITIONING (NWN) | | | POLISHING | Package Quantity |
|-------------------|--------------|-----------------|------------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------------------------|--------|--------------|-----------|---------------------|
| | | | 36 Grit | 40 Grit | 60 Grit | 80 Grit | 120 Grit | 180 Grit | 220 Grit | 320 Grit | Coarse | Medium | Very Fine | Polishing | |
| 1-1/2 x 30 | Z/A | DynaCut | • | 92200 | 92201 | 92202 | 92203 | • | • | • | n/a | n/a | n/a | n/a | 10 |
| 1-1/2 x 30 | A/O | DynaCut | • | • | 90590 | 90591 | 90592 | 90593 | 90594 | 90595 | n/a | n/a | n/a | n/a | 10 |
| 1-1/2 x 30 | PCER | DynaCut Premium | • | 79153 | 79154 | 79155 | 79210 | • | • | • | n/a | n/a | n/a | n/a | 10 |
| 1-1/2 x 30 | NWN | DynaBrite® | → | | | | | | | | 78033 | 78034 | 78035 | n/a | 10 |
| 1-1/2 x 30 | NWN | DynaBrite® PLUS | → | | | | | | | | 79591 | 79592 | 79593 | n/a | 10 |
| 1-1/2 x 30 | POL | CLEO® Polishing | → | | | | | | | | | | | 91523 | 10 |

• Call for availability and pricing. n/a = Not Available.

Pipe Belt Finisher Accessories

Coupler & Plug Assembly

For Maximum Air Flow to Tool!

Part No. 98265

- Provides up to 138 SCFM (3,900 L/Min) – tool won't be "starved!"
- Offers convenient quick-connect and disconnect feature.
- Includes one 3/8" NPT female coupler and one 3/8" NPT male plug (also sold separately).



Air Motor Tune-Up Kit

Maintain Your Tool in Top Condition!

Part No. 96234

- Includes assorted parts to help maintain and repair motor.
- For use with 14360 Pipe Belt Finisher.



Dynabrade Air Lube

For Maximum Air Flow to Tool!

Part No. 95842 1 pt. (473 ml)

Part No. 95843 1 gal. (3.8 L)

- Formulated for pneumatic equipment.
- Absorbs up to 10% of its weight in water.
- Prevents rust and formation of sludge.
- Keeps pneumatic tools operating longer, with greater power and less downtime.

95842



Dynaswivel® Air Line Connector

Never Fight an Air Hose Again!

Part No. 95461

Aluminum, 3/8" NPT

- The Dynaswivel® is a patented "universal-joint" that connects portable air tools to an air line.
- Swivels 360° AT TWO PIVOT POINTS, allowing the air hose to drop directly to the floor while providing superb tool handling.
- Improves tool maneuverability and air flow, minimizes operator fatigue and extends hose life.
- Many other configurations available.



Grease & Grease Gun

- Multi-purpose grease for all types of bearings, cams, gears.
- High film strength; excellent resistance to water, steam, etc.
- Workable range -18° C to 149° C (0° F to 300° F).

Part No. 95541

Push-Type Grease Gun

- One-hand operation.



Part No. 95542

283.5 g (10 oz.) Tube

95542



For More Tools and Related Accessories, Visit: Dynabrade.com



DYNABRADE, INC.

8989 Sheridan Drive • Clarence, New York 14031-1419
 Phone: 716-631-0100 • US Fax: 716-631-2073 • International Fax: 716-631-2524
US Consumers Call Toll-Free: 1-800-828-7333
Canadian Consumers Call Toll-Free: 1-800-344-1488

DYNABRADE EUROPE S.à r.l.

Zone Artisanale Op Tomm 6 • L-5485 Wormeldange-Haut, Luxembourg
 Phone: +352 768 494 1 • Fax: +352 768 495

DYNABRADE INDIA ABRASIVE POWER TOOLS Pvt Ltd.

EL-54, TTC Industrial Area, M.I.D.C. Mahape • Electronic Zone, Navi Mumbai - 400705
 Maharashtra, India • Phone: +91 22 2763 2226 • Fax: +91 22 2763 2228

US Consumer Toll-Free Number: 1-888-DYNABRADE

DISTRIBUTED BY: