


Abrasives

HiVac, Random Orbital, DynaLocke®, “Mud Hog” and Dynabug® “Model T” Abrasives



3" Diameter, HiVac

Aluminum Oxide, Hook & Loop

Part Number	Grit
92056	80
92057	120
92058	180
92059	220
92060	320

3-1/2" Diameter

3M™ Stikit™ Gold 216U Aluminum Oxide, PSA

Non-Vacuum (No Holes)	Vacuum	Grit	Discs per Roll
92090	–	80	125
92092	–	120	125
92094	–	180	175
92095	–	220	175
92097	–	320	175

5" Diameter

3M™ Stikit™ Gold 216U Aluminum Oxide, PSA

Non-Vacuum (No Holes)	Vacuum (5 Holes)	Grit	Discs per Roll
93101	93109	80	125
93102	93110	100	125
93103	93111	120	125
93105	93113	180	175
93106	93114	220	175

6" Diameter

3M™ Stikit™ Gold 216U Aluminum Oxide, PSA

Non-Vacuum (No Holes)	Vacuum (6 Holes)	Grit	Discs per Roll
93200	93215	80	125
93201	93216	100	125
93202	93217	120	125
93204	93219	180	175
93205	93220	220	175

NewEdge Scalloped-Edge Abrasive Discs

For Use With Random Orbital and Gear-Driven Sanders

- Scalloped edge easily conforms to rounded edge of sanding pad, allowing more abrasive to contact work surface.



3-1/2" Diameter

Aluminum Oxide, Hook & Loop

Part Number	Grit
92580	80
92581	120
92582	150
92583	220
92584	360

5" Diameter

Aluminum Oxide, Hook & Loop

Part Number	Grit
92590	80
92591	120
92592	150
92593	220
92594	360

3-1/2" Diameter

Non-Woven Nylon, Hook & Loop

Part Number	Grit
92585	Maroon Scuff – Fine
92586	Grey Scuff – Very Fine

5" Diameter

Non-Woven Nylon, Hook & Loop

Part Number	Grit
92595	Maroon – Fine
92596	Grey – Very Fine

Abrasives

8" Random Orbital and Gear-Driven Sander Coated Abrasive Discs

8" Diameter

Aluminum Oxide, PSA

Non-Vacuum (No Holes)	Vacuum (8 Holes)	Grit
91235	91247	40
91237	91249	80
91239	91251	120

8" Diameter

Aluminum Oxide, Hook & Loop

Non-Vacuum (No Holes)	Vacuum (8 Holes)	Grit
91444	91456	40
91446	91458	80
91448	91460	120



Dynabug® "Model T" Sander Abrasive Sheets

4-1/2" Wide x 4-1/4" Long

Aluminum Oxide, Hook & Loop

Part Number	Grit
93850	80
93851	120
93852	180
93853	320



11-1/4" Random Orbital and "Mud Hog" Discs

Aluminum Oxide

Hook & Loop

Non-Vacuum (No Holes)	Vacuum ("O" Style)	Grit
91315	91317	36
91316	91318	60
91300	91303	80
91301	91304	120
91302	91305	180



"O-Style" Abrasive Disc
5-1/2" Center Hole

Microfinishing Film

Hook & Loop

Non-Vacuum (No Holes)	Vacuum ("O" Style)	Micron
91320	91325	100
91321	91326	80
91322	91327	60
91323	91328	30
91324	91329	15



3M™ Trizact™ Discs

Non-Vacuum Only, Hookit™ II

Part Number	Grade
91405	Green – A35
91406	Blue – A10
91407	Orange – A5
91408	White – C/O

3M™ Scotch-Brite™ Discs

Non-Vacuum Only, Hook & Loop

Part Number	Grade
91400	Maroon – Very Fine
91401	Grey – Ultra Fine
91402	White – Super Fine

Note: C/O is Cerium Oxide 568XA

3M, Scotch-Brite, Trizact and Hookit II are registered trademarks of 3M Company.

Abrasives

Mini-Dynaflex® II Belts

12" Coated Abrasive Belts

Belt Width	40 Grit	60 Grit	80 Grit	120 Grit	180 Grit	220 Grit	320 Grit
1/8"	–	90121	92206	92207	92208	92209	92210
1/4"	92105	92106	92107	92108	92118	92119	92120
1/2"	92110	92111	92112	92113	92114	92115	92116

12" Non-Woven Nylon Belts

Belt Width	Super Fine Grey (320-600)	Very Fine Blue (220-320)	Medium Maroon (150-180)	Coarse Brown (80-150)
1/2"	90311	90312	90313	90314



Electric Dynaflex® II Belts

18" Coated Abrasive Belts

Belt Width	40 Grit	60 Grit	80 Grit	120 Grit	180 Grit	220 Grit	320 Grit
1/2"	92130	92131	92132	92133	90244	90245	90246
3/4"	92135	92136	92137	92138	90254	90255	90256

18" Non-Woven Nylon Belts

Belt Width	Type T Polishing	Super Fine Grey (320-600)	Very Fine Blue (220-320)	Medium Maroon (150-180)	Coarse Brown (80-150)
1/4"	–	90158	90228	90229	–
1/2"	90052	90159	90248	90292	90297
3/4"	90053	90161	90258	90294	90299



Palm-Style Mini-Dynorbital® Sander Discs

Silicon Carbide Discs

PSA

Diameter Inch	80 Grit	120 Grit	180 Grit	220 Grit	Discs per Sheet
3/4	93271	93272	93274	93275	75
1-1/4	93280	93281	93283	93284	25

Non-Woven Nylon Discs

Hook & Loop

Width Inch	Medium Maroon	Very Fine Blue	Discs per Sheet
3/4	90858	90856	75
1-1/4	90862	90860	25



Micro-Finishing Film Discs

PSA Mounted Aluminum Oxide

Size	Grit	Part No.
3/4"	1,000 (9 micron)	93183
1-1/4"	1,000 (9 micron)	93191

Abrasives

3M™ Ceramic Coated Discs

2" Diameter

Roloc™ – Aluminum Oxide

Part Number	Grit
92027	60
92028	80
92029	120



3" Diameter

Roloc™ – Aluminum Oxide

Part Number	Grit
92031	60
92032	80
92033	120

4" Diameter

Roloc™ – Aluminum Oxide

Part Number	Grit
92047	36
92049	60
92050	80

3M™ Non-Woven Nylon Discs

2" Diameter

Super Fine Grey	Very Fine Blue	Medium Maroon	Coarse Brown
90875	90874	90873	90872



3" Diameter

Super Fine Grey	Very Fine Blue	Medium Maroon	Coarse Brown
90879	90878	90877	90876

4" Diameter

Medium Maroon	Coarse Brown
90868	90867

Ceramic Coated Abrasive Discs

4-1/2" Diameter

Aluminum Oxide, Flange-Mounted – 7/8" Center Hole

Part Number	Grit
92052	50
92053	80
92054	100
92055	120



3M™ Roloc™ Bristle Discs

Diameter Inch	Max. Operating Speed	50 Grit Green	80 Grit Yellow	120 Grit White
2	25,000 RPM	92015	92016	92017
3	15,000 RPM	92021	92022	92023
4-1/2	12,000 RPM	90915	90916	90917

Note: 4-1/2" Variety 3-Pack of discs also available as Part No. 90918.



Cut-Off Wheel

3" Diameter

Part Number	Description
94910	1/16" Thick, 3/8" Diameter Hole



Abrasives

DynaMitt Sanding Glove Abrasive Sheets

4-3/4" Wide x 7-7/8" Long

Aluminum Oxide, Cloth, J Weight

80 Grit	180 Grit	Sheets per Package
93880	93881	5

Aluminum Oxide, Gold

80 Grit	120 Grit	180 Grit	320 Grit	400 Grit	600 Grit	Sheets per Pkg.
93882	93883	93884	93885	93887	93888	10

Non-Woven Nylon Sheets

Part Number	Grade	Color	Sheets per Package
93886	Very Fine	Maroon	2



Abrasives Sample Kit

Part Number	Includes
93889	2 each of Sheets 93880-93883, 1 each of Sheets 93884-93888 and 1 Non-Woven Nylon Sheet (93886)

Dynafine® Detail Sander Abrasives

Tear-Drop Discs

Aluminum Oxide



Type	80 Grit	120 Grit	150 Grit	180 Grit
Hook & Loop	93953	93954	93955	93956
PSA	93993	93994	93995	93996

Non-Woven Nylon

Coarse Brown	Medium Maroon	Very Fine Blue	Super Fine Grey
93970	93971	93972	93973



Triangular Discs

Aluminum Oxide



Type	40 Grit	80 Grit	120 Grit	150 Grit	180 Grit
Hook & Loop	93911	93913	93914	93915	93916
PSA	-	93983	93984	93985	93986

Non-Woven Nylon

Medium Maroon	Very Fine Blue
93931	93932



Dynafine® Finger Sander Abrasives

2" Long Coated Abrasive Strips

Aluminum Oxide, PSA

Width Inch	120 Grit	180 Grit	240 Grit	Strips per Package
3/8	93940	93941	93942	20
3/4	93943	93944	93945	20



Abrasives

Dynabug® Orbital “Jitterbug” and Dynaline In-Line Sander Abrasives

2-3/4" W x 8" and 11" L, 3M™ Coated Abrasive Rolls
Aluminum Oxide, PSA

80 Grit	100 Grit	120 Grit	150 Grit	180 Grit
93000	-	-	-	-
-	93001	93002	-	-
-	-	-	93003	93004

Note: 80x – 25 yds. / 100x & 120x – 30 yds. / 150x & 180x – 45 yds.

2-3/4" W x 8" L, Aluminum Oxide Sheets
("A" Weight) PSA Mounted with Liner

Grit	Part No. (No Holes)	Part No. (6 Holes)
80	93700	93710
120	93702	93712
180	93704	93714
220	93705	93715
320	93706	93716

3-2/3" W x 7" L, 3M™ Coated Abrasive Rolls
Aluminum Oxide, PSA

80 Grit	120 Grit	150 Grit	180 Grit
93030	-	-	-
-	93032	-	-
-	-	93033	-
-	-	-	93034

Note: 80x – 25 yds. / 120x – 30 yds. / 150x – 45 yds. / 180x – 50 yds.

3-2/3" W x 7" L, Coated Abrasive Sheets
Aluminum Oxide

Type	80 Grit	100 Grit	120 Grit	150 Grit	180 Grit	220 Grit	320 Grit
H&L	-	93801	-	93803	-	-	-
PSA	93810	-	93812	-	93814	93815	93816



Dynabug® II Coated Abrasive Sheets

3" Wide x 4-1/4" Long
Aluminum Oxide, PSA

Type	Number of Holes	150 Grit	180 Grit	220 Grit	320 Grit
Non-Vac	0	93760	93761	93762	93763
Vacuum	4	93765	93766	93767	93768

Aluminum Oxide, Hook & Loop

Type	Number of Holes	150 Grit	180 Grit	220 Grit	320 Grit
Non-Vac	0	93785	93786	93787	93788
Vacuum	4	93890	93891	93892	93893

3-1/8" Wide x 5-1/4" Long
Aluminum Oxide, PSA

Type	Number of Holes	150 Grit	180 Grit	220 Grit	320 Grit
Non-Vac	0	93770	93771	93772	93773
Vacuum	8	93775	93776	93777	93778

Aluminum Oxide, Hook & Loop

Type	Number of Holes	150 Grit	180 Grit	220 Grit	320 Grit
Non-Vac	0	93791	93792	93793	93794
Vacuum	8	93895	93896	93897	93898
Vac (4 x 4)	8	93934	93935	93936	93937

4" Wide x 5-7/8" Long
Aluminum Oxide, Hook & Loop, Delta Style

Type	Number of Holes	150 Grit	180 Grit	220 Grit	320 Grit
Vacuum	7	93796	93797	93798	93799

