

America's Leading Manfuacturer of High Quality
Hex Keys since 1950





USERS' GUIDE TO HEX AND TORX® TOOLS



WHEN YOU NEED:	MAY WE SUGGEST:	SEE PAGES:
New Product		A1-A2
The highest quality, industrial grade Hex and Torx® Key Products.	All Eklind Brand products will meet your requirements.	ALL
Convenient access to the keys you use most and to avoid losing individual keys.	Fold-Up Sets	6-9
A comfortable handle that won't slip out of your hand without sacrificing strength.	Ergo-Fold™ Sets	6-7
The smallest handle available that will fit conveniently in your pocket.	Classic Fold-Up Sets	8-9
Extra torque and/or extra reach.	T-Key Sets or Individuals	20-23, 30-31
A handle that offers extra torque and reduces the risk of hands slipping.	Power-T™ Sets or Individuals	20-21, 30
Tools that are compact and fit readily in your toolbox.	Cushion or Standard Grip T-Key Sets or Individuals	22-23, 31
A tool that turns effortessly in your hand.	Screwdriver Sets or Individuals	19-31
General purpose Hex and Torx® Tools that you can use in a wide variety of applications.	L-Key Sets or Individuals	10-17, 24-29
A holder that will keep your keys in the right place, and fits comfortably in your toolbox.	L-Key Sets with Molded Holders	10-13
A container that will provide maximum protection for your tools.	L-Key Sets with Metal Box	14-15
Tools that will help you to obtain access to hard to reach fasteners.	Ball-End Tools	4-11, 14-21, 24-25 29-30, 32-33
A complete assortment of keys, preparing for any project that you may encounter.	Combo Sets	4-5
Quick access to all of your Hex and Torx® Tools so that they are conveniently located on your work bench.	Sets with Stands	19-23, 33
Tools that offer precise control, a large, comfortable handle and a soft ergonomic grip.	PSD™ Precision Screwdriver Sets or Individuals	18-32





			TORX®)		HEX	
Page	Contents	Ball / Torx [®]	Tamper Resistant	Standard Torx [®]	Ball Hex	Tamper Resistant	Standard Hex
2	User's Guide to Hex and Torx® Tools						
4 - 5	Combination Sets			*	•		
6 - 7	Ergo-Fold [™] Keys Sets		*	*	•		
8 - 9	Classic Fold-Up Sets			*			•
10 -11	Ball-Hex-L [™] Key Sets in Molded Holders	*					
12 -13	Hex-L® Key Sets in Molded Holders		*	*			•
14 -15	Hex-L® Keys in Metal Boxes			*	•		•
16 -17	Hex-L® Keys in Vinyl Pouches	*	*	*		•	•
18	PSD™Precision Screwdriver Sets			*	•		•
19	Ball-Hex Drivers [™]						
20 - 21	Power-T [™] Key Sets			*			•
22 - 23	Cushion & Standard Grip T-Key Sets						•
24 - 25	Individual Ball-Hex-L [™] Keys	*					
26, 27, 28	Individual Hex-L® Keys					•	•
29	Individual Torx® L-Keys		*	*			
30	Individual Power-T™ Keys			*			•
31	Individual Cushion & Standard GripT-Keys						
32	Individual PSD [™] Precision Screwdrivers			*	•		•
33	Individual Ball-Hex Drivers™				•		
34 - 35	Replacemet Fold-Up Keys			*	•		•
35	L-Key Holders & Metal Boxes	*	*	*	•		•




















DOUBLE-BALL-HEX-L KEY










DIMENSIONS

- Thicker ball tip on short arm for more torque
- 100° angle for easier entry
- 20° range of motion
- Safely access areas that are hard to reach

	TIP	LONG ARM (INCH)	SHORT ARM (INCH)				
DOUBLE BALL	END HEX KEY	S - INCH SIZES	5	ITEM			
19203	.050	3.10	.25	NO.	ı	DIMENSIONS	s
19204	1/16	3.50	.27				
19205	5/64	3.90	.29		TIP	LONG ARM (INCH)	SHORT ARM (INCH)
19206	3/32	4.15	.30	DOUBLE BALL			
19207	7/64	4.41	.31	19603	L END HEX KEY 1.5	3.50	
19208	1/8	4.75	.33		-		.27
19209	9/64	5.11	.34	19604	2.0	3.90	.29
19210	5/32	5.46	.37	19605	2.5	4.30	.30
				19606	3.0	4.90	.34
19212	3/16	6.15	.41	19608	4.0	5.40	.37
19214	7/32	6.48	.49	19610	5.0	6.20	.42
19216	1/4	6.81	.48	1912	6.0	7.00	.49
19220	5/16	7.55	.62	19616	8.0	7.80	.62
19224	3/8	8.50	.77	19620	10.0	8.70	.81



Ball tip on short arm is thicker providing extra strength

ITEM


NO.





NEW HEX T-KEY LENGTHS

Eklind Hex T-Keys feature a one piece loop handle construction for extra strength. Popular inch and metric keys are **NOW** available in both 12" and 15" lengths. Cushion Grip T-Keys provide extra comfort.



51232	1/2	6	12
ITEM			
NO.		DIMENSIO	NS
	TIP	HANDLE WIDTH	SHAFT LENGTH (INCH)
CUSHION GR	IP HEX T-KEYS	- INCH SIZES,	/15" SERIES
CUSHION GR 51505	1P HEX T-KEYS 5/64	- INCH SIZES	/15" SERIES 15
51505	5/64	3	15
51505 51506	5/64 3/32	3	15 15
51505 51506 51507	5/64 3/32 7/64	3 3 3	15 15 15

3/16

7/32

1/4

3/8

1/2

5/16

7/32

5/16

54225	2.5	3	12
54230	3.0	3	12
54240	4.0	3	12
54250	5.0	4	12
54260	6.0	4	12
54280	8.0	6	12
54290	10.0	6	12
54292	12.0	6	12
ITEM			
NO.		DIMENSIO	
	TIP SIZE	HANDLE	SHAFT LENGTH (INCH)
CUSHION GRI	P HEX T-KEYS	- METRIC SIZ	ZES/15" SERIES
54520	2.0	3	15
54525	2.5	3	15
54530	3.0	3	15
54540	4.0	3	15
54550	5.0	4	15
54560	6.0	4	15
54580	8.0	6	15
54590	10.0	6	15
54592	12.0	6	15






NEW POWER-TTM TORX® LENGTH

Eklind Power-T™ Keys are manufactured from Eklind Alloy Steel™. They are heat treated for optimum strength and ductility. Power-T™ T-Handle Hex Keys have a soft, textured overmold for extra comfort, slip resistance and safety. NOW available in 9" length.

- Soft textured overmold for extra comfort
- Provides extra reach and extra leverage
- Sizes permanently marked on handle



9

9

★ Torx_® tools drive both Torxo and Torx Pluso Fasteners.

Eklind.

68945

68950

T45

T50

5

5







COMBINATION SETS

Eklind Combo Sets are a great choice when both inch and metric Hex Keys are needed. These sets offer convenience as well as value. Combo Sets include popular inch and metric sizes in Ball-Hex, Standard Hex and Torx® style tips.

Ball•Hex•L[™] Key Sets



Turns 360° AT UP TO A 35° Angle

Hex•L® Key Sets



Ergo•Fold[™] Key Sets



Classic Fold•Up Key Sets



EXTRA LEVERAGE
EXTRA TORQUE
EXTRA REACH



BALL-HEX-L- COMBO SETS





HEX-L' COMBO SETS

							KE	Y SE	TS									
ITEM NO.	SERIES	NO. of KEYS	10111		101/3	/	10213	/	10501	/	1050B	/	10608	/	1273	$\overline{/}$	1,1609	$\overline{/}$
10022	Long & Short	22																1
10222	Long	22												•				
10122	Short	22				•												
10518	Short	18		•														ł
11222	Bright	22																

ERGO+FOLD™ COMBO SETS





CLASSIC FOLD-UP COMBO SETS

				KEY SETS		
ITEM NO.	NO. of KEYS	20911		21171	22511	
26160	16					
29171	23		_			







ERGO+FOLD™ KEY SETS Feel The Difference!

Ergo-Fold[™] Key Sets feature a composite grip handle shaped for superior ergonomics. A soft cushion-grip insert offers comfort and slip resistance, while a hard shell provides maximum strength. Eklind keys provide extra reach for safer clearance from your work.





Torx® sets cover a wide scope of applications including; automotive headlights, taillights and trim, power tools, carbide inserts in cutting tools, appliances and electronics.






These convenient sets are ideal in the glove compartment and kitchen or desk drawers.



As Strong As Steel...Guaranteed Forever!



ERGO+FOLD™ INCH SETS






ERGO•FOLD™ METRIC <u>SETS</u>

			KEY SIZES
ITEM NO.	HANDLE SIZE	NO. of KEYS	12/3/3/30/30/30/30/30/30/
BALL EN	ID METRIC	SETS	
25159	5.25	5	
25169	3.63	6	
HEX ME	TRIC SETS		
25161	5.25	6	
25171	3.63	7	
25172	5.25	7	
25181	5.25	8	

ERGO+FOLD™ TORX® SETS



ERGO•FOLD™ SCREWDRIVER SETS

0.0		0.0	KEY SIZES
ITEM NO. SCREWE	HANDLE SIZE DRIVER SET	KEYS	JIS' FO SITE" FO JIE' FO KIPO KINL A CHINI S. CHINI GONNI TIS
25461	3.63	6	
25651	3.63	5	







CLASSIC FOLD-UP SETS

This versatile line of tools is available in inch and metric Hex Keys, Ball-Hex Keys,Torx® Keys or Screwdriver Bits. Each set of keys is housed in a one-piece comfort grip handle designed to operate smoothly as well as hold the keys firmly in any desired work position.

Combo Sets



Inch and Metric Sets



A variety of Hex and Ball-Hex Sets are available, covering the full range of inch and metric sizes.



Screwdriver Sets



These convenient sets offer flat blades.#1 Phillips, a scratch awl and the popular T15 Torx® Key. They are easily kept in the glove compartment and kitchen or desk drawers.






Torx® Sets cover a wide scope of applications including; automotive headlights taillights and trim, power tools, carbide inserts in cutting tools, appliances and electronics.





CLASSIC FOLD-UP INCH SETS







CLASSIC FOLD-UP METRIC SETS

4, 0		7	KEY SIZES
ITEM NO.	HANDLE SIZE	NO. of KEYS	2/2/2/2/2/2/2/2/2/2/
BALL EN	D METRIC S	ETS	
21158	3.00	5	
21159	5.25	5	
HEX MET	RIC SETS		
21151	5.25	6	
21171	3.63	7	
21172	4.25	7	



CLASSIC FOLD-UP TORX® SETS

			KEY SIZES
ITEM NO. TORX® S	HANDLE SIZE SETS	NO. of KEYS	10 1 10 10 10 10 10 10 10 10 10
22571	4.25	7	
22572	3.00	7	



CLASSIC FOLD-UP SCREWDRIVER SETS

	V. p	A A	KEY SIZES
ITEM NO.	HANDLE SIZE DRIVER'SETS	KEYS	The to The to The to the total the total the total total total total
22451	3.63	5	
22461	3.63	6	
22651	3.63	5	







BALL-HEX-L KEY SETS IN MOLDED HOLDERS

Eklind Ball-Hex-LTM Keys are designed with a ball profile on the long arm. This feature provides 360 degrees of rotation at up to a 35 degree angle. The burr-free short arm allows the user to apply maximum torque in required applications. Ball-Hex-LTM Sets are available in a variety of inch and metirc sizes, and in Long, Bright, Extra-Long Bright and Stubby series.



Ball•Hex•L[™] Key Sets

NEW "Bright" Series
Our new Bright series and X-Long Bright
series have been added to Eklind's
Ball-Hex-L™ Key family. These keys
are manufactured from the same high
quality standards that are consistant
with Eklind's entire line of
Hex Key Products.

Ball•Hex•L[™] **Combination Sets**

Combination Sets are available in our most popular inch and metric sizes, and in Ball-Hex-LTM Sets as well as Ball-Hex-LTM and Ergo-FoldTM Sets.





Ball * Torx®


Key Sets

Ball Torx® L-Key's have a standard Torx® tip

Ball Torx® L-Keys have a standard Torx® tip on the short arm. The long arm has a ball tip engineered to drive the Torx® fastener at up to a 35 degree angle.




BALL-HEX-L. INCH SETS



BALL-HEX-L™ METRIC SETS

							KEY	SIZES			
ITEM NO.	SERIES	NO. of KEYS	1	5/	20/	20/	30/0	0/	0 6	0 05	100
IN MOLE	DED PLAST	IC HOLDE	RS								2 -
13507	Stubby	7			1			1		-	
13509	Stubby	9						1			
13607	Long	7									
13609	Long	9	_			-		-			
13709	Bright Long	9									
17709	Bright X-Long	9									-

BALL / TORX® SETS









HEX-L® & TORX® L SETS IN MOLDED HOLDERS

Eklind L-Keys are produced from the highest quality Eklind Alloy Steel™. They are heat treated for maximum strength and finished to resist rust. Eklind's superior quality provides maximum torque and prevents rounding out of the key or hex socket.



Hex-L® Key Sets

A variety of inch and metric sets are available in both short and

A variety of inch and metric sets are available in both short and long arm series. These sets are contained in a convenient compact molded holder that firmly retains each key in designated holes. The molded holders are color-coded which makes them instantly identifiable; red for inch sizes, and blue for metric sizes.



tic holder with individually sized marked holes. Torx® keys are useful in the following applications: automotive headlights, taillights and trim, power tools, carbide inserts in cutting tools, appliances and electronics.






Combination Hex-L[®] Key Sets A variety of Combination Hex-L[®] Key Sets

A variety of Combination Hex-L® Key Sets are available in popular inch and metric sizes. These sets are contained in separate color-coded molded holders offering convenient, organized tools.





HEX+L® INCH SETS



** Available in bulk only (no blister pack)



HEX+L® METRIC SETS

			KEY SIZES	
ITEM NO.	SERIES	NO. of KEYS	2 2 2 2 2 2 2 2 2 2 2	/
IN MOLD	ED PLAST	IC HOLDE	RS	
10507	Short	7		
10509	Short	9		
10607	Long	7		
10609	Long	9		
11509	Bright Short	9		
11609	Bright Long	9		

श्रीम्स

TORX® L*SETS

						KEY SI	ZES			
ITEM NO.	SERIES	NO. of KEYS	THO	15	120	120	12	130	TAD	
IN MOLD	ED PLAST	C HOLDE	RS							
10807	Short	7		-	1				_	-
10907	Long	7			-					-
10707	TR	7	-							*
11807	Bright Short	7								
11907	Bright Long	7			Î					







HEX-L® & TORX® LSETS IN METAL BOXES


Eklind L-Keys are produced from the highest quality Eklind Alloy Steel[™]. They are heat treated for maximum strength and finished to resist rust. Eklind's superior quality provides maximum torque and prevents rounding out of the key or hex socket.






A variety of Inch, Metric and Torx® sets make up this extensive line. Keys are housed into a sturdy metal case that will conveniently hang in the workshop or stand on the workbench. All sets are contained in an index for easy access. Box labels are color-coded, red for inch sizes, blue for metric sizes and green for Torx® sizes.









TORX® L+SETS

							KEY SIZ	ZES			
ITEM NO.	SERIES	NO. of KEYS	10/1	1/2/	2/	0/20/	20/20/	À 28	700 70	18/8/	18/
10812	Short	12									
10890	Short	10			1		1000				
10984	Short	14			-						
10912	Long	12									
10990	Long	10									
10994	Long	14									







HEX-L® & TORX® L SETS IN VINYL POUCHES



Eklind L-Keys are manufactured from the highest quality Eklind Alloy Steel™. They are heat treated for maximum strength and finished to resist rust. Hex corners are sharp and clean. Each key is square cut and burr free for full depth precision fit with the hex socket. Eklind's quality provides maximum torque and prevents rounding out of the key or hex socket.

A variety of inch, metric and Torx® sets are available in both short and long arm series. These sets are available in a sturdy, see through vinyl pouch that can fit compactly into a toolbox or hang in the workshop. The vinyl pouches are color-coded which makes them instantly identifiable.



Tamper Resistant: for "Pin in Socket" Torx®




Tamper Resistant

Torx® keys are useful in the following applications: automotive headlights, taillights and trim, power tools, carbide inserts in cutting tools, appliances and electronics.



HEX-L® INCH SETS




* Tamper Resistant ** With plastic ring

HEX-L® METRIC SETS

	0 0		KEY SIZES
ITEM NO. IN VINYL	SERIES POUCHES	NO. of KEYS	2 2 2 2 2 2 2 2 2 2
10592	Short	12	
69205	Short	7	
69210	Short	10	
69511	Short	11	**
69611	Long	11	**
87169	Short	17	

TORX® L*SETS







PSD™ KEY SETS Professional Precision Screwdrivers

Eklind PSD™ Professional Precision Screwdrivers are manufactured with the same high quality standards that has made Eklind Tool Company the leading manufacturer of American made Hex Key products. A bigger, tapered, ergonomic handle is designed to offer professionals comfort as well as control. Rotating end-caps maintain finger tip control. Tip styles include Hex, Ball-Hex, Slotted, Phillips and Torx®.



- Big, Comfortable Handle
- Spinner-Cap for Precise Control
- Precision Machined Tip
- Sizes are Permanently Marked on Cap
- Soft, Ergo Grip
- Oil & Chemical Resistant







PSD™ INCH & METRIC SETS

			KEY SIZES
ITEM NO.	TIP STYLE	NO. of KEYS	\$\\$\\\$\\\$\\\$\\\$\\\$\\\$\\\$\\\$\\\$\\\$\\\$\\\$
92300	Hex	10	
92500	Ball-Hex	8	
92400	Hex	8	
92600	Ball-Hex	6	







PSD™ SCREWDRIVER & TORX® SETS

			KEY SIZES
ITEM NO.	TIP STYLE	NO. of KEYS	\2\2\2\2\2\2\2\2\2\2\2\2\2\2\2\2\2\2\2
92199	SD	10	
92200	TORX®	10	





BALL-HEX-DRIVERS...


Ball-Hex-Drivers[™] provide 360° of rotation at up to a 35° angle. Large diameter tools have bigger handles for better grip and superior torque. Small diameter tools feature a precision style handle with a finger rest at the top. Handles are color coded; red for inch sizes and blue for metric sizes.



This universal stand will accommodate a wide variety of Eklind products (T-Keys and Ball-Hex-Drivers™) in inch and metric sizes. They can be attached to a wall, to a bench, or to each other.



BALL-HEX-DRIVER™ INCH SETS





BALL•HEX•DRIVER™ METRIC SETS

		KEY SIZES
ITEM NO.	NO. of KEYS	2/2/2/2/2/2/2/2/2/2/
SETS IN	STANDS	
90611	10	
SETS IN	POUCHES	
90609	9	
90607	7	







POWER-T™ KEY SETS


Strong, Increased Comfort, and a Great New Look!

Eklind Power-T™ Keys are manufactured from the highest quality Eklind Alloy Steel™ and constructed with a solid steel core for maximum strength. They are heat treated for maximum strength and finished to resist rust. Our new dual-molded grip provides increased comfort and slip resistance for safety.





POWER+T™ INCH SETS



* Indicates L-Key





POWER+T™ METRIC SETS

			KEY SIZES							
ITEM NO. SETS IN		ARM LENGTH	NO. of KEYS	K	/\	2/2/2/2/2/2/2/2/2/				
64811	Ball	9"	10	*	*					
64611	Hex	6"	10	*	*					
64911	Hex	9"	10	*	*					
SETS IN	POUCHE	S								
64806	Ball	9"	6							
64808	Ball	9"	8							
64606	Hex	6"	6							
64608	Hex	6"	8							
64906	Hex	9"	6							
64908	Hex	9"	8							

* Indicates L-Key



POWER * T™ TORX® SETS

				<u> </u>
				KEY SIZES
ITEM NO. SETS IN	SERIES STANDS	ARM LENGTH	NO. of KEYS	10/1/10/10/10/10/10/10/10/10/10/10/10/10
68692	Torx®	6"	11	
SETS IN	POUCHE	5		
68688	Torx®	6"	8	
68689	Torx®	6"	8	
68691	Torx®	6"	11	








HEX T-KEY SETS

Eklind Hex T-Keys feature a one piece loop handle construction for extra strength. Hex T-Key sets are available in a stand or with a pouch. Stand sets can be attached to a wall or to a bench. Pouch sets fit compactly into a toolbox or hang in the work shop. Popular inch and metric sets are available in both 6" and 9" lengths. Cushion Grip Sets provide extra comfort. Standard Grip Sets offer a more economical option.






HEX T-KEY INCH SETS





HEX T-KEY METRIC SETS






जिसितिता_®

INDIVIDUAL BALL-HEX-L™ KEYS



ITEM NO.	DIMENSIONS						
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)				
ALL-HEX-L™	KEYS - INCH	SIZES / LONG	SERIES				
18203	.050	2.84	0.53				
18204	1/16	3.00	0.56				
18205	5/64	3.19	0.61				
18206	3/32	3.38	0.66				
18207	7/64	3.56	0.70				
18208	1/8	3.75	0.75				
18209	9/64	3.94	0.80				
18210	5/32	4.12	0.84				
18212	3/16	4.50	0.94				
18214	7/32	4.88	1.03				
18216	1/4	5.25	1.12				
18220	5/16	6.00	1.25				
18224	3/8	6.75	1.38				
18228	7/16	7.50	1.50				
18232	1/2	8.25	1.63				
18236	9/16	9.00	1.75				
18240	5/8	9.75	1.88				
18248	3/4	11.25	2.13				
18256	7/8	12.75	2.38				
18264	1	14.25	2.63				
ALL-HEX-L™	KEYS - INCH	SIZES / STUBB	Y SERIES				
18103	.050	2.84	0.16				
18104	1/16	3.00	0.29				
18105	5/64	3.19	0.29				
18106	3/32	3.38	0.30				
18107	7/64	3.56	0.32				
18108	1/8	3.75	0.33				
18109	9/64	3.94	0.35				
18110	5/32	4.12	0.37				
18112	3/16	4.50	0.41				
18114	7/32	4.88	0.49				
18116	1/4	5.25	0.48				
18120	5/16	6.00	0.62				
18124	3/8	6.75	0.75				


NO.	2 - 1	DIMENSIONS	S
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
ALL-HEX-L™	KEYS - MET	RIC SIZES / LON	IG SERIES
18602	1.3	2.84	0.53
18603	1.5	3.03	0.53
18604	2.0	3.19	0.61
18605	2.5	3.48	0.69
18606	3.0	3.88	0.75
18607	3.5	4.00	0.84
18608	4.0	4.09	0.94
18609	4.5	4.34	1.00
18610	5.0	4.57	1.06
18611	5.5	5.01	1.13
18612	6.0	5.43	1.22
18614	7.0	6.20	1.38
18616	8.0	6.20	1.38
18618	9.0	6.58	1.54
18620	10.0	6.58	1.54
18622	11.0	7.50	1.50
18624	12.0	8.23	1.73
18628	14.0	9.15	2.15
18634	17.0	9.69	2.42
18638	19.0	10.85	2.70
18644	22.0	14.00	2.70
18648	24.0	14.25	2.63
ALL-HEX-L™	KEYS - METE	RIC SIZES / STU	BBY SERIES
18503	1.5	3.03	0.16
18504	2.0	3.19	0.29
18505	2.5	3.48	0.30
18506	3.0	3.88	0.34
18508	4.0	4.09	0.37
18510	5.0	4.57	0.42
18512	6.0	5.43	0.49
18516	8.0	6.20	0.62
18520	10.0	6.58	0.75






INDIVIDUAL BRIGHT BALL-HEX-L™ KEYS





ITEM NO.	DIMENSIONS			
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)	
BRIGHT BALL	-HEX-L™ KEYS	- METRIC SIZE	s / LONG	
18703	1.5	3.03	0.53	
18704	2.0	3.19	0.61	
18705	2.5	3.48	0.69	
18706	3.0	3.88	0.75	
18708	4.0	4.09	0.94	
18710	5.0	4.57	1.06	
18712	6.0	5.43	1.22	
18716	8.0	6.20	1.38	
18720	10.0	6.58	1.54	
BRIGHT BALL	-HEX-L™ KEYS	- METRIC SIZE	S / X-LONG	
19703	1.5mm	3.5	0.53	
19704	2.0mm	3.9	0.61	
19705	2.5mm	4.33	0.69	
19706	3.0mm	4.88	0.75	
19708	4.0mm	5.43	0.94	
19710	5.0mm	6.19	1.06	
19712	6.0mm	7.00	1022	
19716	8.0mm	7.76	1.38	
19720	10.0mm	8.70	1.54	









INDIVIDUAL HEX-L® KEYS / INCH SIZES



ITEM		DINAFALORE	e e
NO.	1	DIMENSIONS	
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
-0.00	(10 th and 10 t	SHORT SERIE	
15101	.028	1.22	0.22
15102	.035	1.22	0.34
15103	.050	1.66	0.53
15104	1/16	1.75	0.56
15105	5/64	1.88	0.61
15106	3/32	2.00	0.66
15107	7/64	2.12	0.70
15108	1/8	2.25	0.75
15109	9/64	2.38	0.80
15110	5/32	2.50	0.84
15112	3/16	2.75	0.94
15114	7/32	3.00	1.03
15116	1/4	3.25	1.12
15120	5/16	3.75	1.25
15124	3/8	4.25	1.38
15128	7/16	4.75	1.50
15132	1/2	5.25	1.63
15136	9/16	5.75	1.75
15140	5/8	6.25	1.88
15148	3/4	7.25	2.13
15156	7/8	8.25	2.38
15164	1	9.25	2.63
15166	1 1/8	10.25	2.75
15168	1 1/4	12.11	4.80
15172	1 1/2	13.25	3.50
15176	1 3/4	15.25	4.00
15180	2	17.25	4.50
EX-L®KEYS -	INCH SIZES /	6" SERIES	
15305	5/64	6.00	0.61
15306	3/32	6.00	0.66
15307	7/64	6.00	0.70
15308	1/8	6.00	0.75
15309	9/64	6.00	0.80
15310	5/32	6.00	0.84
15312	3/16	6.00	0.94
15314	7/32	6.00	1.03
15316	1/4	6.00	1.12
15320	5/16	6.00	1.25

ITEM NO.		DIMENSIONS	
	TIP	LONG ARM (INCH)	SHORT
HEX-L®KEYS -	INCH SIZES /	LONG SERIES	
15201	.028	2.60	0.22
15202	.035	2.67	0.34
15203	.050	2.84	0.53
15204	1/16	3.00	0.56
15205	5/64	3.19	0.61
15206	3/32	3.38	0.66
15207	7/64	3.56	0.70
15208	1/8	3.75	0.75
15209	9/64	3.94	0.80
15210	5/32	4.12	0.84
15212	3/16	4.50	0.94
15214	7/32	4.88	1.03
15216	1/4	5.25	1.12
15220	5/16	6.00	1.25
15224	3/8	6.75	1.38
15228	7/16	7.50	1.50
15232	1/2	8.25	1.63
15236	9/16	9.00	1.75
15240	5/8	9.75	1.88
15248	3/4	11.25	2.13
15256	7/8	12.75	2.38
15264	1	14.25	2.63
15266	1 1/8	15.75	2.75
15268	1 1/4	19.80	4.80
15272	1 1/2	20.25	3.50
15276	1 3/4	23.25	4.00
15280	2	26.38	4.50
HEX-L®KEYS -	INCH SIZES /	12" SERIES	
15405	5/64	12.00	0.61
15406	3/32	12.00	0.66
15408	1/8	12.00	0.75
15410	5/32	12.00	0.84
15412	3/16	12.00	0.94
15414	7/32	12.00	1.03
15416	1/4	12.00	1.12
TAMPER RES	ISTANT	®KEYS / INCH	SIZES
90206	3/32	5.25	1.00
90208	1/8	5.25	1.00
90210	5/32	5.25	1.20
90212	3/16	5.25	1.20
90214	7/32	5.25	1.20
90216	1/4	5.25	1.38

90224

3/8

5.25

1.38




INDIVIDUAL HEX-L® KEYS / METRIC SIZES



NO.	DIMENSIONS		
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
EX-L®KEYS -	METRIC SIZE	S / SHORT SER	RIES
15500	0.7	1.22	0.22
15501	0.9	1.22	0.34
15502	1.3	1.63	0.53
15503	1.5	1.73	0.53
15504	2.0	1.93	0.61
15505	2.5	2,15	0.69
15506	3.0	2.42	0.75
15507	3.5	2.54	0.84
15508	4.0	2.68	0.94
15509	4.5	2.86	1.00
15510	5.0	3.08	1.06
15511	5.5	3.26	1.13
15512	6.0	3.46	1.22
15514	7.0	3.65	1.38
15516	8.0	3.84	1.38
15518	9.0	4.07	1.54
15520	10.0	4.29	1.54
15522	11.0	4.75	1.50
15524	12.0	4.80	1.73
15528	14.0	5.37	2.15
15534	17.0	6.14	2.42
15538	19.0	6.91	2.70
15544	22.0	8.25	2.70
15548	24.0	9.25	2.63
15551	27.0	9.61	3.84
15556	32.0	12.11	4.80
15560	36.0	13.64	5.37

NO.	DIMENSIONS		
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
EX-L®KEYS -	METRIC SIZE	S / LONG SERI	IES
15600	0.7	2.60	0.22
15601	0.9	2.67	0.34
15602	1.3	2.84	0.53
15603	1.5	3.03	0.53
15604	2.0	3.19	0.61
15605	2.5	3,48	0.69
15606	3.0	3.88	0.75
15607	3.5	3.98	0.84
15608	4.0	4.09	0.94
15609	4.5	4.32	1.00
15610	5.0	4.57	1.06
15611	5.5	4.99	1.13
15612	6.0	5.43	1.22
15614	7.0	6.20	1.38
15616	8.0	6.20	1.38
15618	9.0	6.58	1.54
15620	10.0	6.58	1.54
15622	11.0	7.50	1.50
15624	12.0	8.23	1.73
15628	14.0	9.15	2.15
15634	17.0	9.69	2.42
15638	19.0	10.85	2.70
15644	22.0	14.00	2.70
15648	24.0	14.25	2.63
15651	27.0	16.26	3.84
15656	32.0	19.80	4.80
15660	36.0	20.25	5.37










INDIVIDUAL HEX-L® KEYS / BRIGHT SERIES



ITEM NO.		DIMENSIONS	S
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
RIGHT HEX-	L®KEYS - INC	H SIZES / SHOP	RT SERIES
16103	.050	1.66	0.53
16104	1/16	1.75	0.56
16105	5/64	1.88	0.61
16106	3/32	2.00	0.66
16107	7/64	2.12	0.70
16108	1/8	2.25	0.75
16109	9/64	2.38	0.80
16110	5/32	2.50	0.84
16112	3/16	2.75	0.94
16114	7/32	3.00	1.03
16116	1/4	3.25	1.12
16120	5/16	3.75	1.25
16124	3/8	4.25	1.38
16128	7/16	4.75	1.50
16132	1/2	5.25	1.63
RIGHT HEX-	L®KEYS - INC	H SIZES / LONG	SERIES
16203	.050	2.84	0.53
16204	1/16	3.00	0.56
16205	5/64	3.19	0.61
16206	3/32	3.38	0.66
16207	7/64	3.56	0.70
16208	1/8	3.75	0.75
16209	9/64	3.94	0.80
16210	5/32	4.12	0.84
16212	3/16	4.50	0.94
16214	7/32	4.88	1.03
16216	1/4	5.25	1.12
16220	5/16	6.00	1.25
16224	3/8	6.75	1.38
16228	7/16	7.50	1.50
16232	1/2	8.25	1.63

10232	1/2	8.25	1.03	
NEW "B	Bright" H	lex-L® Ke	eys from	Eklind!
Our new	Bright sei	ries has l	been adde	ed to
Eklind's l	Hex-L® Ke	y family.	These ke	eys are
manufac	tured fron	n the sar	ne high q	uality 🐧
standard	s that are	consista	ant with E	klind's
entire lin	e of Hex I	Cey Prod	ucts.	

NO.	DIMENSIONS		
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
RIGHT HEX-	L®KEYS - ME	TRIC SIZES / SH	ORT SERIES
16503	1.5	1.73	0.53
16504	2.0	1.93	0.61
16505	2.5	2.15	0.69
16506	3.0	2.42	0.75
16508	4.0	2.68	0.94
16510	5.0	3.08	1.06
16512	6.0	3.46	1.22
16514	7.0	3.65	1.38
16516	8.0	3.84	1.38
16518	9.0	4.07	1.54
16520	10.0	4.29	1.54
16522	11.0	4.75	1.50
16524	12.0	4.80	1.73
RIGHT HEX-	L®KEYS - ME	TRIC SIZES / LC	NG SERIES
16603	1.5	3.03	0.53
16604	2.0	3.19	0.61
16605	2.5	3.48	0.69
16606	3.0	3.88	0.75
16608	4.0	4.09	0.94
16610	5.0	4.57	1.06
16612	6.0	5.43	1.22
16614	7.0	6.20	1.38
16616	8.0	6.20	1.38
16618	9.0	6.58	1.54
16620	10.0	6.58	1.54
16622	11.0	7.50	1.50
16624	12.0	8.23	1.73





INDIVIDUAL TORX® L-KEYS



ITEM NO.	DIMENSIONS		
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
	S / SHORT SE		
15805	T5	1.54	0.46
15806	T6	1.59	0.46
15807	T7	1.64	0.51
15808	T8	1.74	0.56
15809	Т9	1.88	0.61
15810	T10	2.00	0.66
15815	T15	2.13	0.71
15820	T20	2.25	0.75
15825	T25	2.38	0.80
15827	T27	2.50	0.85
15830	T30	2.75	0.94
15840	T40	3.00	1.03
15845	T45	3.25	1.13
15850	T50	3.75	1.25
15855	T55	4.25	1.38
15860	T60	5.25	1.63
		HORT SERIES	
16810	T10	2.00	0.66
16815	T15	2.13	0.71
16820	T20	2.25	0.75
16825	T25	2.38	0.80
16827	T27	2.50	0.85
16830	T30	2.75	0.94
16840	T40	3.00	1.03
16845	T45	3.25	1.13
16850	T50	3.75	1.25
16855	T55	4.25	1,38
	ISTANT TOR		
15706	T6	2.77	0.46
15707	T7	2.82	0.51
15708	T8	2.99	0.56
15709	T9	3.19	0.61
15710	T10	3.38	0.66
15715	T15	3.57	0.71
15720	T20	3.75	0.75
15725	T25	3.94	0.80
15727	T27	4.13	0.85
15730	T30	4.50	0.94
15740	T40	4.88	1.03
15745	T45	5.25	1.13
15750	T50	6.00	1.25
15755	T55	6.75	1.38
15760	T60	8.25	1.63

ITEM NO.	DIMENSIONS		
	TIP	LONG ARM (INCH)	SHORT ARM (INCH)
ORX® L-KEY	s / LONG SEF	RIES	
15905	T5	2.72	0.46
15906	T6	2.77	0.46
15907	T7	2.82	0.51
15908	T8	2.99	0.56
15909	T9	3.19	0.61
15910	T10	3.38	0.66
15915	T15	3.57	0.71
15920	T20	3.75	0.75
15925	T25	3.94	0.80
15927	T27	4.13	0.85
15930	T30	4.50	0.94
15940	T40	4.88	1.03
15945	T45	5.25	1.13
15950	T50	6.00	1.25
15955	T55	6.75	1.38
15960	T60	8.25	1.63
RIGHT TOR	(® L-KEYS / L	ONG SERIES	70.00
16910	T10	3.38	0.66

NEW!

BRIGHT TORX	® L-KEYS / LO	ONG SERIES	
16910	T10	3.38	0.66
16915	T15	3.57	0.71
16920	T20	3.75	0.75
16925	T25	3.94	0.80
16927	T27	4.13	0.85
16930	T30	4.50	0.94
16940	T40	4.88	1.03
16945	T45	5.25	1.13
16950	T50	6.00	1.25
16955	T55	6.75	1.38
BALL TORX® L	-KEYS / LON	G SERIES	
15006	T6	2.77	0.46



16955	T55	6.75	1.38
BALL TORX® L	-KEYS / LONG	G SERIES	
15006	T6	2.77	0.46
15007	T7	2.82	0.51
15008	T8	2.99	0.56
15009	T9	3.19	0.61
15010	T10	3.38	0.66
15015	T15	3.57	0.71
15020	T20	3.75	0.75
15025	T25	3.94	0.80
15027	T27	4.13	0.85
15030	T30	4.50	0.94
15040	T40	4.88	1.03
15045	T45	5.25	1.13
15050	T50	6.00	1.25
15055	T55	6.75	1.38
15060	T60	8.25	1.63





NDIVIDUAL POWER-T™ KEYS



NO.	7	DIMENSIONS	5
	TIP	HANDLE WIDTH (INCH)	SHAFT LENGTH (INCH)
	ORX® KEYS /	5" SERIES	
68606	T6	3	6
68607	T7	3	6
68608	T8	3	6
68609	Т9	3	6
68610	T10	3	6
68615	T15	3	6
68620	T20	3	6
68625	T25	3	6
68627	T27	4	6
68630	T30	4	6
68640	T40	4	6
68645	T45	5	6
68650	T50	5	6
WER-T™ B	ALL-HEX KEYS	- INCH SIZES	9" SERIES
61805	5/64	2	9
61806	3/32	2	9
61807	7/64	2	9
61808	1/8	3	9
61809	9/64	3	9
61810	5/32	3	9
61812	3/16	4	9
61814	7/32	4	9
61816	1/4	4	9
61820	5/16	5	9
61824	3/8	5	9
WER-T™ B	ALL-HEX KEYS	- METRIC SIZE	
64820	2.0	2	9
64825	2.5	2	9
64830	3.0	3	9
64840	4.0	3	9
64850	5.0	4	9
64860	6.0	4	9
64870	7.0	5	9
64880	8.0	5	9
64885	9.0	5	9
64890	10.0	5	9

alle e.e.	1	Shaft Length	
Handle			— — — ¥

I	ITEM			
	NO.		DIMENSIONS	
		TIP	HANDLE WIDTH (INCH)	SHAFT LENGTH (INCH)
	POWER-T™ H	EX KEYS - INC	H SIZES / 6" SE	RIES
Ī	61605	5/64	3	6
ľ	61606	3/32	3	6
	61607	7/64	3	6
	61608	1/8	3	6
	61609	9/64	3	6
	61610	5/32	3	6
	61612	3/16	4	6
	61614	7/32	4	6
	61616	1/4	4	6
	61620	5/16	5	6
	61624	3/8	5	6
_	POWER-T™ H	EX KEYS - INC	H SIZES / 9" SE	RIES
	61905	5/64	3	9
	61906	3/32	3	9
	61907	7/64	3	9
	61908	1/8	3	9
	61909	9/64	3	9
	61910	5/32	3	9
	61912	3/16	4	9
	61914	7/32	4	9
	61916	1/4	4	9
	61920	5/16	5	9
	61924	3/8	5	9
			RIC SIZES / 6"	SERIES
	64620	2.0	3	6
	64625	2.5	3	6
	64630	3.0	3	6
	64640	4.0	3	6
-	64650	5.0	4	6
-	64660	6.0	4	6
	64670	7.0	5	6
-	64680	8.0	5	6
-	64685	9.0	5	6
	64690	10.0	5	6
ŀ			TRIC SIZES / 9"	
ŀ	64920	2.0	3	9
-	64925	2.5	3	9
-	64930	3.0	3	9
-	64940	4.0	3 4	9
-	64950	5.0	4	9
-	64960	6.0		9
-	64970 64980	7.0 8.0	5 5	9
}	64985	9.0	5	9
-	64990	10.0	5	9
L	0.000	10.0		





ITEM NO.		DIMENSIONS		ITEM NO.		DIMENSION	S
16	TIP	HANDLE WIDTH (INCH)	SHAFT LENGTH (INCH)	J	TIP	HANDLE WIDTH (INCH)	SHAFT LENGTH (INCH)
CUSHION GRIP	HEX T-KEYS -	INCH SIZES / 6"SE	RIES	STANDARD (GRIP HEX T-KEYS	- INCH SIZES / 3	" SERIES
51605	5/64	3	6	31305	5/64	3	3
51606	3/32	3	6	31306	3/32	3	3
51607	7/64	3	6	31307	7/64	3	3
51608	1/8	3	6	31308	1/8	3	3
51609	9/64	3	6	31309	9/64	3	3
51610	5/32	3	6	31310	5/32	3	3
51612	3/16	4	6	31312	3/16	4	3
51614	7/32	4	6	31314	7/32	4	3
51616	1/4	4	6	31316	1/4	4	3
51620	5/16	6	6	31320	5/16	6	3
51624	3/8	6	6	31324	3/8	6	3
51628	7/16	6	6	STANDARD (GRIP HEX T-KEYS	- INCH SIZES / 6	" SERIES
51632	1/2	6	6	31605	5/64	3	6
		INCH SIZES / 9"SE		31606	3/32	3	6
51905	5/64	3	9	31607	7/64	3	6
51906	3/32	3	9	31608	1/8	3	6
51907	7/64	3	9	31609	9/64	3	6
51908	1/8	3	9	31610	5/32	3	6
51909	9/64	3	9	31612	3/16	4	6
51910	5/32	3	9	31614	7/32	4	6
51912	3/16	4	9	31616	1/4	4	6
51914	7/32	4	9	31620	5/16	6	6
51916	1/4	4	9	31624	3/8	6	6
51920	5/16	6	9		GRIP HEX T-KEYS	- INCH SIZES / 9	" SERIES
51924	3/8	6	9	31905	5/64	3	9
51928	7/16	6	9	31906	3/32	3	9
51932	1/2	6	9	31907	7/64	3	9
		METRIC SIZES / 6		31908	1/8	3	9
54620	2.0	3	6	31909	9/64	3	9
54625	2.5	3	6	31910	5/32	3	9
54630	3.0	3	6	31912	3/16	4	9
54640	4.0	3	6	31914	7/32	4	9
54650	5.0	4	6	31916	1/4	4	9
54660	6.0	4	6	31920	5/16	6	9
54680	8.0	6	6	31924	3/8	6	9
54690	10.0	6	6		GRIP HEX T-KEYS		
54691	11.0	6	6	34620	2.0	3	6
54692	12.0	6	6	34625	2.5	3	6
		METRIC SIZES / 9		34630	3.0	3	6
54920	2.0	3	9	34640	4.0	3	6
54925	2.5	3	9	34650	5.0	4	6
54930	3.0	3	9	34660	6.0	4	6
54940	4.0	3	9	34680	8.0	6	6
54950	5.0	4	9	34690	10.0	6	6
54960	6.0	4	9	THE RESIDENCE OF THE PERSON NAMED IN	GRIP HEX T-KEYS		
54980	8.0	6	9	34920	2.0	3	9
54990	10.0	6	9	34925	2.5	3	9
54991	11.0	6	9	34930	3.0	3	9
54991	12.0	6	9	34940	4.0	3	9
J433Z	12.0	U	9	34950	5.0	4	9
				34960	6.0	4	9
				34980	8.0	6	9

10.0





INDIVIDUAL PSD™ SCREWDRIVERS



ITEM NO.	D	ESCRIPTIO	N
	TIP	COLOR	TIP
92301	Hex	Red	.028"
92302	Hex	Red	.035"
92303	Hex	Red	.050"
92304	Hex	Red	1/16"
92305	Hex	Red	5/64"
92306	Hex	Red	3/32"
92307	Hex	Red	7/64"
92308	Hex	Red	1/8"
92309	Hex	Red	9/64"
92310	Hex	Red	5/32"
92407	Hex	Blue	0.7MM
92409	Hex	Blue	0.9MM
92413	Hex	Blue	1.3MM
92415	Hex	Blue	1.5MM
92420	Hex	Blue	2.0MM
92425	Hex	Blue	2.5MM
92430	Hex	Blue	3.0MM
92440	Hex	Blue	4.0MM
92502	Ball Hex	Red	.035"
92503	Ball Hex	Red	.050"
92504	Ball Hex	Red	1/16"
92505	Ball Hex	Red	5/64"
92506	Ball Hex	Red	3/32"
92507	Ball Hex	Red	7/64"
92508	Ball Hex	Red	1/8"
92509	Ball Hex	Red	9/64"
92510	Ball Hex	Red	5/32"
92609	Ball Hex	Blue	0.9MM
92613	Ball Hex	Blue	1.3MM
92615	Ball Hex	Blue	1.5MM
92620	Ball Hex	Blue	2.0MM
92625	Ball Hex	Blue	2.5MM
92630	Ball Hex	Blue	3.0MM
92640	Ball Hex	Blue	4.0MM

1



ITEM NO.		DESCRIPTION	N
	TIP	COLOR	TIP
92008	Slotted	Yellow	0.8MN
92010	Slotted	Yellow	1.0MM
92012	Slotted	Yellow	1.2MN
92015	Slotted	Yellow	1.5MM
92018	Slotted	Yellow	1.8MM
92020	Slotted	Yellow	2.0MN
92025	Slotted	Yellow	2.5MN
92030	Slotted	Yellow	3.0MN
92035	Slotted	Yellow	3.5MN
92040	Slotted	Yellow	4.0MM
92100	PoziDriv	Yellow	#0
92101	PoziDriv	Yellow	#1
92108	Phillips	Yellow	#000
92109	Phillips	Yellow	#00
92110	Phillips	Yellow	#0
92111	Phillips	Yellow	#1
92203	TORX®	Green	T3
92204	TORX®	Green	T4
92205	TORX®	Green	T5
92206	TORX®	Green	T6
92207	TORX®	Green	T7
92208	TORX®	Green	T8
92209	TORX®	Green	Т9
92210	TORX®	Green	T10
92215	TORX®	Green	T15
92220	TORX®	Green	T20





INDIVIDUAL BALL-HEX DRIVERS™






ITEM			
NO.		DIMENSIONS	
	TIP SIZE	HANDLE SIZE	SHAFT LENGTH (INCH)
BALL-HEX SC	REWDRIVERS ,	/ INCH SIZES	
91103	.050	Р	3.0
91104	1/16	Р	3.0
91105	5/64	Р	3.0
91106	3/32	Р	3.0
91107	7/64	Р	3.0
91108	1/8	S	5.4
91109	9/64	S	5.4
91110	5/32	М	5.6
91112	3/16	М	5.6
91114	7/32	М	5.6
91116	1/4	L	5.8
91120	5/16	L	5.8
91124	3/8	L	5.8
91128	7/16	L	5.8
91132	1/2	L	5.8
BALL-HEX SC	REWDRIVERS ,	METRIC SIZES	S
91602	1.3	Р	3.0
91603	1.5	Р	3.0
91604	2.0	Р	3.0
91605	2.5	S	5.4
91606	3.0	S	5.4
91608	4.0	М	5.4
91610	5.0	М	5.4
91612	6.0	L	5.6
91616	8.0	L	5.6
91620	10.0	L	5.6
91624	12.0	L	5.8



ITEM NO.		DIMENSIONS	S
	WIDTH	неіснт	DEPTH
UNIVERSAL H	EX-KEY STANI	0	
11111	7.50	6.00	5.50





Our Universal Hex-Key Stand stand will acommodate a wide variety of Eklind products; Inch, Metric and Torx®. They can be attached to a wall, to a bench or to each other.





REPLACEMENT KEYS / FOLD-UP SETS




ITEM NO											M	ODI	ELS													
	HEX	LENGTH	20511	20811	20812	20911	20912	20519	20719	20919	25611	25911	25912	25519	25919	21151	21171	21172	21158	21159	25161	25171	25172	25159	25169	
	EMENT K	EYS / FC	LD L	JP IN	CH S	ETS																				ı
24031	.050	1.8																								d
24041 24051	1/16 5/64	2.0		:			:						:													118
24061	3/32	2.1	-				-	-		-							-						-			
28406	3/32	3.7																								
24071	7/64	2.3																								
28407	7/64	3.8																								
24081	1/8	2.4																		16	-					
28408	1/8	3.9	-		•		-			-	-	-				-				-					-	
24091 28409	9/64 9/64	4.1																							-	
24101	5/32	2.7						-						-	-								-	-	-	
28410	5/32	4.2		-		2	-						1													
24121	3/16	2.9																		100						
24122	3/16	3.3																								
28412	3/16	4.7		-																	_	_	_			
24142	7/32	3.5																		Til						
28414 24162	7/32	4.8	-		•	2		-	-	-	-	-		-		-	-	-	-	-	-	-	-	-	_	
28416	1/4	5.0									•									131				21		
25202	5/16	4.8			-																					
25242	3/8	5.1																								
REPLAC	EMENT K		LD-U	P IN	CH SE	TS/	BAL	LSER	IES																	Ĺ
26041	1/16	1.9								1										111						İ
26051	5/64	2.0																								
26061	3/32	2.1		-			_				_	-				<u></u>	\vdash							_		
26071	7/64	2.3		17																m						
26081 26091	1/8 9/64	2.4																								
26101	5/32	2.7		-			-		-	:	-				:											
26122	3/16	3.3													•					1.11				7.1		
26142	7/32	3.5																								
26162	1/4	3.7																	7	1-7					-	
26202		4.8								1																
26242		5.1	_																							
	EMENT K		DLD-L	JP M	ETRI	SET	S																			4
29015 29020		1.8																								1100
29025		2.2																-					-			100
29030		2.4								-																ı
29103		3.3								12.			. * .				1	1				13				
29040		2.6																								
29104		3.5																								
29050		3.1																		1						
29105		3.8	-		-		-	-	Н	-	H				-							-				
29060 29116		3.3																-				•				
29116		4.0																					•			
29080		4.1						1									-		-							
29108	8.0	4.8																								
29110	10.0	5.1			Ly.		57				Ш															
	EMENT K		LD-U	P M	ETRIC	SET	S/B	ALL S	ERIE	S																
27015		1.8					-																		1	
27020 27025		2.0																								
27025		2.4	-	-	-	-	-	-	-	-	-	-	-	-	H	-	-					-	-	-		
27040		2.4					100												:							
271040		3.5																							7	
27105		3.8																								
27106	6.0	4.0																								
27108		4.8																							-	
27110	100	51	1																	-						



REPLACEMENT KEYS / FOLD-UP SETS





REPLACEMENT PARTS / MOLDED HOLDERS

NO.												MC	DDE	LS									
	SERIES	NO. OF HOLES	10007	10018	10107	10111	10113	10207	10211	10213	10507	10509	10607	10609	10701	10807	10907	13207	13211	13212	13213	13607	13609
REPLACEN	IENT HOLD	ERS - HE	X-L®	KEY	SET	S																	
19018	Inch	18																					
19107	Inch	7																					
19111	Inch	11																					
19113	Inch	13																					
19507	Metric	7																					
19509	Metric	9																					
19807	Torx®	7																					







DEDIACEMENT I VEV METAL DOVES

ITEM	<u>PLAULIMENT E NET MILIAL DUALD</u>
NO.	MODELS
	DESCRIPTION
REPLACEN	MENT METAL BOXES FOR L-KEYS
19518	Holds Up To 18 Short Series L-Keys (Inch, Metric or Torx®)
19618	Holds Up To 18 Long Series L-Keys (Inch, Metric or Torx®)







Elylima SCREW CHARTS



			INCH	SIZES				
		CAP S	CREWS	REWS			r s	9
Hex Size	Socket Head 1936	Socket Head 1960	Flat Head	Button Head	Low Head	Ser	Shoulder	Pressure
.028						0		
.035			0	0		1, 2		
.050	0,1	0	1,2	1,2	4	3, 4		
1/16	2	1	3, 4	3, 4	5, 6	5, 6		
5/64	3, 4	2, 3	5, 6	5, 6	8	8		
3/32	5, 6	4, 5	8	8	10	10		
7/64		6						
1/8	8		10	10	1/4	1/4	1/4	
9/64	10	8	1.5	1.2.				
5/32	1/4	10	1/4	1/4	5/16	5/16	5/16	1/16
3/16	1/4	1/4	5/16	5/16	3/8	3/8	3/8	1/8
7/32	5/16		3/8	3/8	7/16	7/16		
1/4	F	5/16	7/16		1/2	1/2	1/2	1/4
5/16	3/8, 7/16	3/8	1/2	1/2	5/8	5/8	5/8	3/8
3/8	1/2	7/16, 1/2	5/8	5/8		3/4	3/4	1/2
7/16		9/16	-					
1/2	5/8	5/8	3/4			7/8	1	
9/16	3/4, 7/8		7/8			1, 1-1/8		3/4
5/8	1	3/4	1			1-1/4, 1-3/8	1-1/4	1
3/4	1-1/8,1-1/4,1-3/8	7/8, 1	1-1/8			1-1/2		1-1/4
7/8		1-1/8, 1-1/4	1-1/4, 1-3/8				1-1/2	
1	1-1/2	1-3/8, 1-1/2	1-1/2			1-3/4, 2	1-3/4	1-1/2, 2
1-1/4	10000	1-3/4				7.1	2	
1-1/2		2					-	
1-3/4		2-1/4, 2-1/2 2-3/4						

1.		METR	IC SIZ	ES		
	CAP SCREWS				6	ler /s
Hex Size	Socket Head	Flat Head	Button Head	Low Head	Screws	Shoulder
.07 .09 1.3	1.4				1.4, 1.6, 1.8 2, 2.3 2.5, 2.6	
1.5 2 2.5	1.6, 2 2.5 3	3 4	3 4		3 4 5	
3 4 5	4 5 6	5 6 8	5 6 8	4 5 6	6 8 10	5 6 8
6 8 10	8 10 12	10 12 14, 16	10 12 14, 16	8 10 12	12, 14 16 18, 20	10 12 16
12 14 17 19	14 16, 18 20, 22 24, 27	18, 20 22, 24	18, 20 22, 24	14 16 20, 22 24	22, 24	20



10.5		TORX® SIZ	ZES		
	C	S			
Torx® Size	Socket Head	Flat Head	Button Head	Set	
*					
T6 T7 T8			#4	M3 #6 #8, M4	
T9 T10 T15	#4, #5, M3 #6	#4 #5, M3 #6	#6, M3 #8	#10, M5	
T20 T25 T27	#8, M4 #10, M5	#8, M4 #10, M5	M4 #10, M5 1/4	1/4, M6 5/16, M8	
T30 T40 T45	1/4, M6 5/16, M8	1/4, M6 5/16, M8 3/8	M6 5/16, M8 3/8	3/8 M10 1/2, M12	
T50 T55 T60	3/8, M10 M12 M14	M10 5/8, M12 3/4, M16	M10 1/2, M12 5/8, M16	M14 M16 M20	

Eklind Tool Company
11040 King Street • Franklin Park, IL 60131-1432

Phone: 800.373.1140 • Fax: 800. 373.1108

Email: sales@eklindtool.net • www.eklindtool.com