



HEAVY-DUTY

SPLINE AND SDS-MAX HAMMER ACCESSORIES



SPLINE SHANK

Use in Spline Drive rotary hammers. These bits are for use in any kind of concrete or masonry.



DESCRIPTION
DIA. X U.L. X O.L.
(INCHES)



2 CUTTER

4 CUTTER

3/8 X 5 X 10	48-20-4037	-
1/2 X 5 X 10	48-20-4050	-
1/2 X 11 X 16	48-20-4051	-
1/2 X 17 X 22	48-20-4052	-
1/2 X 22 X 27	48-20-4053	-
1/2 X 31 X 36	48-20-4054	-
9/16 X 5 X 10	48-20-4056	-
9/16 X 18 X 23	48-20-4057	-
5/8 X 5 X 10	48-20-4062	48-20-4300
5/8 X 11 X 16	48-20-4063	48-20-4305
5/8 X 17 X 22	48-20-4064	48-20-4310
5/8 X 24 X 29	-	48-20-4315
5/8 X 31 X 36	-	48-20-4320
11/16 X 11 X 16	48-20-4068	48-20-4325
3/4 X 5 X 10	48-20-4075	48-20-4330
3/4 X 11 X 16	48-20-4076	48-20-4335
3/4 X 17 X 22	48-20-4078	48-20-4340
3/4 X 24 X 29	-	48-20-4345
3/4 X 31 X 36	-	48-20-4350
13/16 X 11 X 16	48-20-4081	-
7/8 X 11 X 16	48-20-4087	48-20-4360
7/8 X 17 X 22	48-20-4088	48-20-4365
1 X 11 X 16	48-20-4100	48-20-4370
1 X 17 X 22	48-20-4101	48-20-4375
1 X 31 X 36	-	48-20-4380
1-1/8 X 11 X 16	48-20-4112	48-20-4385
1-1/8 X 17 X 22	48-20-4113	48-20-4390
1-1/4 X 11 X 16	48-20-4125	48-20-4395
1-1/4 X 17 X 22	48-20-4126	48-20-4400
1-1/4 X 31 X 36	-	48-20-4405
1-3/8 X 11 X 16	48-20-4137	-
1-3/8 X 17 X 22	48-20-4138	48-20-4410
1-1/2 X 11 X 16	48-20-4150	-
1-1/2 X 17 X 22	48-20-4151	48-20-4415
1-3/4 X 18 X 23	-	48-20-4418
2 X 18 X 23	-	48-20-4419



SDS-MAX SHANK

Use in SDS-max Drive rotary hammers. These bits are for use in any kind of concrete or masonry.



DESCRIPTION
DIA. X U.L. X O.L.
(INCHES)



2 CUTTER

4 CUTTER

1/2 x 7-1/2 x 13	48-20-3902	-
1/2 x 15-1/2 x 21	48-20-3904	-
9/16 x 7-1/2 x 13	48-20-3910	-
9/16 x 15-1/2 x 21	48-20-3912	-
5/8 x 7-1/2 x 13	-	48-20-3916
5/8 x 15-1/2 x 21	-	48-20-3918
5/8 x 30-1/2 x 36	-	48-20-3922
11/16 x 15-1/2 x 21	-	48-20-3926
3/4 x 8 x 13	-	48-20-3930
3/4 x 17 x 21	-	48-20-3932
3/4 x 31 x 36	-	48-20-3936
13/16 x 17 x 21	-	48-20-3938
7/8 x 8 x 13	-	48-20-3944
7/8 x 17 x 21	-	48-20-3946
1 x 8 x 13	-	48-20-3952
1 x 17 x 21	-	48-20-3954
1 x 31 x 36	-	48-20-3956
1-1/16 x 18 x 23	-	48-20-3958
1-1/8 x 12 x 17	-	48-20-3964
1-1/8 x 17 x 21	-	48-20-3966
1-3/16 x 18 x 23	-	48-20-3968
1-1/4 x 10 x 15	-	48-20-3970
1-1/4 x 18 x 23	-	48-20-3972
1-1/4 x 31 x 36	-	48-20-3974
1-3/8 x 18 x 23	-	48-20-3980
1-7/16 x 18 x 23	-	48-20-3984
1-1/2 x 18 x 23	-	48-20-3988
1-9/16 x 18 x 23	-	48-20-3990
1-5/8 x 18 x 23	-	48-20-3991
1-3/4 x 18 x 23	-	48-20-3992
2 x 18 x 23	-	48-20-3993



TAPER BITS

This style of bit is generally used with an adapter that fits the drive of your hammer. There are a few older tool models that will accept "A" - Taper bits directly. These bits are for use in any kind of concrete or masonry.

"A" - TAPER
CATALOG NO.

DESCRIPTION
DIA. X U.L. X O.L.
(INS.)

48-20-3180	3/16 x 2 x 4
48-20-3250	1/4 x 2 x 4
48-20-3252	1/4 x 4 x 6
48-20-3312	5/16 x 4 x 6
48-20-3381	3/8 x 7 x 9
48-20-3382	3/8 x 10 x 12
48-20-3499	1/2 x 7 x 9
48-20-3501	1/2 x 10 x 12
48-20-3620	5/8 x 7 x 9
48-20-3795	3/4 x 7 x 9

"A" TAPER ADAPTER



48-66-6502 For use with "A" Taper Bits. Includes Drift Pin 48-86-0120

"B" TAPER ADAPTER



48-66-6503 For use with "B" Taper Bits. Includes Drift Pin 48-86-0120

TOOTH ANCHOR CHUCKS - "B" TAPER



TOOTH ANCHOR

Requires Drift Pin 48-86-0100

48-66-6520	3/16" - 1/4"	7/16"
48-66-6540	5/16"	15/32"
48-66-6560	3/8"	9/16"
48-66-6580	1/2"	11/16"
48-66-6600	5/8"	27/32"

SPLINE TO SDS ADAPTER



48-03-3015 For use with SDS bits.

SDS-MAX TO SDS ADAPTER



48-03-3025 For use with SDS bits.

COMPONENT SYSTEMS



CORE BODY W/
GUIDE PLATE &
CENTERING PIN



SPLINE
ADAPTER
SHANKS
12" LONG



SPLINE
ADAPTER
SHANKS
18" LONG



SDS-max
ADAPTER
SHANKS
12" LONG



SDS-max
ADAPTER
SHANKS
18" LONG



EXTENSION
7-1/2" LONG



REPLACEMENT
GUIDE
PLATE



REPLACEMENT
CENTERING
PIN

THICK WALL
CARBIDE-TIPPED
CORE BITS

1-1/2"	48-20-5125	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5168	48-20-5199
1-3/4"	48-20-5130	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5169	48-20-5199
2"	48-20-5135	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5170	48-20-5199
2-1/2"	48-20-5140	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5171	48-20-5199
3"	48-20-5145	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5172	48-20-5199
3-1/2"	48-20-5150	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5173	48-20-5199
4"	48-20-5155	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5174	48-20-5199
5"	48-20-5160	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5175	48-20-5199
6"	48-20-5165	48-03-3564	48-03-3565	48-03-3572	48-03-3573	48-95-6085	48-20-5176	48-20-5199

THIN WALL CARBIDE-TIPPED CORE BITS

5"	48-20-5060	48-03-3540	-	48-03-3574	-	48-95-6075	48-20-6162	48-20-6155
6"	48-20-5065	48-03-3540	-	48-03-3574	-	48-95-6075	48-20-6163	48-20-6155