



**PRODUCT NUMBER: NFD20**  
**Light task plus 5 - NFD20**

Handling sharp parts in a dry or greasy environment.

**Honeywell**

**Overview**

**Reference Number**

NFD20

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

NORTH

**Industry**

- Automotive and Part Manufacturer
- Building and Construction
- General Industry
- Iron and steel industry
- Mining and Quarrying
- Paper Industries
- Ship Building
- Transportation

**Product Use**

Handling sharp parts in a dry or greasy environment.

**Features & Benefits**

**Feature**

Knitted glove in dyneema, polyamide and composite fiber. Grey PU coating on palm

**Benefit**

**COMFORT** The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The cool Dyneema® touch gives an added sensation of comfort. The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch. The glove's ventilated back optimises its breathability. **RESISTANCE** The Dyneema®/lycra® thread provides outstanding properties against cuts. The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance. The composite fiber fully protected by polyamide increase the cut resistance. Caution! Do not expose this glove to the heat.

**Technical Description**

**Description**

Knitted glove in dyneema, polyamide and composite fiber. Grey PU coating on palm

**Product Technology**

Knitted dipped

**Gauge**

13

**Glove/liner color**

blue / grey

**Coating Type**

PU

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

7S, 8M, 9L, 10XL, 11XXL

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4
Puncture resistance	3

**Packaging Label**

**Tagging**

CE Honeywell NFD20 XX EN 420 EN 388 : 4433

**Certifications**

**E.C. Declaration of Conformity**

**EC Category PPE**

2

**EC Certificate Number**

0075/797/162/02/13/0157

**EC Attestation**

EC Attestation

**EC Attestation Number**

0075/797/162/02/13/0157

**Certifications**

- EN 0075/797/162/02/03/0157

**Additional Information**

**User Manual**

UI 102

**Maintenance**

**Storage Information**

Minimum packaging : 12 pairs. Cartons of 48 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.