

3M

Total Automotive Sanding System



powered by

FESTOOL
Automotive Systems



3	Collaboration overview
5	Recommended systems
7	Pneumatic body repair system
9	Electric body repair system
11	Pneumatic paint prep system
13	Electric paint prep system
15	Paint finishing system
17	Tools
27	Accessories
31	Workplace organization
33	Abrasives
39	Compounds, polishes and pads
41	Personal safety
43	SERVICE all-inclusive
45	Index



Introducing the Total Automotive Sanding System

**Engineered to support the ongoing
need for cleaner, safer, more efficient
and profitable shops.**

Best-in-class 3M abrasives combined with premium Festool Automotive Systems power tools and dust extraction solutions. Behold the power of collaboration.



Profitability + efficiency

Improved dust extraction and workstation organization can help reduce rework and wasted time, boosting your bottom line.

Health + safety

Designed with the technician's safety in mind, including improved ergonomics. Something we can all feel good about.

SERVICE all-inclusive

Every tool system comes with an industry-leading package of service and support. For service at the same caliber as your tools.

powered by

FESTOOL
Automotive Systems



The Systems

5 premier systems configured to give you the tools, abrasives, dust extraction and organization you need. Body repair. Paint prep. Paint finishing. It's all here.



Body repair system

Pneumatic

Less dust. More efficiency.

Body repair system recommended tools:




Festool Automotive Systems Tools

	Product Name	Part no.
	Compressed Air Eccentric Sander LEX 3 150/7	29952
	Compressed Air Eccentric Sander LEX 3 77/2.5	29949
	Compressed Air Eccentric Sander LEX 2 185/7	30001
	Compressed Air Orbital Sander LRS 93	29958
	Compressed Air Orbital Sander LRS 400	29953
	Mobile Dust Extractor CLEANTEC CT 36	29947
	Workcenter WCR 1000	29921
	Sortainer Sys 4 TL-SORT/3	29964
	Compressed Air Module DL-CT 26/36*	29901
<i>*Required for the pneumatic system.</i>		
	IAS Hose 3-Light 5000 AS, 5 m / 16.4 ft	29916
	IAS Hose 3-Light 7000 AS, 7 m / 23 ft	29924
	IAS Hose 3-Light 10000 AS, 10 m / 32.8 ft	30005
	IAS Double Adapter 3-DA-CT	29920
	Self Cleaning Filter Bag CT36	29905
	Suction Hose D27, 5 m / 16.4 ft	29899

You work smarter. Abrasives last longer.

Offers benefits of 3M high performing products, such as 3M™ Cubitron™ II abrasives, that cut 30% faster than other premium abrasives. Also enables use of abrasives to the end of life.

Body repair system recommended accessories and abrasives:



3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
3M™ Dry Guide Coat, 50 grams / 1.8 oz	05861
3M™ Hookit™ Sanding Block Dust Free, 2.75" x 5"	05207
3M™ Hookit™ Sanding Block Dust Free, 2.75" x 7.5"	05208
3M™ Hookit™ Sanding Block Dust Free, 2.75" x 16"	05209
3M™ Hookit™ Hand Sanding Kit	05684
Festool Sanding Block HSK-A, 3.15" x 5.12"	29909
Festool Sanding Block HSK-A, 3.15" x 15.75"	29911
Festool Sanding Block HSK-A, 3.15" x 7.88"	29912




3M™ Abrasive Sheets

Product Name	Part no.
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 40+	34440
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 80+	34442
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 120+	34444
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 150+	34445
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 180+	34446
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 220+	34447
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 240+	34448
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	34449
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 40+	35500
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 80+	35501
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 120+	35502
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 150+	35503
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 180+	35504
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 220+	35505
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 240+	31488
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 320+	31489
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 40+	35510
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 80+	35511
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 120+	35512
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 150+	35513
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 180+	35514
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 220+	35515
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 240+	31494
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 320+	31495



3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 80+	31361
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 120+	31362
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 150+	31363
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 180+	31364
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 220+	31461
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 240+	31462
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	31463
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 40+	31370
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 80+	31371
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 120+	31372
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 150+	31373
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 180+	31374
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 220+	31481
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 240+	31482
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	31483
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 40+	34790
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 80+	34791
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 120+	34792
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 150+	34793
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 180+	34794
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 220+	34795
Scotch-Brite™ Clean and Finish Disc, 6" x NH T	77225



3M™ Personal Safety

Product Name	Part no.
3M™ Solus™ 1000 Series Safety Spectacles	27189
3M™ Half Facepiece Respirator Assembly, Large	07003
3M™ Particulate Filter, P100	07000
3M™ E-A-R™ Skull Screws™ Corded Earplugs	92952

Please Note: Not a complete list. Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by



Body repair system

Electric



Electric body repair system recommended tools:

Festool Automotive Systems Tools









	Product Name	Part no.
	Random Orbit Sander ETS EC 150/5 EQ	29945
	Random Orbit Sander ETS EC 150/3 EQ	29943
	Geared Eccentric Sander RO 150 FEQ-Plus	29941
	Mobile Dust Extractor CLEANTEC CT 36	29947
	Workcenter WCR 1000	29921
	Sortainer Sys 4 TL-SORT/3	29964
	CT Suction Hose Plug-It D27, 5 m / 16.4 ft	29889
	CT Suction Hose Plug-It D32, 10 m / 32.8 ft	29890
	Y-Piece Adapter, Anti-Static	29892
	Self Cleaning Filter Bag CT36	29905
	Suction Hose D27, 5 m / 16.4 ft	29899

Try less dust. More efficiency.









A perfect surface in record time. Increase efficiency. Less maneuvering. Less searching.

Electric body repair system recommended accessories and abrasives:

3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
 3M™ Dry Guide Coat, 50 grams / 1.8 oz	05861
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 5"	05207
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 7.5"	05208
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 16"	05209
 3M™ Hookit™ Hand Sanding Kit	05684
 Festool Sanding Block HSK-A, 3.15" x 5.12"	29909
 Festool Sanding Block HSK-A, 3.15" x 15.75"	29911
 Festool Sanding Block HSK-A, 3.15" x 7.88"	29912





3M™ Abrasive Sheets

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 40+	34440
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 80+	34442
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 120+	34444
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 150+	34445
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 180+	34446
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 220+	34447
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 240+	34448
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	34449

3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 80+	31361
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 120+	31362
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 150+	31363
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 180+	31364
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 220+	31461
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 240+	31462
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	31463
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 40+	31370
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 80+	31371
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 120+	31372
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 150+	31373
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 180+	31374
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 220+	31481
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 240+	31482
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	31483
Scotch-Brite™ Clean and Finish Disc, 6" x NH T	77225

3M™ Personal Safety

Product Name	Part no.
 3M™ Solus™ 1000 Series Safety Spectacles	27189
 3M™ Half Facepiece Respirator Assembly, Large	07003
 3M™ Particulate Filter, P100	07000
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	92952

Please Note: Not a complete list. Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

FESTOOL
Automotive Systems



Paint prep system

Pneumatic

Less dust. Less wasted time.



Paint prep system recommended tools:

Festool Automotive Systems Tools


	Product Name	Part no.
	Compressed Air Eccentric Sander LEX 3 150/5	29951
	Compressed Air Eccentric Sander LEX 3 150/3	29950
	Compressed Air Eccentric Sander LEX 3 77/2.5	29949
	Mobile Dust Extractor CLEANTEC CT 36	29947
	Workcenter WCR 1000	29921
	Sortainer Sys 4 TL-SORT/3	29964
	Compressed Air Module DL-CT 26/36*	29901
<i>*Required for the pneumatic system.</i>		
	IAS Hose 3-Light 5000 AS, 5 m / 16.4 ft	29916
	IAS Hose 3-Light 7000 AS, 7 m / 23 ft	29924
	IAS Hose 3-Light 10000 AS, 10 m / 32.8 ft	30005
	IAS Double Adapter 3-DA-CT	29920
	Self Cleaning Filter Bag CT36	29905
	Suction Hose D27, 5 m / 16.4 ft	29899
	Festool Interface Pad IP-STF D150/MJ2-5/2, 150 mm / 6" diameter, 5 mm height	30092
	Festool Interface Pad IP-STF D150/MJ2-15/1, 150 mm / 6" diameter, 15 mm height	30093
	Festool Interface Pad IP-STF D77/6, 76 mm / 3" diameter, 10 mm height	29930

Faster cutting. Less rework.




Designed to reduce the amount of dust in the air from sanding and improve cycle time. Efficient design means less rework.

Paint prep system recommended accessories and abrasives:






3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
 3M™ Dry Guide Coat, 50 grams / 1.8 oz	05861
<td>05207</td>	05207
<td>05208</td>	05208
<td>05209</td>	05209
	05684
<td>29909</td>	29909
<td>29911</td>	29911
<td>29912</td>	29912





3M™ Abrasive Sheets

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	34449
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 320+	31489
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P400	34337
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P600	34339
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P800	34340
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P1000	34341

3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	31463
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	31483
 3M™ Hookit™ Purple Clean Sanding Disc, 3", P400	30273
3M™ Hookit™ Purple Clean Sanding Disc, 6", P400	01811
3M™ Hookit™ Purple Clean Sanding Disc, 6", P500	01810
3M™ Hookit™ Purple Clean Sanding Disc, 6", P600	30761
3M™ Hookit™ Purple Clean Sanding Disc, 6", P800	30760
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P800	34781
3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1000	34782
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P400	34800
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P600	34801
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P800	34802
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P1000	34803
 Scotch-Brite™ Clean and Finish Disc, 6" x NH T	77225

3M™ Personal Safety

Product Name	Part no.
 3M™ Solus™ 1000 Series Safety Spectacles	27189
 3M™ Half Facepiece Respirator Assembly, Large	07003
 3M™ Particulate Filter, P100	07000
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	92952

Please Note: Not a complete list. Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

FESTOOL
Automotive Systems










Paint prep system

Electric



Electric paint prep system recommended tools:

Festool Automotive Systems Tools

Product Name	Part no.
 Random Orbit Sander ETS EC 150/3 EQ	29943
 Random Orbit Sander ETS EC 150/5 EQ	29945
 Mobile Dust Extractor CLEANTEC CT 36	29947
 Workcenter WCR 1000	29921
 Sortainer Sys 4 TL-SORT/3	29964
 CT Suction Hose Plug-It D27, 5 m / 16.4 ft	29889
 CT Suction Hose Plug-It D32, 10 m / 32.8 ft	29890
 Y-Piece Adapter, Anti-Static	29892
 Self Cleaning Filter Bag CT36	29905
 Suction Hose D27, 5 m / 16.4 ft	29899
 Festool Interface Pad IP-STF D150/MJ2-5/2, 150 mm / 6" diameter, 5 mm height	30092
 Festool Interface Pad IP-STF D150/MJ2-15/1, 150 mm / 6" diameter, 15 mm height	30093











More time painting. Less time cleaning.







Power, capacity and portability to help handle your shop needs. Maximum flexibility, mobile and ready for operation. Ideal for isolated or constantly changing work places.

Electric paint prep system recommended accessories and abrasives:

3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
 3M™ Dry Guide Coat, 50 grams / 1.8 oz	05861
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 5"	05207
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 7.5"	05208
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 16"	05209
 3M™ Hookit™ Hand Sanding Kit	05684
 Festool Sanding Block HSK-A, 3.15" x 5.12"	29909
 Festool Sanding Block HSK-A, 3.15" x 15.75"	29911
 Festool Sanding Block HSK-A, 3.15" x 7.88"	29912





3M™ Abrasive Sheets

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	34449
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 320+	31489
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P400	34337
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P600	34339
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P800	34340
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P1000	34341

3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	31463
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	31483
 3M™ Hookit™ Purple Clean Sanding Disc, 3", P400	30273
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P400	01811
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P500	01810
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P600	30761
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P800	30760
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P800	34781
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1000	34782
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P400	34800
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P600	34801
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P800	34802
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P1000	34803
 Scotch-Brite™ Clean and Finish Disc, 6" x NH T	77225

3M™ Personal Safety

Product Name	Part no.
 3M™ Solus™ 1000 Series Safety Spectacles	27189
 3M™ Half Facepiece Respirator Assembly, Large	07003
 3M™ Particulate Filter, P100	07000
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	92952

Please Note: Not a complete list. Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

FESTOOL
Automotive Systems



More organization. More mobility.



Paint finishing system recommended tools:

Festool Automotive Systems Tools

	Product Name	Part no.
	Compressed Air Eccentric Sander LEX 3 150/5	29951
	Compressed Air Eccentric Sander LEX 3 150/3	29950
	Compressed Air Eccentric Sander LEX 3 77/2.5	29949
	Rotary Polisher SHINEX RAP 150-14 FE	29940
	Workcenter WCR 1000	29921
	Sortainer Sys 4 TL-SORT/3	29964
	Multifunctional Stool MFH 1000	29933
	Adapter IAS 3-SD (Airline Non-VAC)	29917
	Festool Interface Pad IP-STF D150/MJ2-5/2, 150 mm / 6" diameter, 5 mm height	30092
	Festool Interface Pad IP-STF D150/MJ2-15/1, 150 mm / 6" diameter, 15 mm height	30093
	Festool Interface Pad IP-STF D77/6, 76 mm / 3" diameter, 10 mm height	29930
	Spot Repair Scraper (Nib File)	29925

Cleaner workspace. Finer finish.

Organization system helps reduce cleanup time and enhance workplace efficiency by decreasing time spent searching for tools and materials.

Paint finishing system recommended accessories and abrasives:







3M™ Compounds, Polishes, Pads and Accessories

Product Name	Part no.
 3M™ Perfect-It™ EX AC Rubbing Compound, Quart	36060
 3M™ Perfect-It™ Foam Compounding Pad, 9"	05706
 3M™ Perfect-It™ Foam Compounding Pad, 6"	33284
 3M™ Perfect-It™ 100% Wool Compounding Pad, 9"	05753
 3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, 9"	33279
 3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, 6"	33288
 3M™ Perfect-It™ EX Machine Polish, Quart	06094
 3M™ Perfect-It™ Foam Polishing Pad, 8" Grey	05707
 3M™ Perfect-It™ Foam Polishing Pad, 6" Grey	33285
 3M™ Perfect-It™ EX Ultrafine Machine Polish, Quart	06068
 3M™ Perfect-It™ Ultrafine Foam Polishing Pad, 8" Blue	05708
 3M™ Perfect-It™ Ultrafine Foam Polishing Pad, 6" Blue	33286
3M™ Perfect-It™ 1 Finishing Material, Quart	36064
3M™ Perfect-It™ 1 Finishing Pad, 8"	33291
3M™ Perfect-It™ 1 Finishing Pad, 6"	33292
3M™ Quick Connect Adaptor, 14 mm	33271
3M™ Hookit™ 7" Back-up Pad, 14 mm	33659
3M™ Screw On Buffing Pad Adaptor, 14 mm	33660

3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Hookit™ Purple Finishing Film Disc, 3", P1200	30368
 3M™ Hookit™ Purple Finishing Film Disc, 3", P1500	30367
 3M™ Hookit™ Purple Finishing Film Disc, 3", P2000	30366
 3M™ Hookit™ Purple Finishing Film Disc, 6", P1200	30668
 3M™ Hookit™ Purple Finishing Film Disc, 6", P1500	30667
 3M™ Hookit™ Purple Finishing Film Disc, 6", P2000	30666
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1200	34783
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1500	34784
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P2000	34785
 3M™ Trizact™ Hookit™ Foam Disc, 3", 3000	02087
 3M™ Trizact™ Hookit™ Foam Disc, 3", 5000	30362
 3M™ Trizact™ Hookit™ Foam Disc, 6", 3000	02085
 3M™ Trizact™ Hookit™ Foam Disc, 6", 5000	30662
Scotch-Brite™ Clean and Finish Disc, 6" x NH T	77225

3M™ Personal Safety

Product Name	Part no.
 3M™ Goggle Gear, 500 Series Clear Scotchgard™ Anti-Fog Lens	27455
 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Large	49492
 3M™ Organic Vapor Cartridge	07046
 3M™ Filter Retainer	07194
 3M™ Particulate Filter, P95	07054
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	92952

Please Note: Not a complete list. Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

FESTOOL
Automotive Systems

Tools

Festool Automotive Systems power tools are the best in the industry. Ergonomic design and decreased vibration for less fatigue. Exceptional performance. Unsurpassed service and support.





Festool CLEANTEC CT 36

Mobile dust extractors



CT 36 E-HEPA

Part no.

29947

Items Included

SELF-CLEAN filter bag, suction hose, hose holder,
Sys doc, cable holder, in a carton

The true size can be found inside.

- Maximum utilization of the container volume — the gross volume is the same as the net volume
- Dust extractors are set up for use with electric tools, with the option of upgrading for pneumatic tools with a compressed air module (Part no. 29901)
- Constantly high suction because of the compact high performance turbine
- Anti-static function

Technical data

CT 36

Power consumption (W)	350–1200
Airflow max (l/min)	3900
Max. vacuum (Pa)	24000
Filter surface area (cm ²)	6318
Rubber-insulated mains cable (m) / (ft)	7,5 / 24.6
Container size (l) / (gal)	36 / 9.5
Dimensions (L x W x H) (mm)	630 x 365 x 596
Dimensions (L x W x H) (in)	24.8 x 14.4 x 23.5
Max. appliance socket connection load (W)	2400
Weight (kg) / (lbs)	14,4 / 31.7



= with electronics

All-rounder in the perfect size.

Compact yet effective. Lightweight yet powerful. The perfected container geometry of the CLEANTEC CT 36 offers a significantly larger capacity with minimal external dimensions.


Note:

- The Festool mobile dust extractor is not approved for use with aluminum dust.

System accessories from page 28



WCR 1000 Workcenter from page 32



powered by

FESTOOL
Automotive Systems



Pneumatic

Festool LEX 3 150 6"

Compressed air eccentric sander



	Part no.
LEX 3 150/3	29950
LEX 3 150/5	29951
LEX 3 150/7	29952
Items Included	
Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton	

Limits vibrations. Increases efficiency.

- Precise — sanding pad brake ensures a clean pattern
- High-quality FUSION-TEC sanding pads and the MULTI-JETSTREAM principle for perfect dust extraction and economical abrasive consumption
- Vibrations are minimized for comfortable, non-tiring work
- No confusion — stroke rate easy to identify on the dead-man switch on all LEX 3 models

Technical data	LEX 3 150/3	LEX 3 150/5	LEX 3 150/7
Operating pressure (flow pressure) (bar) / (psi)	6 / 87	6 / 87	6 / 87
No. of strokes (min ⁻¹)	20000	20000	20000
Eccentric motion speed (min ⁻¹)	10000	10000	10000
Sanding stroke (mm) / (in)	3 / 1/8	5 / 3/16	7 / 9/32
Vibration emission value ah (single-axel) (m/s ²)	2,1	2,7	3,17
Vibration emission value ah (three-axel) (m/s ²)	3,7	3,9	5,8
Air consumption at rated load (l/min) / (cfm)	290 / 10.2	290 / 10.2	310 / 10.9
Sound pressure level (dB [A])	72	72	76
Sanding pad (mm) / (in)	150 / 5.9	150 / 5.9	150 / 5.9
Weight (kg) / (lbs)	1,0 / 2.2	1,0 / 2.2	1,0 / 2.2



Health and safety.

The non-slip softgrip cap on the LEX 3 provides a secure hold. Dust extraction with MULTI-JETSTREAM principle helps keep the air and workplace clean.


Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories
from page 29



Abrasives
from pages 34–35





Pneumatic

Festool LEX 3 77 2.5"

Compressed air eccentric sander



LEX 3 77/2.5

Part no.

29949

Items Included

Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton

For surface finishing.

- Extremely sturdy design ensures a long service life, minimal servicing requirements and high cost savings
- Pleasant operating noise, low vibration levels and dispersion of exhaust air through a compressed air hose for user comfort
- Sanding pad brake reduces sanding errors when setting down the machine, thereby avoiding rework and additional costs
- Low compressed air consumption ensures high cost savings

Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min ⁻¹)	21000
Eccentric motion speed (min ⁻¹)	10500
Sanding stroke (mm) / (in)	2,5 / 3/32
Vibration emission value ah (single-axel) (m/s ²)	0,8
Vibration emission value ah (three-axel) (m/s ²)	1,9
Air consumption at rated load (l/min) / (cfm)	270 / 9.5
Sanding pad (mm) / (in)	77 / 3
Sound pressure level (dB [A])	72
Weight (kg) / (lbs)	0,7 / 15.43



For extreme durability.

For smooth processes free of machine failures and maintenance.


Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories
from page 29



Abrasives
from pages 34–35



powered by

FESTOOL
Automotive Systems



Pneumatic

Festool LEX 2 185 7.25"

Compressed air eccentric sander



	Part no.
LEX 2 185/7	30001
Items Included	
Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton	

Specialist in material removal.

- Dead-man switch for safe work
- Clearly visible stroke indicator
- Sanding pad brake gives a clean pattern
- Reduced vibrations for maximum working comfort

Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min ⁻¹)	16000
Eccentric motion speed (min ⁻¹)	8000
Sanding stroke (mm) / (in)	7 / 9/32
Air consumption at rated load (l/min) / (cfm)	390 / 13.7
Sanding pad (mm) / (in)	185 / 7.25
Weight (kg) / (lbs)	1,6 / 3.53



Softgrip cap.

The Softgrip coating on the tool ensures easy machine guidance with no slipping.

Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories
from page 29



Abrasives
from pages 34–35





Pneumatic

Festool LRS 93

Compressed air orbital sander



LRS 93

Part no.
29958

Items Included

Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton

Perfect for flat surfaces.

- Machine is easy to guide
- Speed and stroke preselection
- Vibrations are minimized for comfortable, non-tiring work
- StickFix sanding pads and abrasive for quick changes

Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min ⁻¹)	14000
Sanding stroke (mm) / (in)	4 / 5/32
Air consumption at rated load (l/min) / (cfm)	310 / 10.9
Sanding pad StickFix (mm) / (in)	93 × 175 / 3.7 × 6.9
Weight (kg) / (lbs)	1,2 / 2.6




Vibrations reduce.

Less stress on your hands and wrists. VS balancing reduces vibrations and oscillations, and is kind to both you and your machine.


Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories
from page 29



Abrasives
from pages 34–35



powered by

FESTOOL
Automotive Systems



Pneumatic

Festool LRS 400

Compressed air orbital sander



	Part no.
LRS 400	29953

Items Included

Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton

Long sander for large surfaces.

- Lightweight and handy despite its size
- High material removal rate on large, flat surfaces
- Very good extraction thanks to IAS 3 system
- Softgrip handle

Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min ⁻¹)	14000
Sanding stroke (mm) / (in)	4 / 5/32
Air consumption at rated load (l/min) / (cfm)	390 / 13.7
Sanding pad StickFix (mm) / (in)	80 × 400 / 3.1 × 15.7
Weight (kg) / (lbs)	2,3 / 5.1




Easy guidance.

All compressed air orbital sanders are easy to guide, both with one or two hands. The Softgrip and the additional handle on the LRS 400 give you complete control of the machine.


Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories
from page 29



Abrasives
from pages 34–35





Electric

Festool ETS EC 150 EQ 6"
Festool ETS EC 150 EQ-Plus 6"

Random orbit sander



Sanding has many sides. We've thought of them all.

At vertical areas or narrow edges — the new ETS EC 150 takes up position in all circumstances: Perfection with handling and sanding result. Thanks to the high-performance and brushless EC-TEC motor, the compact ETS EC 150 is ideal for one-handed and effortless work with simultaneously high demands for smooth running and surface quality.



Brushless EC-TEC motor for a long service life and a high level of efficiency

Systainer included in Plus models



	Part no.
ETS EC 150/3 EQ	29943
ETS EC 150/5 EQ	29945
Items Included	
Operation tool, Festool sanding pad, in a carton	
ETS EC 150/3 EQ-Plus	29942
ETS EC 150/5 EQ-Plus	29944
Items Included	
Operation tool, Festool sanding pad, Systainer SYS 2 T-LOC (396 x 296 x 157,5 mm / 15.59" x 11.65" x 6.2")	

The perfect finishing sander in the compact class.

- Long life thanks to EC technology and carbide-tipped sanding pad brake
- Compact design and weighing only 1.2 kg/2.6 lbs for optimal ergonomic working conditions
- Stepless speed preselection, constant speed even under load
- Enhanced efficiency while working thanks to extraction detection

Technical data	ETS EC 150/3	ETS EC 150/5
Power consumption (W)	400	400
Eccentric motion speed (min ⁻¹)	6000–10000	6000–10000
Sanding stroke (mm) / (in)	3 / 1/8	5 / 3/16
Interchangeable sanding pad (mm) / (in)	150 / 5.9	150 / 5.9
Connection d/e (mm) / (in)	27 / 1.1	27 / 1.1
Weight (kg) / (lbs)	1,2 / 2.6	1,2 / 2.6




= with MMC electronics

System accessories from page 29



Abrasives from pages 34–35



powered by

FESTOOL
Automotive Systems



Electric

Festool ROTEX RO 150 FEQ-Plus Geared eccentric sander



	Part no.
RO 150 FEQ-Plus	29941

Items Included

Operation tool, Festool sanding pad, Systainer SYS 3 T-LOC (396 x 296 x 210 mm / 15.59" x 11.65" x 8.26")

The original 3-in-1 principle with powerful machine concept.

- Three machines in one: aggressive material removal when coarse sanding, extra-fine sanding pattern when fine sanding and perfect gleaming surfaces when polishing
- ROTEX rotary motion for convenient polishing — reduced speed keeps the temperature low, even on the powerful RO 150, prevents the polish from smearing or spraying off
- FastFix sanding pad system, tool-less
- MULTI-JETSTREAM principle for efficient dust extraction at maximum sanding capacity

Short tooling times thanks to FastFix pad change.


Simple, quick and safe. You don't need any other tools for changes apart from your hands. Simply remove the pad, replace and carry on working.

Technical data	ROTEX RO 150
Power consumption (W)	720
ROTEX rotary motion speed (min ⁻¹)	320–660
Eccentric motion speed (min ⁻¹)	3300–6800
Sanding stroke (mm) / (in)	5 / 3/16
FastFix sanding pad (mm) / (in)	150 / 5.9
Connection d/e (mm) / (in)	27 / 1.1
Weight (kg) / (lbs)	2,3 / 5.1



= with MMC electronics

Rotary motion




Systainer included



System accessories from page 29



Abrasives from pages 34–35



Electric

Festool SHINEX RAP 150 Rotary polisher



	Part no.
SHINEX RAP 150-14 FE	29940

Items Included

Operation tool, Festool polishing pad, additional side-mounted hand grip, in a carton

**Exceptional performance.**

- Variable speed trigger for sensitive starting and acceleration
- 2-speed gear unit is powerful, sturdy and durable across the entire speed range
- Long service life — a temperature-dependent overload protection and filter catcher protect the machine
- Work for longer periods — only weighs 2.1 kg/4.6 lbs, ergonomic design and perfectly balanced

Technical data	SHINEX RAP 150-14
Power consumption (W)	1200
Idle engine speed (min ⁻¹)	600–1400
Maximum polishing pad (mm) / (in)	229 / 9
Spindle thread	M14
Weight (kg) / (lbs)	2,1 / 4.6



= with MMC electronics

Precise application of power.

Perfect power transfer thanks to the minimum distance between the tool and pad and the various grip positions of the SHINEX RAP 150.

System accessories from page 29**Polishing accessories from page 40**

powered by





FESTOOL
Automotive Systems

Accessories

Everything you need to make sanding easier. Cleaner. And more efficient. Compatible with Festool Automotive Systems power tools and dust extraction systems as well as 3M abrasives.



3M™ and Festool Automotive Systems Accessories

	Product Name	Qty/Case	Part no.
   	Festool IAS Hose 3-Light 5000 AS, 5 m / 16.4 ft	1	29916
	Festool IAS Hose 3-Light 7000 AS, 7 m / 24 ft	1	29924
	Festool IAS Hose 3-Light 10000 AS, 10 m / 32.8 ft	1	30005
	Festool Suction Hose D27/32 × 5 m / 105 × 16.4 ft-AS/CT	1	29899
	Festool Suction Hose D27/32 × 3,5 m / 105 × 11.5 ft-AS/CT	1	30007
	Festool CT Suction Hose Plug-It D27, 5 m / 16.4 ft Hose for Electric Tools D27/22 × 5 m / 72.2 × 16.4 ft-AS-GQ/CT USA	1	29889
	Festool CT Suction Hose Plug-It D32, 10 m / 32.8 ft Hose for Electric Tools D32/22 × 10 m / 72.2 × 32.8 ft-AS-GQ/CT USA	1	29890














	Product Name	Qty/Case	Part no.
      	Festool Y-Piece Adapter, Anti-Static D 50 SV-AS/D, 50 V	5	29892
	Festool Adapter AD-IAS, D36	5	29895
	Festool IAS Double Adapter 3-DA-CT	1	29920
	Festool Hose Sleeve, Non-Antistatic Hose Reducer	5	29959
	3M™ Quick Connect Adaptor, 14 mm / 0.6 in	10	33271
	3M™ Screw On Buffing Pad Adaptor for 14 mm / 0.6 in spindle	10	33660
	Festool Adapter IAS 3-SD (Airline Non-VAC)	1	29917

powered by

FESTOOL
Automotive Systems








3M™ and Festool Automotive Systems Accessories

	Product Name	Qty/Case	Part no.
	Festool Sanding Pad ST-STF D150/MJ2-M8-SW 6 in Back Up Pad – Soft for LEX 3/ETS-EC	5	30064
	Festool Sanding Pad ST-STF D150/MJ2-M8-W-HT 6 in Back Up Pad – Medium for LEX 3/ETS-EC	5	30063
	Festool Sanding Pad ST-STF D150/MJ2-M8-H-HT 6 in Back Up Pad – Hard for LEX 3/ETS-EC	5	30065
	Festool Sanding Pad, ST-STF-D185/16-M8 W, 7.25 in Back Up Pad – Soft for LEX 2 185/7	5	30002
	Festool Interface Pad IP-STF D150/MJ2-15/1 6 in Interface Pad – 15 mm height	10	30093
	Festool Interface Pad IP-STF D150/MJ2-5/2, 6 in Interface Pad – 5 mm height	10	30092
	Festool Sanding Pad ST-STF-D77/6-M5-W 3 in Back Up Pad	5	29956
	Festool Interface Pad IP-STF D77/6, 3 in Interface Pad – 10 mm height	10	29930
	Festool Sanding Pad ST-STF D150/MJ2-FX-SW 6 in Back Up Pad – Soft for Rotex	5	30067
	Festool Sanding Pad ST-STF D150/MJ2-FX-SW 6 in Back Up Pad – Medium for Rotex	5	30066
	Festool Sanding Pad, 30066, ST-STF D150/MJ2-FX-H-HT 6 in Back Up Pad – Hard for Rotex	5	30068
	Festool Sanding Pad SSH, SSH-STF 93 mm x 175 mm – for LRS 93	5	30129
	Festool Sanding Pad SSH, SSH-STF 80 mm x 400 mm – for LRS 400	5	30130
	3M™ Hookit™ 7 in Back-up Pad 7 mm x 3/4 mm x 14 mm / 0.8 in x 0.03 in x 0.6 in	1	33659
	3M™ Dry Guide Coat 50 grams / 1.8 oz	6	05861
	Festool Self Cleaning Filter Bag SC-FIS-CT 36, 5 bags per pack	5	29905
	Festool Spot Repair Scraper (Nib File) LZK-HM	5	29925
	Festool Main Filter HEPA-HF-CT 26/36	1	29938

3M™ and Festool Automotive Systems Accessories

	Product Name	Qty/Case	Part no.
	3M™ Hookit™ Sanding Block Dust Free 70 mm x 127 mm / 2.75 in x 5 in	5	05207
	3M™ Hookit™ Sanding Block Dust Free 70 mm x 190 mm / 2.75 in x 7.5 in	5	05208
	3M™ Hookit™ Sanding Block Dust Free 70 mm x 406 mm / 2.75 in x 16 in	1	05209
	3M™ Hookit™ Hand Sanding Kit	6	05684
	Festool Sanding Block HSK-A 80 mm x 130 mm / 3.15 in x 5.12 in	1	29909
	Festool Sanding Block HSK-A 80 mm x 400 mm / 3.15 in x 15.75 in	1	29911
	Festool Sanding Block HSK-A 80 mm x 200 mm / 3.15 in x 7.88 in	1	29912

	Product Name	Qty/Case	Part no.
	Festool Compressed Air Module DL-CT 26/36 <i>Required for the pneumatic system</i>	1	29901
	Festool Cleaning and Lubricating Oil LFC 9022/50	10	29894
	Festool Replacement Air Inlet LEX 3 77	5	29931
	Festool Replacement Air Inlet LEX 3 150	5	29932
	Festool O-Ring 6x1-NBR-LABS-FREI	20	29954

powered by





FESTOOL
Automotive Systems

Workplace Organization



Designed to keep tools and accessories organized and at the ready. From the drawer system of the Sortainer to the Systainer chest, you'll never waste time looking again.



Festool Automotive Systems Accessories

Product Name	Description	Dimensions & Weight	Qty in Pack	Part no.
 WCR 1000	Workcenter	(L x W x H, height adjustable) 1050 x 362 x 545–785 mm 41.3 x 14.3 x 21.5–30.9 in weight 10,2 kg / 22.5 lbs	1	29921
 TC 3000/2	Toolcenter	(L x W x H) 470 x 1070 x 960 mm 18.5 x 42.1 x 37.8 in weight 43 kg / 94.8 lbs	1	29948
 MFH 1000	Multifunctional Stool	(L x W x H) 695 x 436 x 524 mm 27.4 x 17.1 x 20.6 in weight 27 kg / 59.5 lbs	1	29933
 Sys 4 TL-SORT/3	Sortainer: Three drawers, each with a capacity of 6.7 litres / 1.8 gallons, can be set up and divided individually with plastic containers and partitions, connects to all T-LOC and Classic Systainers, Sortainers and CLEANTEC mobile dust extractors	(L x W x H) 396 x 296 x 322 mm 15.6 x 11.7 x 12.7 in weight 5,7 kg / 12.6 lbs	1	29964

Accessories for Workcenter and Toolcenter (from above)

Product Name	Description	Dimensions & Weight	Qty in Pack	Part no.
 Rear wall TC 3000 RW	for toolcenter TC 3000/2 includes 10 hooks	(L x W) 990 x 340 mm 39.0 x 13.4 in	1	29893
 Tool holder WHR/D-TC	for toolcenter TC 3000/2 for safe, ergonomic storage of two electric and air tools at the same time		1	29898

powered by


FESTOOL
Automotive Systems

Abrasives

Rough grinding to fine finish work, 3M abrasives consistently sand faster, improve productivity and reduce cycle time for higher-quality repairs, and less rework.



3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs



3 in Disc: Use Festool
LEX 3 77/2.5 Compressed
Air Eccentric Sander

6 in Disc: Use Festool
LEX 3 150/ (3, 5 or 7)
Compressed Air
Eccentric Sander

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II Clean Sanding Disc	80+	3 in	50	4	31361
3M™ Cubitron™ II Clean Sanding Disc	120+	3 in	50	4	31362
3M™ Cubitron™ II Clean Sanding Disc	150+	3 in	50	4	31363
3M™ Cubitron™ II Clean Sanding Disc	180+	3 in	50	4	31364
3M™ Cubitron™ II Clean Sanding Disc	220+	3 in	50	4	31461
3M™ Cubitron™ II Clean Sanding Disc	240+	3 in	50	4	31462
3M™ Cubitron™ II Clean Sanding Disc	320+	3 in	50	4	31463
3M™ Cubitron™ II Clean Sanding Disc	40+	6 in	25	4	31370
3M™ Cubitron™ II Clean Sanding Disc	80+	6 in	50	4	31371
3M™ Cubitron™ II Clean Sanding Disc	120+	6 in	50	4	31372
3M™ Cubitron™ II Clean Sanding Disc	150+	6 in	50	4	31373
3M™ Cubitron™ II Clean Sanding Disc	180+	6 in	50	4	31374
3M™ Cubitron™ II Clean Sanding Disc	220+	6 in	50	4	31481
3M™ Cubitron™ II Clean Sanding Disc	240+	6 in	50	4	31482
3M™ Cubitron™ II Clean Sanding Disc	320+	6 in	50	4	31483



7.25 in Disc: Use Festool LEX 2 185/7 Compressed Air Eccentric Sander

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II Clean Sanding Disc	40+	7.25 in	25	4	34790
3M™ Cubitron™ II Clean Sanding Disc	80+	7.25 in	50	4	34791
3M™ Cubitron™ II Clean Sanding Disc	120+	7.25 in	50	4	34792
3M™ Cubitron™ II Clean Sanding Disc	150+	7.25 in	50	4	34793
3M™ Cubitron™ II Clean Sanding Disc	180+	7.25 in	50	4	34794
3M™ Cubitron™ II Clean Sanding Disc	220+	7.25 in	50	4	34795



2.75 in Sheet: Use 3M™ Hookit™ Sanding Block Dust Free

3.15 in Sheet: Use Festool LRS 400 Compressed Air Orbital Sander

3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Rolls

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II Clean Sanding Sheet Roll	40+	70 mm x 8 m / 2.75 in x 8.75 yd	1	5	34440
3M™ Cubitron™ II Clean Sanding Sheet Roll	80+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34442
3M™ Cubitron™ II Clean Sanding Sheet Roll	120+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34444
3M™ Cubitron™ II Clean Sanding Sheet Roll	150+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34445
3M™ Cubitron™ II Clean Sanding Sheet Roll	180+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34446
3M™ Cubitron™ II Clean Sanding Sheet Roll	220+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34447
3M™ Cubitron™ II Clean Sanding Sheet Roll	240+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34448
3M™ Cubitron™ II Clean Sanding Sheet Roll	320+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	34449
3M™ Cubitron™ II Clean Sanding Sheet Roll	40+	80 mm x 8 m / 3.15 in x 8.75 yd	1	5	35500
3M™ Cubitron™ II Clean Sanding Sheet Roll	80+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	35501
3M™ Cubitron™ II Clean Sanding Sheet Roll	120+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	35502
3M™ Cubitron™ II Clean Sanding Sheet Roll	150+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	35503
3M™ Cubitron™ II Clean Sanding Sheet Roll	180+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	35504
3M™ Cubitron™ II Clean Sanding Sheet Roll	220+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	35505
3M™ Cubitron™ II Clean Sanding Sheet Roll	240+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	31488
3M™ Cubitron™ II Clean Sanding Sheet Roll	320+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	31489



2.75 in Sheet: Use 3M™ Hookit™ Sanding Block Dust Free

3.74 in Sheet: Use Festool LRS 93 Compressed Air Orbital Sander

3M™ Cubitron™ II Hookit™ File Sheets

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II File Sheet*	40+	69 mm x 419 mm / 2.75 in x 16.5 in	25	4	34490
3M™ Cubitron™ II File Sheet*	80+	69 mm x 419 mm / 2.75 in x 16.5 in	25	4	34492
3M™ Cubitron™ II File Sheet*	120+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	34494
3M™ Cubitron™ II File Sheet*	150+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	34495
3M™ Cubitron™ II File Sheet*	180+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	34496
3M™ Cubitron™ II File Sheet*	220+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	34497
3M™ Cubitron™ II Dust Free File Sheet	40+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35510
3M™ Cubitron™ II Dust Free File Sheet	80+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35511
3M™ Cubitron™ II Dust Free File Sheet	120+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35512
3M™ Cubitron™ II Dust Free File Sheet	150+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35513
3M™ Cubitron™ II Dust Free File Sheet	180+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35514
3M™ Cubitron™ II Dust Free File Sheet	220+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35515
3M™ Cubitron™ II Dust Free File Sheet	240+	95 mm x 177 mm / 3.74 in x 6.97 in	25	4	31494
3M™ Cubitron™ II Dust Free File Sheet	320+	95 mm x 177 mm / 3.74 in x 6.97 in	25	4	31495

*These file sheets are not dust free (not designed with holes for dust extraction).

powered by

3M™ Hookit™ Purple Clean Sanding Abrasive Discs



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Clean Sanding Disc	P400	3 in	50	4	30273
3M™ Purple Clean Sanding Disc	P500	3 in	50	4	30272
3M™ Purple Clean Sanding Disc	P600	3 in	50	4	30261
3M™ Purple Clean Sanding Disc	P800	3 in	50	4	30260
3M™ Purple Clean Sanding Disc	P400	6 in	50	4	01811
3M™ Purple Clean Sanding Disc	P500	6 in	50	4	01810
3M™ Purple Clean Sanding Disc	P600	6 in	50	4	30761
3M™ Purple Clean Sanding Disc	P800	6 in	50	4	30760

3M™ Hookit™ Purple Clean Sanding Sheet Rolls



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Clean Sanding Sheet Roll	P400	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	30703
3M™ Purple Clean Sanding Sheet Roll	P400	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	35507

3M™ Hookit™ Purple File Sheets





Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Dust Free File Sheet	P400	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	35517



powered by

FESTOOL
Automotive Systems

3M™ Hookit™ Flexible Abrasive Discs and Sheets



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Flexible Abrasive Disc, 17 Hole	P400	6 in	25	5	34800
3M™ Flexible Abrasive Disc, 17 Hole	P600	6 in	25	5	34801
3M™ Flexible Abrasive Disc, 17 Hole	P800	6 in	25	5	34802
3M™ Flexible Abrasive Disc, 17 Hole	P1000	6 in	25	5	34803
3M™ Flexible Abrasive Disc, 17 Hole	P1200	6 in	25	5	34804
3M™ Flexible Abrasive Disc, 17 Hole	P1500	6 in	25	5	34805
3M™ Flexible Abrasive Sheet	P400	5.5 in x 6.8 in	25	5	34337
3M™ Flexible Abrasive Sheet	P600	5.5 in x 6.8 in	25	5	34339
3M™ Flexible Abrasive Sheet	P800	5.5 in x 6.8 in	25	5	34340
3M™ Flexible Abrasive Sheet	P1000	5.5 in x 6.8 in	25	5	34341

3M™ Hookit™ Purple Finishing Film Discs



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Finishing Film Disc	P1200	3 in	50	4	30368
3M™ Purple Finishing Film Disc	P1500	3 in	50	4	30367
3M™ Purple Finishing Film Disc	P2000	3 in	50	4	30366
3M™ Purple Finishing Film Disc	P1200	6 in	50	4	30668
3M™ Purple Finishing Film Disc	P1500	6 in	50	4	30667
3M™ Purple Finishing Film Disc	P2000	6 in	50	4	30666
3M™ Purple Finishing Film Disc, 17 Hole	P600	6 in	50	4	34780
3M™ Purple Finishing Film Disc, 17 Hole	P800	6 in	50	4	34781
3M™ Purple Finishing Film Disc, 17 Hole	P1000	6 in	50	4	34782
3M™ Purple Finishing Film Disc, 17 Hole	P1200	6 in	50	4	34783
3M™ Purple Finishing Film Disc, 17 Hole	P1500	6 in	50	4	34784
3M™ Purple Finishing Film Disc, 17 Hole	P2000	6 in	50	4	34785

3M™ Trizact™ Hookit™ Abrasive Discs



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Trizact™ Blending Disc	P1000	3 in	15	4	02091



3M™ Trizact™ Clear Coat Sanding Disc	P1500	3 in	25	4	02094
--------------------------------------	-------	------	----	---	--------------

3M™ Trizact™ Foam Disc	3000	3 in	15	4	02087
------------------------	------	------	----	---	--------------



3M™ Trizact™ Foam Disc	5000	3 in	15	4	30362
------------------------	------	------	----	---	--------------

3M™ Trizact™ Blending Disc	P1000	6 in	15	4	02090
----------------------------	-------	------	----	---	--------------



3M™ Trizact™ Clear Coat Sanding Disc	P1500	6 in	25	4	02088
--------------------------------------	-------	------	----	---	--------------

3M™ Trizact™ Foam Disc	3000	6 in	15	4	02085
------------------------	------	------	----	---	--------------



3M™ Trizact™ Foam Disc	5000	6 in	15	4	30662
------------------------	------	------	----	---	--------------

Scotch-Brite™ Clean and Finish Disc



Product Name	Size	Qty/Box	Boxes/Case	Part no.
Scotch-Brite™ Clean and Finish Disc	6 in x NH T	10	4	77225

powered by



Compounds, Polishes & Pads

When working with highest quality tools and abrasives, we have what you need to get the finish you want, every time.



3M™ Compounds, Polishes & Pads



Product Name	Size	Part no.
3M™ Perfect-It™ EX AC Rubbing Compound	1 Quart	36060
3M™ Perfect-It™ Foam Compounding Pad	9 in	05706
3M™ Perfect-It™ Foam Compounding Pad	6 in	33284
3M™ Perfect-It™ 100% Wool Compounding Pad, Double-Sided, Quick Connect	9 in	05753
3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, Double-Sided, Quick Connect	9 in	33279
3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, Double-Sided, Quick Connect	6 in	33288
3M™ Perfect-It™ EX Machine Polish	1 Quart	06094
3M™ Perfect-It™ Foam Polishing Pad, Double-Sided, Quick Connect	8 in	05707
3M™ Perfect-It™ Foam Polishing Pad, Double-Sided, Quick Connect	6 in	33285
3M™ Perfect-It™ EX Ultrafine Machine Polish	1 Quart	06068
3M™ Perfect-It™ Ultrafine Foam Polishing Pad	8 in	05708
3M™ Perfect-It™ Ultrafine Foam Polishing Pad	6 in	33286
3M™ Perfect-It™ 1 Finishing Material	1 Quart	36064
3M™ Perfect-It™ 1 Finishing Pad, Quick Connect	8 in	33291
3M™ Perfect-It™ 1 Finishing Pad, Quick Connect	6 in	33292

powered by

FESTOOL
Automotive Systems





Personal Safety


Trust 3M design and technology to keep you safe on the job. With any auto body repair process, including personal protection is essential.



3M™ Personal Safety

	Product Name	Qty/Case	Part no.
	3M™ Solus™ 1000 Series Safety Spectacles, Blue/Black Eyewear with Clear Scotchgard™ Anti-Fog Lens and Foam Gasket and Strap	20	27189
	3M™ Solus™ 1000 Series Safety Spectacles, Green/Black Eyewear with Clear Scotchgard™ Anti-Fog Lens and Foam Gasket and Strap	20	27185
	3M™ Goggle Gear, 500 Series Clear Scotchgard™ Anti-Fog Lens	10	27455

	Product Name	Qty/Case	Part no.
	3M™ E-A-R™ Skull Screws™ Corded Earplugs	480	92952

	Product Name	Qty/Case	Part no.
	3M™ Particulate Welding Respirator 8515/07189, N95	80	07189
	3M™ Half Facepiece Respirator Assembly, Small	24	07001
	3M™ Half Facepiece Respirator Assembly, Medium	24	07002
	3M™ Half Facepiece Respirator Assembly, Large	24	07003
	3M™ Particulate Filter, P100	100	07000
	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Small	10	49488
	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Medium	10	49490
	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Large	10	49492
	3M™ Organic Vapor Cartridge	30	07046
	3M™ Filter Retainer	100	07194
	3M™ Particulate Filter, P95	100	07054


Please Note: Not a complete list. Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

See safety warranties on page 46.

powered by



SERVICE all-inclusive



Goodbye dust. Hello service.



Meet SERVICE all-inclusive Available for Festool Automotive Systems Tools

To go with the most comprehensive system the industry has ever seen, the most impressive service and support program available. Be sure to **register your tools at festoolusa.com/service** to take full advantage of these services and receive additional benefits.

SERVICE all-inclusive applies to all machines registered within 30 days after purchase which were purchased on or after July 5th, 2016. Visit festoolusa.com/service/warranty for more information and for service terms and conditions.



36-Month Comprehensive Warranty

The most comprehensive warranty in the industry provides coverage from 36 months of the date of purchase.



30-Day Money Back Guarantee

Customers are provided with a no-risk, 30-day money-back guarantee. If they are not completely satisfied, they can return the tool for a refund.



10-Year Parts Availability

Spare parts availability is guaranteed for 10 years, providing long-term repair support.



48-Hour Standard Repair

Most tools are repaired and ready to ship back to the customer within 48 hours of the tool being received by the service department.



3-Year Free Shipping

Festool Automotive Systems will cover the cost of shipping tools to the service department and back to the customer for the first three years with our online repair form.



Dedicated Service Hotline

Factory-trained service professionals are available for troubleshooting and questions about repairs at 888-337-8600.



24/7 Online Service Hub

Access spare parts catalogs and product manuals, fill out repair forms and mailing labels, and review video content online anytime.

powered by

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs

3", 80+ 8, 10, 33

3", 120+ 8, 10, 33

3", 150+ 8, 10, 33

3", 180+ 8, 10, 33

3", 220+ 8, 10, 33

3", 240+ 8, 10, 33

3", 320+ 8, 10, 12, 14, 33

6", 40+ 8, 10, 33

6", 80+ 8, 10, 33

6", 120+ 8, 10, 33

6", 150+ 8, 10, 33

6", 180+ 8, 10, 33

6", 220+ 8, 10, 33

6", 240+ 8, 10, 33

6", 320+ 8, 10, 12, 14, 33

7.25", 40+ 8, 34

7.25", 80+ 8, 34

7.25", 120+ 8, 34

7.25", 150+ 8, 34

7.25", 180+ 8, 34

7.25", 220+ 8, 34

3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Rolls

2.75" x 8.75 yd, 40+ 8, 10, 34

2.75" x 13.12 yd, 80+ 8, 10, 34

2.75" x 13.12 yd, 120+ 8, 10, 34

2.75" x 13.12 yd, 150+ 8, 10, 34

2.75" x 13.12 yd, 180+ 8, 10, 34

2.75" x 13.12 yd, 220+ 8, 10, 34

2.75" x 13.12 yd, 240+ 8, 10, 34

2.75" x 13.12 yd, 320+ 8, 10, 12, 14, 34

3.15" x 8.75 yd, 40+ 8, 34

3.15" x 13.12 yd, 80+ 8, 34

3.15" x 13.12 yd, 120+ 8, 34

3.15" x 13.12 yd, 150+ 8, 34

3.15" x 13.12 yd, 180+ 8, 34

3.15" x 13.12 yd, 220+ 8, 34

3.15" x 13.12 yd, 240+ 8, 34

3.15" x 13.12 yd, 320+ 8, 12, 14, 34

3M™ Cubitron™ II Hookit™ Dust Free File Sheets

3.74" x 6.97", 40+ 8, 34

3.74" x 6.97", 80+ 8, 34

3.74" x 6.97", 120+ 8, 34

3.74" x 6.97", 150+ 8, 34

3.74" x 6.97", 180+ 8, 34

3.74" x 6.97", 220+ 8, 34

3.74" x 6.97", 240+ 8, 34

3.74" x 6.97", 320+ 8, 34

3M™ Cubitron™ II Hookit™ File Sheets

2.75" x 16.5", 40+ 34

2.75" x 16.5", 80+ 34

2.75" x 16.5", 120+ 34

2.75" x 16.5", 150+ 34

2.75" x 16.5", 180+ 34

2.75" x 16.5", 220+ 34

3.74" x 6.97", 40+ 34

3.74" x 6.97", 80+ 34

3.74" x 6.97", 120+ 34

3.74" x 6.97", 150+ 34

3.74" x 6.97", 180+ 34

3.74" x 6.97", 220+ 34

3.74" x 6.97", 240+ 34

3.74" x 6.97", 320+ 34

3M™ Hookit™ Flexible Abrasive Discs

17 Hole, 6", P400 12, 14, 37

17 Hole, 6", P600 12, 14, 37

17 Hole, 6", P800 12, 14, 37

17 Hole, 6", P1000 12, 14, 37

17 Hole, 6", P1200 37

17 Hole, 6", P1500 37

3M™ Hookit™ Flexible Abrasive Sheets

5.5" x 6.8", P400 12, 14, 37

5.5" x 6.8", P600 12, 14, 37

5.5" x 6.8", P800 12, 14, 37

5.5" x 6.8", P1000 12, 14, 37

3M™ Hookit™ Purple Clean Sanding Abrasive Disc

3", P400 12, 14, 35

3", P500 35

3", P600 35

3", P800 35

6", P400 12, 14, 35

6", P500 12, 14, 35

6", P600 12, 14, 35

6", P800 12, 14, 35

3M™ Hookit™ Purple Clean Sanding Sheet Roll

2.75" x 13.12 yd, P400 35

3.15" x 13.12 yd, P400 35

3M™ Hookit™ Purple Dust Free File Sheet

3.74" x 6.97", P400 35

3M™ Hookit™ Purple Finishing Film Discs

3", P1200 16, 37

3", P1500 16, 37

3", P2000 16, 37

6", P1200 16, 37

6", P1500 16, 37

6", P2000 16, 37

17 Hole, 6", P600 37

17 Hole, 6", P800 12, 14, 37

17 Hole, 6", P1000 12, 14, 37

17 Hole, 6", P1200 16, 37

17 Hole, 6", P1500 16, 37

17 Hole, 6", P2000 16, 37

3M™ Perfect-It™ 1 Finishing Material

Quart 16, 40

3M™ Perfect-It™ 1 Finishing Pads

6" 16, 40

8" 16, 40

3M™ Perfect-It™ EX AC Rubbing Compound

Quart 16, 40

3M™ Perfect-It™ Compounding Pads

Foam, 6" 16, 40

Foam, 9" 16, 40

100% Wool, 9" 16, 40

100% Wool Low Linting, 6" 16, 40

100% Wool Low Linting, 9" 16, 40

3M™ Perfect-It™ EX Machine Polish

Quart 16, 40

3M™ Perfect-It™ Foam Polishing Pads

6" Grey 16, 40

8" Grey 16, 40

3M™ Perfect-It™ EX Ultrafine Machine Polish

Quart 16, 40

3M™ Perfect-It™ Ultrafine Foam Polishing Pads

6" Blue 16, 40

8" Blue 16, 40

3M™ Trizact™ Hookit™ Blending Disc

3", P1000 38

6", P1000 38

3M™ Trizact™ Hookit™ Clear Coat Sanding Disc

3", P1500 38

6", P1500 38

3M™ Trizact™ Hookit™ Foam Disc

3", 3000 16, 38

3", 5000 16, 38

6", 3000 16, 38

6", 5000 16, 38

Scotch-Brite™ Clean and Finish Disc

6" x NH T 8, 10, 12, 14, 16, 38

A

Abrasives 33–38

Accessories 27–30

B

Body Repair System 7–10

C

Cleaning and Lubricating Oil 30

Compounds, Polishes & Pads 39–40

Compressed Air Eccentric Sander

LEX 3 77/2.5 7, 11, 15, 20

LEX 3 150/3 11, 15, 19

LEX 3 150/5 11, 15, 19

LEX 3 150/7 7, 19

LEX 2 185/7 7, 21

Compressed Air Module DL-CT 26/36 7, 11, 30

Compressed Air Orbital Sander

LRS 93 7, 22

LRS 400 7, 23

D

Dry Guide Coat 8, 10, 12, 14, 29

E

E-A-R™ Skull Screws™

Corded Earplugs 8, 10, 12, 14, 16, 42

ETS EC 150/3 EQ 9, 13, 24

ETS EC 150/5 EQ 9, 13, 24

ETS EC 150/3 EQ-Plus 24

ETS EC 150/5 EQ-Plus 24

F

Filter Bag, Self Cleaning, CT36 7, 9, 11, 13, 29

Filter Retainer 16, 42

G

Geared Eccentric Sander

ROTEX RO 150 FEQ-Plus 9, 25

Goggle Gear, 500 Series 16, 42

H

Hookit™ 7" Back-up Pad 16, 29

Hookit™ Sanding Blocks Dust Free

2.75" x 5" 8, 10, 12, 14, 30

2.75" x 7.5" 8, 10, 12, 14, 30

2.75" x 16" 8, 10, 12, 14, 30

Hookit™ Hand Sanding Kit 8, 10, 12, 14, 30

Hose Sleeve, Non-Antistatic Hose Reducer 28

I

Adapter AD-IAS, D36 28

Adapter IAS 3-SD (Airline Non-VAC) 15, 28

IAS Double Adapter 3-DA-CT 7, 11, 28

IAS Hoses

IAS Hose 3-Light 5000 AS 7, 11, 28

IAS Hose 3-Light 7000 AS 7, 11, 28

IAS Hose 3-Light 10000 AS 7, 11, 28

Interface Pads

D77/6, 3" 11, 15, 29

D150/MJ2-5/2, 6" 11, 13, 15, 29

D150/MJ2-15/1, 6" 11, 13, 15, 29

L

LEX 2

185/7 7, 21

LEX 3

LEX 3 77/2.5 7, 11, 15, 20

LEX 3 150/3 11, 15, 19

LEX 3 150/5 11, 15, 19

LEX 3 150/7 7, 19

LRS 93 7, 22

LRS 400 7, 23

M

Main Filter, HEPA-HF-CT 3629

Mobile Dust Extractor
CLEANTEC CT 36 7, 9, 11, 13, 18

Multifunctional Stool15, 32

O

O-Ring30

Organic Vapor Cartridge.....16, 42

P

Paint Prep System 11–14

Paint Finishing System15–16

Particulate Filter, P95.....16, 42

Particulate Filter, P100..... 8, 10, 12, 14, 42

Particulate Welding Respirator42

Personal Safety 41–42

Q

Quick Connect Adapter.....16, 28

R

Random Orbit Sander
ETS EC 150/3 EQ 9, 13, 24

ETS EC 150/5 EQ 9, 13, 24

ETS EC 150/3 EQ-Plus.....24

ETS EC 150/5 EQ-Plus.....24

Rear Wall TC 3000 RW32

Replacement Air Inlet
LEX 3 77.....30

LEX 3 15030

Respirators
Half Facepiece Respirators, Small42

Half Facepiece Respirators, Medium42

Half Facepiece Respirators, Large.... 8, 10, 12, 14, 42

Particulate Welding Respirator42

Rugged Comfort Quick Latch Half Facepiece:
Reusable Respirator, Small.....42

Reusable Respirator, Medium42

Reusable Respirator, Large.....16, 42

Rotary Polisher
SHINEX RAP 150-14 FE15, 26

S

Safety Spectacles
Goggle Gear, 500 Series16, 42

Solus™ 1000 Series, Blue..... 8, 10, 12, 14, 42

Solus™ 1000 Series, Green42

Sanding Blocks
Hookit™ Sanding Blocks Dust Free
2.75" x 5"8, 10, 12, 14, 30

2.75" x 7.5"8, 10, 12, 14, 30

2.75" x 16".....8, 10, 12, 14, 30

Hookit™ Hand Sanding Kit.....8, 10, 12, 14, 30

HSK-A, 3.15" x 5.12"8, 10, 12, 14, 30

HSK-A, 3.15" x 15.75.....8, 10, 12, 14, 30

HSK-A, 3.15" x 7.88".....8, 10, 12, 14, 30

Sanding Pads
D77/6-M5-W, 3".....29

D150/MJ2-M8-SW, 6".....29

D150/MJ2-M8-W-HT, 6".....29

D150/MJ2-M8-H-HT, 6"29

D150/MJ2-FX-SW, Soft, 6".....29

D150/MJ2-FX-SW, Medium, 6"29

D150/MJ2-FX-H-HT, 6"29

D185/16-M8 W, 7.25"29

SSH-STF, 80 mm29

SSH-STF, 93 mm.....29

Screw On Buffing Pad Adaptor16, 28

SERVICE all-inclusive..... 4, 43

SHINEX RAP 150-14 FE15, 26

Sortainer Sys 4..... 7, 9, 11, 13, 15, 32

Spot Repair Scraper (Nib File)15, 29

Suction Hoses
Suction Hose D27, 5m 7, 9, 11, 13, 28

Suction Hose D27, 3.528

CT Suction Hose Plug-it D27..... 9, 13, 28

CT Suction Hose Plug-it D32..... 9, 13, 28

T

Tool Holder WHR/D-TC32

Toolcenter TC 3000/232

Tools17–26

W

Workcenter WCR 1000 7, 9, 11, 13, 15, 32

Workplace Organization 31–32

Y

Y-Piece Adapter, Anti-Static 9, 13, 28

⚠WARNING

Before using any of the listed products, it is important to read all applicable product user instructions and warnings for health and safety information. **Misuse or failure to follow instructions or warnings may result in serious injury or death. Note: the Festool mobile dust extractor is not approved for use with aluminum dust.**



⚠WARNING

Respiratory Products

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including, but not limited to, training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

⚠WARNING

Eye and Face Products

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and *User Instructions* may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

⚠WARNING

Hearing Protection Products*

Caution: When worn according to the *User Instructions*, this hearing protector helps reduce exposure to both continuous noises, such as industrial noises and noises from vehicles and aircraft, as well as very loud impulse noises, such as gunfire. It is difficult to predict the required and/or actual hearing protection obtained during exposure to impulse noises. For gunfire, the weapon type, number of rounds fired, proper selection, fit and use of hearing protection, proper care of hearing protection, and other variables will impact performance. If your hearing seems dulled or you hear a ringing or buzzing during or after any noise exposure (including gunfire), or for any other reason you suspect a hearing problem, your hearing may be at risk. To learn more about hearing protection for impulse noise, visit www.3M.com/hearing.

Choking Hazard—Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

Noise Reduction Rating (NRR):

*3M recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See *User Instructions* for more information.

powered by

FESTOOL
Automotive Systems

The Total Automotive Sanding System is engineered to support the ongoing need for cleaner, safer, more efficient and profitable shops.

Profitability + efficiency

- Reduces the amount of dust in the air from sanding, leading to less rework, driving improved cycle time and process efficiency.
- Reduces cleanup time.
- Enhances workplace efficiency by reducing time spent searching for tools and materials.
- Workcenter enables the use of abrasives to end of life, leading to reduced material spend.
- Increases technician mobility.

The Total Automotive Sanding System incorporates the benefits of 3M high performing products, such as:

- 3M™ Cubitron™ II abrasives that cut 30% faster and last up to twice as long as other premium abrasives.
- 3M™ Trizact™ abrasives that leave a finer, more uniform finish.
- 3M™ Perfect-It™ Paint Finishing System, designed to provide a fast, swirl-free finish every time.

Health + safety

- Designed with the technician's safety in mind.
- Integrated dust extraction system reduces dust.
- IAS anti-static green and black hoses.
- Ergonomic, non-slip tool design.
- Pad brake means less tool free spin.
- Improves shop cleanliness.



Warranty, Disclaimer & User Responsibility:

User is responsible for evaluating the product and determining whether it is appropriate and suitable for user's application(s), including conducting a workplace hazard assessment and review of any regulations applicable in your location. 3M and Festool Products are warranted to be free of defects in material and workmanship. Unless an additional warranty is specifically stated on the applicable product packaging or literature, or provided as part of Festool's Service all-inclusive (see related terms), no further warranty is provided, express or implied. SERVICE all-inclusive applies to Festool products only. ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, TRADE OR CUSTOM IS EXPRESSLY DISCLAIMED.



Automotive Aftermarket Division

3M Center, Building 223-06S-07
St. Paul, MN 55144-1000

3MCollision.com/Festool

3M, Cubitron, E-A-R, Hookit, Perfect-It,
Scotch-Brite, Scotchgard, Skull Screws, Solus
and Trizact are trademarks of 3M Company.

Please recycle. Printed in U.S.A.
© 3M 2019. All rights reserved.
60-4402-7925-9 Rev. 4/2019