

### **TOOL STORAGE**

For a professional tool user, a toolbox is more than a metal bin. It's a source of pride and a key to productivity — a way to make sure that tools are secure and organized, and easy to find when needed. A pro also needs a tool storage system that stands up to the heaviest use in the harshest environments. After all, a day at work may require a drawer to keep working smoothly after having a 12-pound combination wrench dropped into it when fully open. Or it could require a frame to stay stiff and square after being rolled across a bumpy flight line.

We engineer every item in the Stanley® Proto® Professional Tool Box Line to exceed these expectations.

Proto® tool boxes come in 440SS Standard Duty and 450HS Heavy Duty models. The "standard" we set for our Standard Duty models is of rugged durability and exceptional value. We build all of our housings with thick gauge steel top and bottom panels, then coat them with a smooth electrocoat finish that won't lose its luster. We include heavy steel drawer fronts and bodies that are unlikely to dent when that tossed wrench misses its mark, as well as full extension drawers with ball bearing slides that move smoothly under the heaviest loads. We build diagonal reinforcing bars into the bottom of

our wheeled cabinets, and put a 2-in. wide steel lip around the top edge to keep the housing from twisting and the corners from cracking under the stress of moving.

For our most demanding customers, Heavy-Duty series cabinets have thick steel housings on all sides, as well as high capacity drawer slides and shock-absorbing casters that smooth out bumps and make it easier to move on rough surfaces.

The Proto® line includes stationary tool chests, mobile work stations, and upright cabinets for various combinations of drawer storage, bulk storage, and work-benching. The selection of sizes and configurations is broad enough to meet almost any need, with storage capacities ranging from 2000 to over 36000 cubic inches, and with the drawer combinations most commonly used in the industries we serve. All are designed to make every bit of internal space available for storage.

Strong, organized, efficient, ready to tackle the toughest of tasks. Those qualities make our toolboxes a reflection of the people they serve.

### PRODUCT FEATURES AND BENEFITS

#### **450HS HEAVY DUTY SERIES TOOL BOXES**

- 14 or 16 gauge steel housings.
- Powder coat finish.
- · Heavy duty tubular locks.
- 125 or 200lb. capacity ball bearing drawer slides.
- 6" x 2" casters with 700lbs. capacity each.
- Colors available: Red, Black (MTO), Blue (MTO), Yellow (MTO).

#### 440SS STANDARD DUTY SERIES TOOL BOXES

- 16 gauge steel top and bottom panels, 18 gauge side housings.
- · Electrocoat finish.
- Key locks.
- 100lb. capacity ball bearing drawer slides.
- 5" x 2" casters with 450lbs. capacity each.
- Colors available: Red, Black (MTO).

### **450HS AVAILABLE ACCESSORIES**

- Wood tops available for some models.
- Side Shelf available.
- 6" x 2" spring loaded casters.

### **440SS AVAILABLE ACCESSORIES**

- Wood top (27" cabinet only).
- Side Shelf available.
- 6" x 2" hard rubber casters.
- Slip-resistant drawer liners.





#### **TOOL BOX PRODUCT NUMBER IDENTIFICATION**

Proto's item numbering system for tool boxes is designed to make it easy for users to identify the box that has the size and drawer configuration that best meets their needs.

### Example: J 44 2742 – 4 RD – D

### **Part Number Key**

Series of Tool Box

Width and Height

# of Drawers

Cabinet Color

Special Feature

### **Special Feature Code**

D = Drop Front

IC = Intermediate Chest

SC = Side Cabinet

LK = Locker

1S = 1 Shelf

2S = 2 Shelf



### **TOOL ROLLS**

- Made of red nylon material for durability and flexibility.
- Stitched and reinforced edges for strength.
- Clear tool slots for easy viewing.
- Tie strap closure.



### SAFETY TIPS

- Do not open more than one loaded drawer at a time.
- Do not overload drawers.
- Always push a tool cabinet. Do not pull.
- Lock all drawers before moving the tool cabinet.
- Do not move a tool cabinet that has loose tools or tools stacked on top of it.
- Set the brakes on the locking casters after moving the cabinet to the work area.



### 450HS 66" WORKSTATION - 12 DRAWER

- Cubic inch capacity is 36,455.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 200 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

### Compartment

Quantity	Туре	Length	Width	Height
1	Drawer	59"	24-3/4"	6"
2	Drawer	37-3/8"	24-3/4"	1-3/4"
2	Drawer	37-3/8"	24-3/4"	3"
1	Drawer	37-3/8"	24-3/4"	4"
1	Drawer	37-3/8"	24-3/4"	6"
2	Drawer	18-2/3"	24-3/4"	1-3/4"
2	Drawer	18-2/3"	24-3/4"	3"
1	Drawer	18-2/3"	24-3/4"	11"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J456646-12RD J456646-12BK J456646-12BL J456646-12YL	Red Black Blue Yellow	66-1/2" 66-1/2" 66-1/2" 66-1/2"	46" 46" 46"	27" 27" 27" 27"	750 lbs. 750 lbs. 750 lbs. 750 lbs.

### 450HS 66" WORKSTATION - 11 DRAWER

- Cubic inch capacity is 35,917.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 200 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Quantity	Туре	Length	Width	Height
1	Drawer	59"	24-3/4"	6"
2	Drawer	37-3/8"	24-3/4"	3"
2	Drawer	37-3/8"	24-3/4"	4"
1	Drawer	37-3/8"	24-3/4"	6"
2	Drawer	18-2/3"	24-3/4"	1-3/4"
2	Drawer	18-2/3"	24-3/4"	3"
1	Drawer	18-2/3"	24-3/4"	11"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J456646-11RD	Red	66-1/2"	46"	27"	750 lbs.
J456646-11BK	Black	66-1/2"	46"	27"	750 lbs.
J456646-11BL	Blue	66-1/2"	46"	27"	750 lbs.
J456646-11YL	Yellow	66-1/2"	46"	27"	750 lbs.



### 450HS 57" WORKSTATION - 13 DRAWER

- Cubic inch capacity is 28,291.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 200 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

### Compartment

Quantity	Туре	Length	Width	Height
3	Drawer	28"	23"	1-3/4"
2	Drawer	28"	23"	3"
1	Drawer	28"	23"	4"
1	Drawer	28"	23"	6-3/8"
2	Drawer	18-2/3"	23"	1-3/4"
2	Drawer	18-2/3"	23"	4"
1	Drawer	18-2/3"	23"	11"
1	Drawer	49-2/3"	23"	3-7/8"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455743-13RD J455743-13BK J455743-13BL J455743-13YL	Black Blue	57" 57" 57" 57"	43" 43" 43" 43"	25" 25" 25" 25"	625 lbs. 625 lbs. 625 lbs. 625 lbs.

### 450HS 57" WORKSTATION - 11 DRAWER

- Cubic inch capacity is 26,541.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 200 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Quantity	Туре	Length	Width	Height
1	Drawer	28"	23"	4"
3	Drawer	28"	23"	6-3/8"
1	Drawer	18-2/3"	23"	1-3/4"
5	Drawer	18-2/3"	23"	4"
1	Drawer	49-2/3"	23"	3-7/8"



Product ID No.	Color	Longth	Height	Donth	Weight lbs.
J455743-11RD J455743-11BK		57" 57"	43" 43"	25" 25"	625 lbs. 625 lbs.
J455743-11BL		57"	43"	25"	625 lbs.
J455743-11YL		57"	43"	25"	625 lbs.



### 450HS 50" WORKSTATION - 8 DRAWER - 2 SHELVES

- Cubic inch capacity is 18,920.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

### Compartment

Quantity	Туре	Length	Width	Height
4	Drawer	28"	23"	1-3/4"
3	Drawer	28"	23"	4"
1	Drawer	44-7/16"	23"	4"
2	Bin	13-7/16"	23"	1-1/2"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455041-8RD-2S	Red	50-1/2"	41"	25"	475 lbs.
J455041-8BK-2S	Black	50-1/2"	41"	25"	475 lbs.
J455041-8BL-2S	Blue	50-1/2"	41"	25"	475 lbs.
J455041-8YL-2S	Yellow	50-1/2"	41"	25"	475 lbs.

### 450HS 50" WORKSTATION - 8 DRAWER - 1 SHELF

- Cubic inch capacity is 20,092.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- · Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Quantity	Туре	Length	Width	Height
4	Drawer	28"	23"	1-3/4"
3	Drawer	28"	23"	4"
1	Drawer	44-7/16"	23"	4"
1	Bin	13-7/16"	23"	1-1/2"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455041-8RD-1S	Red	50-1/2"	41"	25"	475 lbs.
J455041-8BK-1S	Black	50-1/2"	41"	25"	475 lbs.
J455041-8BL-1S	Blue	50-1/2"	41"	25"	475 lbs.
J455041-8YL-1S	Yellow	50-1/2"	41"	25"	475 lbs.



### 450HS 50" WORKSTATION - 7 DRAWER - 1 SHELF

- Cubic inch capacity is 18,109.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Quantity	Compartment Type	Length	Width	Height
1 2 3 1	Drawer Drawer Drawer Drawer	28" 28" 28" 44-7/16"	23" 23" 23" 23"	1-3/4" 3" 4" 4"
1	Bin	13-7/16"	23"	1-1/2"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455041-7RD-1S	Red	50-1/2"	41"	25"	475 lbs.
J455041-7BK-1S	Black	50-1/2"	41"	25"	475 lbs.
J455041-7BL-1S	Blue	50-1/2"	41"	25"	475 lbs.
J455041-7YL-1S	Yellow	50-1/2"	41"	25"	475 lbs.

### 450HS 50" WORKSTATION - 12 DRAWER

- Cubic inch capacity is 23,419.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Com	partm	ont
COIII	parun	CIIL

Quantity	Туре	Length	Width	Height
1	Drawer	28"	23"	1-3/4"
3	Drawer	28"	23"	4"
1	Drawer	28"	23"	6-7/16"
1	Drawer	13-7/16"	23"	1-3/4"
2	Drawer	13-7/16"	23"	3"
3	Drawer	13-7/16"	23"	4"
1	Drawer	44-7/16"	23"	4"



Product ID No.	Color	Length	Height	Depth	Weight lbs.
J455041-12RD	Red		41"	25"	475 lbs.
J455041-12BK	Black		41"	25"	475 lbs.
J455041-12BL	Blue	50-1/2"	41"	25"	475 lbs.
J455041-12YL	Yellow	50-1/2"	41"	25"	475 lbs.



### 450HS 50" WORKSTATION - 10 DRAWER

- Cubic inch capacity is 23,779.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

### Compartment

Quantity	Туре	Length	Width	Height
1	Drawer	28"	23"	1-3/4"
3	Drawer	28"	23"	4"
1	Drawer	28"	23"	6-7/16"
1	Drawer	13-7/16"	23"	1-3/4"
2	Drawer	13-7/16"	23"	4"
1	Drawer	13-7/16"	23"	11"
1	Drawer	44-7/16"	23"	4"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455041-10RD	Red	00 ., _	41"	25"	475 lbs.
J455041-10BK	Black	50-1/2"	41"	25"	475 lbs.
J455041-10BL	Blue	50-1/2"	41"	25"	475 lbs.
J455041-10YL	Yellow	50-1/2"	41"	25"	475 lbs.

### 450HS 34" ROLLER CABINET - 8 DRAWER

- Cubic inch capacity is 15,014.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- 6" x 2" Phenolic casters 700 lbs./Caster.

Quantity	Туре	Length	Width	Height
4	Drawer	28"	23"	1-3/4"
1	Drawer	28"	23"	4"
2	Drawer	28"	23"	3"
1	Drawer	28"	23"	6-1/2"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J453441-8RD	Red	34"	41"	25"	310 lbs.
J453441-8BK	Black	34"	41"	25"	310 lbs.
J453441-8BL	Blue	34"	41"	25"	310 lbs.
J453441-8YL	Yellow	34"	41"	25"	310 lbs.



### 450HS 34" ROLLER CABINET - 7 DRAWER

- Cubic inch capacity is 15,390.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Compartment
-------------

Quantity	Туре	Length	Height	Width
3	Drawer	28"	23"	1-3/4"
2	Drawer	28"	23"	4"
2	Drawer	28"	23"	6-1/2"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J453441-7RD	Red	34"	41"	25"	310 lbs.
J453441-7BK	Black	34"	41"	25"	310 lbs.
J453441-7BL	Blue	34"	41"	25"	310 lbs.
J453441-7YL	Yellow	34"	41"	25"	310 lbs.

### 450HS 34" ROLLER CABINET - 6 DRAWER

- Cubic inch capacity is 15,765.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.
- •6" x 2" Phenolic casters 700 lbs./Caster.

Quantity	Туре	Length	Height	Width
2 2 2	Drawer Drawer Drawer	28" 28" 28"	23" 23" 23"	1-3/4" 4" 6-1/2"
2	Diawei	20	23	0-1/2



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J453441-6RD	Red	34"	41"	25"	310 lbs.
J453441-6BK	Black	34"	41"	25"	310 lbs.
J453441-6BL	Blue	34"	41"	25"	310 lbs.
J453441-6YL	Yellow	34"	41"	25"	310 lbs.



### 450HS 66" TOP CHEST - 10 DRAWER

- Cubic inch capacity is 26,684.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 200 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

	Compartment
antity	Type

Quantity	Туре	Length	Width	Height
3	Drawer	37-3/8"	24-3/4"	2-1/4"
2	Drawer	37-3/8"	24-3/4"	3-3/8"
3	Drawer	18-5/8"	24-3/4"	2-1/4"
2	Drawer	18-5/8"	24-3/4"	3-3/8"
1	Compartment	58"	24-3/4"	6-7/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J456627-10RD	Red	66"	27-1/4"	27"	550 lbs.
J456627-10BK	Black	66"	27-1/4"	27"	550 lbs.
J456627-10BL	Blue	66"	27-1/4"	27"	550 lbs.
J456627-10YL	Yellow	66"	27-1/4"	27"	550 lbs.

### 450HS 66" TOP CHEST - 8 DRAWER

- Cubic inch capacity is 25,494.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 200 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

U	0	m	р	a	rti	m	е	nt	
---	---	---	---	---	-----	---	---	----	--

Quantity	Туре	Length	Width	Height
1	Drawer	37-3/8"	24-3/4"	2-1/4"
2	Drawer	37-3/8"	24-3/4"	3-3/8"
1	Drawer	37-3/8"	24-3/4"	2-1/4"
4	Drawer	18-5/8"	24-3/4"	3-3/8"
1	Compartment	58"	24-3/4"	6-7/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J456627-8RD	Red	66"	27-1/4"	27"	550 lbs.
J456627-8BK	Black	66"	27-1/4"	27"	550 lbs.
J456627-8BL	Blue	66"	27-1/4"	27"	550 lbs.
J456627-8YL	Yellow	66"	27-1/4"	27"	550 lbs.



### 450HS 50" TOP CHEST - 12 DRAWER

- Cubic inch capacity is 17,641.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Compartment	
-------------	--

Quantity	Type	Length	Width	Height
4	Drawer	28"	23"	1-3/4"
2	Drawer	28"	23"	3"
4	Drawer	13-7/16"	23"	1-3/4"
2	Drawer	13-7/16"	23"	3"
1	Compartment	44-1/4"	23-1/4"	5-1/4"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455027-12RD J455027-12BK	Red Black	50-1/2" 50-1/2"		25" 25"	370 lbs. 370 lbs.
J455027-12BL	Blue	50-1/2"		25"	370 lbs.
J455027-12YL	Yellow	50-1/2"	27"	25"	370 lbs.

### 450HS 50" TOP CHEST - 10 DRAWER

- Cubic inch capacity is 18,197.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Quantity	Туре	Length	Width	Height
2	Drawer	28"	23"	1-3/4"
2	Drawer	28"	23"	3"
1	Drawer	28"	23"	4"
2	Drawer	13-7/16"	23"	1-3/4"
2	Drawer	13-7/16"	23"	3"
1	Drawer	28"	23"	4"
1	Compartment	44-1/4"	23-1/4"	5-1/4"



Product ID No.	Color	Length	Height	Depth	Weight lbs.
J455027-10RD J455027-10BK J455027-10BL J455027-10YL	Red Black Blue Yellow	50-1/2" 50-1/2" 50-1/2" 50-1/2"	27" 27"	25" 25" 25" 25"	370 lbs. 370 lbs. 370 lbs. 370 lbs.



### 450HS 50" TOP CHEST - 8 DRAWER

- Cubic inch capacity is 18,753.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Quantity	Compartment Type	Length	Width	Height
2	Drawer	28"	23"	3"
2	Drawer	28"	23"	4"
2	Drawer	13-7/16"	23"	3"
2	Drawer	13-7/16"	23"	4"
1	Compartment	44-1/4"	23-1/4"	5-1/4"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J455027-8RD	Red	50-1/2"	27"	25"	370 lbs.
J455027-8BK	Black	50-1/2"	27"	25"	370 lbs.
J455027-8BL	Blue		27"	25"	370 lbs.
J455027-8YL	Yellow		27"	25"	370 lbs.

### 450HS 34" TOP CHEST - 6 DRAWER

- Cubic inch capacity is 11,662.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

0		
Lom	partm	ent

Quantity	Туре	Length	Width	Height
4	Drawer	28"	23"	1-3/4"
2	Drawer	28"	23"	3"
1	Compartment	27-3/4"	23-1/4"	5-1/4"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J453427-6RD	Red	34"	27"	25"	235 lbs.
J453427-6BK	Black	34"	27"	25"	235 lbs.
J453427-6BL	Blue	34"	27"	25"	235 lbs.
J453427-6YL	Yellow	34"	27"	25"	235 lbs.



### 450HS 34" TOP CHEST - 5 DRAWER

- Cubic inch capacity is 12,037.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Compartmer	١t
------------	----

Quantity	Туре	Length	Width	Height
3	Drawer	28"	23"	1-3/4"
2	Drawer	28"	23"	4"
1	Compartment	27-3/4"	23-1/4"	5-1/4"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J453427-5RD	Red	34"	27"	25"	235 lbs.
J453427-5BK	Black	34"	27"	25"	235 lbs.
J453427-5BL	Blue	34"	27"	25"	235 lbs.
J453427-5YL	Yellow	34"	27"	25"	235 lbs.

### 450HS 34" TOP CHEST - 4 DRAWER

- Cubic inch capacity is 12,414.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Quantity	Туре	Length	Width	Height
2 2 1	Drawer Drawer Compartment	28" 28" 27-3/4"	23" 23" 23-1/4"	3" 4" 5-1/4"
		-	-	-



Product ID No.	Color	Length	Height	Depth	Weight lbs.
J453427-4RD	Red	34"	27"	25"	235 lbs.
J453427-4BK	Black	34"	27"	25"	235 lbs.
J453427-4BL	Blue	34"	27"	25"	235 lbs.
J453427-4YL	Yellow	34"	27"	25"	235 lbs.



### **450HS SIDE CABINET - 6 DRAWER**

- Cubic inch capacity is 7,554.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Compa	rtment
-------	--------

Quantity	Type	Length	Width	Height
3	Drawer	13-7/16"	23"	1-3/4"
2	Drawer	13-7/16"	23"	4"
1	Drawer	13-7/16"	23"	11"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J451934-6RD-SC	Red	19-1/2"	34"	25"	175 lbs.
J451934-6BK-SC	Black	19-1/2"	34"	25"	175 lbs.
J451934-6BL-SC	Blue	19-1/2"	34"	25"	175 lbs.
J451934-6YL-SC	Yellow	19-1/2"	34"	25"	175 lbs.

### **450HS SIDE CABINET - 5 DRAWER**

- Cubic inch capacity is 7,734.
- Made of 14, 16 & 18 gauge steel.
- Maximum weight capacity for each drawer is 125 lbs.
- Standard red powder coat paint finish. Also available in black, blue and yellow, made to order. Contact customer service for availability.
- · Heavy duty locks with tubular key.
- · Recessed aluminum extruded drawer pulls.
- 100% full extension drawers.
- Drawer liners included.

Λ.			4		
ľΛ	mp	ar	tm	Δr	١Ť
v	ши	uı	un	C.	ı

Quantity	Туре	Length	Width	Height
1	Drawer	13-7/16"	23"	1-3/4"
3	Drawer	13-7/16"	23"	4"
1	Drawer	13-7/16"	23"	11"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J451934-5RD-SC	Red	19-1/2"	34"	25"	175 lbs.
J451934-5BK-SC	Black	19-1/2"	34"	25"	175 lbs.
J451934-5BL-SC	Blue	19-1/2"	34"	25"	175 lbs.
J451934-5YL-SC	Yellow	19-1/2"	34"	25"	175 lbs.



### **SIDE SHELVES**

- Use with 450 Series Workstations.
- Heavy gauge all welded steel construction.

Product				Weight
ID No.	Description	Color	Size	lbs.
J45SSRD	Side Shelf	Red	25" x 14-1/2"	11.5 lbs.
J45SSBK	Side Shelf	Black	25" x 14-1/2"	11.5 lbs.
J45SSBL	Side Shelf	Blue	25" x 14-1/2	11.5 lbs.
J45SSYL	Side Shelf	Yellow	25" x 14-1/2	11.5 lbs.

### **TOPS**

- Use with 450 Series Workstations.
- Hardwood construction.
- Rounded edges for a smooth finish.

Product			Weight
ID No.	Description	Size	lbs.
J4550HWT J4557HWT J4566HWT	50" 57" 66"	50-1/5" x 24-13/16" 56-7/8" x 24-13/16" 66-1/2" x 24-13/16"	58 lbs. 60 lbs. 68 lbs.



### HARD RUBBER CASTERS

- Spring loaded polyurethane casters.
- 700 lbs. weight capacity per caster.

Product			Weight
ID No.	Description	Size	lbs.
J456X2SLS J456X2SLR	• • • • • • • • • • • • • • • • • • • •	6" x 2" 6" x 2"	6 lbs. 3.5 lbs.





### 440SS 54" WORKSTATION - 14 DRAWER

- Cubic inch capacity is 22,248.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

Compartment

· Heavy duty easy grip handle.



Quantity	Type	Length	Width	Height
2	Drawer	23-1/4"	16-1/8"	1-7/8"
2	Drawer	23-1/4"	16-1/8"	1-7/8"
4	Drawer	23-1/4"	16-1/8"	3-15/16
4	Drawer	23-1/4"	16-1/8"	3-15/16
1	Drawer	23-1/4"	16-1/8"	8-1/16"

23-1/4"

16-1/8"

1-1/16"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J445442-14RD J445442-14BK	Red Black	54" 54"	42" 42"	18" 18"	345 lbs. 345 lbs.

### 440SS 41" WORKSTATION - 15 DRAWER

• Cubic inch capacity is 14,362.

Drawer

- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- · Heavy duty key.
- 4-Way channel bottom panel.
- 5" x2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



Quantity	Туре	Length	Width	Height
1	Drawer	37-3/4"	16-1/8"	3-15/16"
4	Drawer	11-1/8"	16-1/8"	1-7/8"
2	Drawer	11-1/8"	16-1/8"	3-15/16"
1	Drawer	11-1/8"	16-1/8"	8-1/16"
4	Drawer	23-1/4"	16-1/8"	1-7/8"
2	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Drawer	23-1/4"	16-1/8"	8-1/16"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J444142-15RD J444142-15BK		41" 41"	42" 42"	18" 18"	275 lbs. 275 lbs.



### 440SS 41" WORKSTATION - 6 DRAWER

- Cubic inch capacity is 15,588.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.

Quantity	Type	Length	Width	Height
5	Drawer	37-3/4"	16-1/8"	3-15/16"
1	Drawer	37-3/4"	16-1/8"	8-1/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J444142-6RD J444142-6BK	Red Black	41" 41"	42" 42"	18" 18"	250 lbs. 250 lbs.

### 440SS 27" ROLLER CABINET - 12 DRAWER

- Cubic inch capacity is 9,420.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- · Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.

Quantity	Туре	Length	Width	Height
1	Drawer	11-1/8"	16-1/8"	3-15/16"
4	Drawer	5"	16-1/8"	1-7/8"
2	Drawer	23-1/4"	16-1/8"	1-7/8"
4	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Drawer	23-1/4"	16-1/8"	8-1/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442742-12RD J442742-12BK		27" 27"	42" 42"	18" 18"	210 lbs. 210 lbs.



### 440SS 27" ROLLER CABINET - 11 DRAWER

- Cubic inch capacity is 9,410.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



### Compartment

Quantity	Туре	Length	Width	Height
4	Drawer	11-1/8"	16-1/8"	1-7/8"
4	Drawer	23-1/4"	16-1/8"	1-7/8"
2	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Drawer	23-1/4"	16-1/8"	8-1/16"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442742-11RD		27"	42"	18"	205 lbs.
J442742-11BK	Black	27"	42"	18"	205 lbs.

#### 440SS 27" ROLLER CABINET - 8 DRAWER

- Cubic inch capacity is 9,829.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



Quantity	Туре	Length	Width	Height
4 2 2	Drawer Drawer Drawer	11-1/8" 23-1/4" 23-1/4"	16-1/8" 16-1/8" 16-1/8"	1-7/8" 3-15/16" 8-1/16"
_		, -	, .	,

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442742-8RD J442742-8BK	Red Black	27" 27"	42" 42"	18" 18"	190 lbs. 190 lbs.



### 440SS 27" ROLLER CABINET - 7 DRAWER

- Cubic inch capacity is 9,747.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- •5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



### Compartment

Quantity	Туре	Length	Width	Height
2	Drawer	23-1/4"	16-1/8"	1-7/8"
4	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Drawer	23-1/4"	16-1/8"	8-1/16"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442742-7RD J442742-7BK	Red Black	27" 27"	42" 42"	18" 18"	180 lbs. 180 lbs.

### 440SS 27" ROLLER CABINET - 4 DRAWER

- Cubic inch capacity is 11,159.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- · Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



Quantity Typ	oe Ler	igth Widt	h Height
	awer 23- mpartment 24"	.,	8" 3-15/16" 14"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442742-4RD J442742-4BK	Red Black	27" 27"	42" 42"	18" 18"	175 lbs. 175 lbs.



### 440SS 27" ROLLER CABINET - 7 DRAWER

- Cubic inch capacity is 7,449.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- Heavy duty easy grip handle.



Com	partm	ent
OUIII	parun	CIIL

Quantity	Type	Length	Width	Height
5	Drawer	23-1/4"	16-1/8"	1-7/8"
1	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Drawer	23-1/4"	16-1/8"	8-1/16"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442735-7RD J442735-7BK	Red Black	27" 27"	35" 35"	18" 18"	175 lbs. 175 lbs.

### 440SS 27" ROLLER CABINET - 3 DRAWER

- Cubic inch capacity is 9,000.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- · Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



Quantity	Туре	Length	Width	Height
1	Drawer	23-1/4"	16-1/8"	1-7/8"
2	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Compartment	24"	17"	14"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442735-3RD	Red	27"	35"	18"	150 lbs.
J442735-3BK	Black	27"	35"	18"	150 lbs.



### 440SS TOOL TOWER - 6 DRAWER

- Cubic inch capacity is 13,716.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- 4-Way channel bottom panel.
- 5" x 2" Polyurethane casters 450 lbs./Caster.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.



### Compartment

Quantity	Type	Length	Width	Height
1 2	Drawer Drawer	23-1/4" 23-1/4"	16-1/8" 16-1/8"	1-7/8" 3-15/16
2	Drawer	23-1/4"	16-1/8"	8-1/16"
1	Drawer	23-1/4"	16-1/8"	12-1/8"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442752-6RD J442752-6BK	Red Black	27" 27"	52" 52"	18" 18"	200 lbs. 200 lbs.

### 440SS 54" TOP CHEST - 12 DRAWER

- Cubic inch capacity is 11,803.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.



Quantity	Туре	Length	Width	Height
5	Drawer	23-1/4"	16-1/8"	1-7/8"
5	Drawer	23-1/4"	16-1/8"	1-7/8"
1	Drawer	23-1/4"	16-1/8"	3-15/16"
1	Drawer	23-1/4"	16-1/8"	3-15/16"

Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J445419-12RD J445419-12BK	Red Black	54" 54"	23" 23"	18" 18"	220 lbs. 220 lbs.



### 440SS 41" TOP CHEST - 12 DRAWER

- Cubic inch capacity is 8,749.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

### Compartment

Quantity	Туре	Length	Width	Height
5	Drawer	11-1/8"	16-1/8"	1-7/8"
1	Drawer	11-1/8"	16-1/8"	3-15/16"
5	Drawer	23-1/4"	16-1/8"	1-7/8"
1	Drawer	23-1/4"	16-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J444119-12RD		41"	19"	18"	230 lbs.
J444119-12BK	Black	41"	19"	18"	230 lbs.

### 440SS 27" TOP CHEST WITH DROP FRONT - 12 DRAWER

- Cubic inch capacity is 5,678.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- Drawer liners included.
- Smooth, sleek and durable paint finish.

Quantity	Туре	Length	Width	Height
6 3 2	Drawer Drawer Drawer Drawer	5" 11-1/8" 23-1/4"	16-1/8" 16-1/8" 16-1/8" 16-1/8"	1-7/8" 1-7/8" 1-7/8" 3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442719-12RD-D J442719-12BK-D		26-1/4" 26-1/4"		18" 18"	155 lbs. 155 lbs.



### 440SS 27" TOP CHEST WITH DROP FRONT - 10 DRAWER

- Cubic inch capacity is 5,593.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

C.n	m	ทล	rtm	ent
υu	111	րս	ıun	CIIL

Quantity	Туре	Length	Width	Height
6	Drawer	5"	16-1/8"	1-7/8"
1	Drawer	11-1/8"	16-1/8"	6"
2	Drawer	23-1/4"	16-1/8"	1-7/8"
1	Drawer	23-1/4"	16-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442719-10RD-D		26-1/4"	. •	18"	145 lbs.
J442719-10BK-D	Black	26-1/4"	19"	18"	145 lbs.

### 440SS 27" TOP CHEST WITH DROP FRONT - 4 DRAWER

- Cubic inch capacity is 3,202.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- · Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- · Heavy duty easy grip handle.

Quantity	Length	Length	Width	Height
3	Drawer	23-1/4"	11-1/8"	1-7/8"
1	Drawer	23-1/4"	11-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442715-4RD-D J442715-4BK-D	Red Black	26-1/4" 26-1/4"	15" 15"	12" 12"	50 lbs. 50 lbs.



### 440SS 27" TOP CHEST WITH DROP FRONT - 6 DRAWER

- Cubic inch capacity is 5,850.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- Friction slides.
- .040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.
- Heavy duty easy grip handle.



Quantity	Туре	Length	Width	Height
2	Drawer	5"	11-1/8"	1-7/8"
1	Drawer	11-1/8"	11-1/8"	1-7/8"
2	Drawer	23-1/4"	11-1/8"	1-7/8"
1	Drawer	23-1/4"	11-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442715-6RD-D J442715-6BK-D	Red Black	26-1/4" 26-1/4"		12" 12"	50 lbs. 50 lbs.

### 440SS 27" TOP CHEST - 8 DRAWER

- Cubic inch capacity is 5,990.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

Quantity	Туре	Length	Width	Height
4	Drawer	11-1/8"	16-1/8"	1-7/8"
3	Drawer	23-1/4"	16-1/8"	1-7/8"
1	Drawer	23-1/4"	16-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442719-8RD J442719-8BK	Red Black	26-1/4" 26-1/4"	19" 19"	18" 18"	140 lbs. 140 lbs.



### 440SS 27" TOP CHEST - 6 DRAWER

- Cubic inch capacity is 5,850.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- Drawer liners included.
- Smooth, sleek and durable paint finish.

### Compartment

Quantity	Type	Length	Width	Height
5	Drawer	23-1/4"	16-1/8"	1-7/8"
1	Drawer	23-1/4"	16-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442719-6RD J442719-6BK	Red Black	26-1/4" 26-1/4"	19" 19"	18" 18"	140 lbs. 140 lbs.

### 440SS 27" TOP CHEST - 5 DRAWER

- Cubic inch capacity is 5,990.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

Quantity	Type	Length	Width	Height
3 2	Drawer	23-1/4"	16-1/8"	1-7/8"
	Drawer	23-1/4"	16-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442719-5RD J442719-5BK	Red Black	26-1/4" 26-1/4"		18" 18"	130 lbs. 130 lbs.



### 440SS INTERMEDIATE CHEST - 4 DRAWER

- Cubic inch capacity is 2,505.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- .040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

Com	ра	rtm	ent
-----	----	-----	-----

Quantity	Туре	Length	Width	Height
4	Drawer	23-1/4"	16-1/8"	1-7/8"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J442710-4RD-IC J442710-4BK-IC		26-1/4" 26-1/4"	10" 10"	18" 18"	80 lbs. 80 lbs.

### **440SS LOCKER CABINET - 4 DRAWER**

- Cubic inch capacity is 13,090.
- Maximum weight capacity for each drawer is 100 lbs.
- 100% Full extension drawers.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- Smooth, sleek and durable paint finish.

Co	mp	ar	tm	ent
-	۰۳			• • • •

Quantity	Type	Length	Width	Height
4	Drawer	11-1/8"	16-1/8"	3-15/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J441558-4RD-LK J441558-4BK-LK		15" 15"	58" 58"	18" 18"	125 lbs. 125 lbs.



### 440SS SIDE CABINET - 9 DRAWER

- Cubic inch capacity is 4,516.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

Quantity	Туре	Length	Width	Height
6	Drawer	11-1/8"	16-1/8"	1-7/8"
2	Drawer	11-1/8"	16-1/8"	3-15/16"
1	Drawer	11-1/8"	16-1/8"	8-1/16"



Product					Weight
ID No.	Color	Length	Height	Depth	lbs.
J441535-9RD-SC J441535-9BK-SC		15" 15"	35" 35"	18" 18"	145 lbs. 145 lbs.

### 440SS SIDE CABINET - 6 DRAWER

- Cubic inch capacity is 3,620.
- Maximum weight capacity for each drawer is 100 lbs.
- Aluminum extruded drawer pulls.
- 100% Full extension drawers.
- Recessed drawer pulls.
- 100 lbs. Ball bearing slides.
- •.040" Drawer front and body.
- Heavy duty key.
- Vinyl tops and drawer liners included.
- Smooth, sleek and durable paint finish.

Quantity	Туре	Length	Width	Height
3	Drawer	11-1/8"	16-1/8"	1-7/8"
2	Drawer	11-1/8"	16-1/8"	3-15/16"
1	Drawer	11-1/8"	16-1/8"	8-1/16"



Product	0.1			D 11	Weight
ID No.	Color	Length	Height	Depth	lbs.
J441529-6RD-SC J441529-6BK-SC		15" 15"	29" 29"	18" 18"	120 lbs. 120 lbs.



### **SIDE SHELVES**

- Use with 440 Series Workstations.
- Heavy gauge all welded steel construction.

Product				Weight
ID No.	Description	Color	Size	lbs.
J44SSRD J44SSBK	Side Shelf Side Shelf	Red Black	15-1/8" x 15" 15-1/8" x 15"	8 lbs. 8 lbs.

### T<sub>O</sub>P

- Use with 27" 440 Series Roller Cabinets.
- Hardwood construction.
- Rounded edges for a smooth finish.

Product			Weight
ID No.	Description	Size	lbs.
J4427HWT	27"	26-5/8" x 17-3/8"	17 lbs.



### HARD RUBBER CASTERS

Product			Weight
ID No.	Description	Size	lbs.
J446X2HRS J446X2HRR	-	6" x 2" 6" x 2"	5 lbs. 3 lbs.



### **VINYL MATS**

- Vinyl mats protect cabinet and accessory tops.
- Provides a skid-resistant, easy to clean workspace.

Product			Weight
ID No.	Length	Depth	lbs.
J32532P J32344P	26-1/2" 33-3/16"	17-3/4" 17-3/4"	1.98 lbs. 2.56 lbs.





### DRAWER LINER

- Polyethylene foam drawer liners.
- Keep drawers protected.
- Cut to fit any drawer.
- •1 roll: 24" x 60" (1,440 square inches).

Product	Weight
ID No.	lbs.
J9910	0.24 lbs.



### **GENERAL PURPOSE BOX WITH TRAY**

• Removable steel tote tray.

Product		Capacity				Weight
ID No.	Color	Cubic Inches	Length	Depth	Height	lbs.
J9977-NA	Red	931	19-1/2"	8"	7"	8 lbs.



### **GENERAL PURPOSE BOX WITH TRAY**

- Removable steel tote tray.
- Double latch for strength.

Product		Capacity				Weight
ID No.	Color	Cubic Inches	Length	Depth	Height	lbs.
J9975-NA	Red	1,615	20"	8-1/2"	9-1/2"	14 lbs.



### **GENERAL PURPOSE BOX WITH TRAY**

• Removable steel tote tray.

Pro	duct		Capacity				Weight
ID N	lo.	Color	Cubic Inches	Length	Depth	Height	lbs.
J99	54-NA	Red	546	14"	6"	6-1/2"	5 lbs.





### **HIP ROOF BOX WITH TRAY**

- Removable steel tote tray.
- Double latch for strength.
- Hip roof lid design.

Product		Capacity				Weight
ID No.	Color	Cubic Inches	Length	Depth	Height	lbs.
J9971-NA	Red	931	19"	7"	7"	8 lbs.



### **CARPENTER'S BOX**

- Removable steel tote tray.
- Extra wide for large tools.
- Double latch for strength.
- Padlockable center hasp for security.
- Heavy-duty side handles.

Product		Capacity				Weight
ID No.	Color	Cubic Inches	Length	Depth	Height	lbs.
J9979-NA	Brown	2,584	32"	8-1/2"	9-1/2"	24 lbs.



### **CANTILEVER BOX**

- 4 trays 2 with covers.
- Trays swing out for easy tool access.

Product		Capacity				Weight
ID No.	Color	<b>Cubic Inches</b>	Length	Depth	Height	lbs.
J9951	Black	2,520	18"	10"	14"	20 lbs.



### 20" STRUCTURAL FOAM BOX

- Will not dent or chip.
- Rust-resistant.
- Structural foam construction.
- Removable tote tray.

Product		Capacity				Weight
ID No	Color	<b>Cubic Inches</b>	Length	Depth	Height	lbs.
J9901	Black	1,502	20"	8-3/4"	10-1/2"	8 lbs.





### **26" STRUCTURAL FOAM BOX**

- Will not dent or chip.
- Rust-resistant.
- Structural foam construction.
- Removable tote tray.

Product		Capacity				Weight
ID No.	Color	Cubic Inches	Length	Depth	Height	lbs.
J9902	Black	2,037	26"	8-3/4"	10-1/2"	10.5 lbs.



### **GENERAL PURPOSE BOX WITH TRAY**

- Removable steel tote tray.
- Heavy-duty side handles.
- Double latch for strength.
- Padlockable center hasp for security.

Product		Capacity				Weight
ID No.	Color	Cubic Inches	Length	Depth	Height	lbs.
J9969-NA	Red	2,133	26"	8-1/2"	9-1/2"	19 lbs.



### **SUPER HEAVY-DUTY SET BOXES**

- Padlockable center clasp for security.
- Side handles.

Product ID No.	Color	Length	Depth	Height	Weight lbs.
J5894	Red	31-13/16"	10-7/16"	3-9/16"	13 lbs.
J5896	Red	35-3/8"	15-3/16"	5-1/2"	33 lbs.



### **EXTRA HEAVY-DUTY SET BOXES**

- Padlockable center hasp for security.
- Side handles.

Product				Weight
ID No.	Width	Depth	Height	lbs.
J5694	20-1/4"	6-1/2"	3-3/8"	11 lbs.
J5695	20-1/8"	7-15/16"	3-3/8"	13 lbs.
<b>J5696</b>	25-3/16"	9-1/16"	4-1/16"	18 lbs.
J5697	26-3/16"	14-1/16"	31-3/16"	24 lbs.





### PROFESSIONAL EXTRA HEAVY-DUTY LEATHER REINFORCED TOOL BAGS

- Rugged No. 8 white canvas reinforced with top grain leather bottom.
- •1 piece construction riveted to 12 gauge steel hinged frame.
- Riveted reinforced leather handles and retaining straps.
- Water-resistant fiber board bottom.
- •9" x 11" reinforced inside pocket.
- •6 metal studs to protect outside bottom wear.

Product ID No.	Length	Depth	Weight lbs.
J95322	24"	8"	4.25 lbs.
J95327	27"	17"	4.94 lbs.



### PROFESSIONAL HEAVY-DUTY REINFORCED TOOL BAGS WITH VINYL BOTTOM

- Rugged No. 8 white canvas reinforced with tough vinyl bottom.
- •1 piece construction riveted to 12 gauge steel hinged frame.
- Riveted reinforced leather handles and retaining straps.
- Water-resistant fiber board bottom.
- •6 metal studs to protect outside bottom wear.

Product ID No.	Length	Depth	Weight Ibs.
J95311	18"	9"	2.73 lbs.
J95316	20"	10-1/4"	3.24 lbs.



### **ALL-PURPOSE CANVAS ZIPPER BAGS**

- One piece construction of No. 8 canvas.
- · Heavy-duty zipper.
- Ideal for storing pliers, wrenches, screwdrivers and other small tools and instruments.
- 2 convenient sizes.

Product		Weight
ID No.	Size	lbs.
J95305 J95306	12" x 7" 8-1/2" x 7"	0.21 lbs. 0.28 lbs.





### STRAIGHT WALL UTILITY BUCKETS

- Rugged No. 4 white canvas.
- Polypropylene rope handles reinforced at top ring.
- •8" x 7" inside pocket.
- Heavy-duty die cast swivel snap hook.

Product			Weight
ID No.	Diameter	Height	lbs.
J95335 J95336	9" 12"	14" 17"	1.57 lbs. 2.81 lbs.



### **SET BOXES**

Product					Weight
ID No.	Color	Length	Depth	Height	lbs.
J4795	Red	7"	3-7/16"	1-1/4"	0.75 lbs.
J4797	Red	10-15/16"	3-11/16"	1-1/4"	1.17 lbs.
J5297	Red	15"	4-1/2"	1-3/4"	1.97 lbs.
<b>J5298</b>	Red	17-5/16"	5-5/16"	1-7/8"	2.60 lbs.
<b>J5299</b>	Red	10-3/8"	4-7/16"	1-5/8"	1.36 lbs.
<b>J5496</b>	Red	19"	6-1/4"	3-7/8"	4.00 lbs.
J5497	Red	23"	8"	2-3/16"	5.20 lbs.
J5498	Red	20"	6-1/2"	2-1/2"	3.82 lbs.
<b>J5499</b>	Red	26"	8-1/16"	2-1/4"	4.96 lbs.





### **CANVAS TOOL POUCH**

- Red canvas.
- Stitched and reinforced edges for strength.
- Reinforced pockets.
- Tie strap closure.

Product   ID No.	The ett up ete	5u1 0.			
J25TR01C   7   12"   3/16"   0.15 lbs.     J25TR02C   12   7-1/2"   3/32"   0.15 lbs.     J25TR03C   7   10-29/32"   3/16"   0.13 lbs.     J25TR05C   10   14-3/16"   3/32"   0.18 lbs.     J25TR05C   10   14-3/16"   3/16"   0.29 lbs.     J25TR06C   5   12"   3/32"   0.10 lbs.     J25TR06C   5   12"   3/32"   0.12 lbs.     J25TR09C   7   11"   3/32"   0.12 lbs.     J25TR09C   9   9-3/32"   3/32"   0.12 lbs.     J25TR09C   13   12"   3/32"   0.09 lbs.     J25TR10C   13   12"   3/32"   0.09 lbs.     J25TR12C   8   7-1/2"   3/32"   0.04 lbs.     J25TR13C   11   10-5/16"   3/16"   0.16 lbs.     J25TR13C   11   10-5/16"   3/16"   0.16 lbs.     J25TR16C   8   12-1/2"   3/32"   0.08 lbs.     J25TR16C   8   12-1/2"   3/32"   0.01 lbs.     J25TR16C   8   12-1/2"   3/32"   0.01 lbs.     J25TR16C   8   12-1/2"   3/32"   0.01 lbs.     J25TR16C   8   12-1/2"   3/32"   0.14 lbs.     J25TR16C   8   12-1/2"   3/32"   0.07 lbs.     J25TR16C   8   12-1/2"   3/32"   0.04 lbs.     J25TR16C   8   12-1/2"   3/32"   0.04 lbs.     J25TR16C   9   1-1/1/16"   3/32"   0.05 lbs.     J25TR2C   3   10"   3/16"   0.18 lbs.     J25TR2C   3   10"   3/16"   0.12 lbs.     J25TR2C   3   10"   3/16"   0.12 lbs.     J25TR2C   7   9"   3/16"   0.12 lbs.     J25TR2C   8   9-1/2"   5/16"   0.12 lbs.     J25TR2C   9   9-1/2"   5/16"   0.12 lbs.     J25TR2C   8   9-1/2"   3/32"   0.08 lbs.     J25TR2C   7   9"   3/16"   0.22 lbs.     J25TR2C   7   11-11/16"   3/32"   0.08 lbs.     J25TR2C   7   11-11/16"   3/32"   0.08 lbs.     J25TR3C   7   11-11/16"   3/32"   0.07 lbs.     J25TR3C	Product	Number			Weight
J25TR02C   12   7-1/2"   3/32"   0.15 lbs.     J25TR04C   5	ID No.	of Pockets	Length	Height	lbs.
J25TR02C   12   7-1/2"   3/32"   0.15 lbs.     J25TR04C   5	.125TR01C	7	12"	3/16"	0.15 lbs
J25TR03C 7 10-29/32" 3/16" 0.13 lbs.  J25TR04C 5 14-11/16" 3/32" 0.18 lbs.  J25TR05C 10 14-3/16" 3/16" 0.29 lbs.  J25TR06C 5 12" 3/32" 0.10 lbs.  J25TR06C 14 15" 3/16" 0.36 lbs.  J25TR09C 9 9-3/32" 3/32" 0.12 lbs.  J25TR10C 13 12" 3/32" 0.12 lbs.  J25TR10C 13 12" 3/32" 0.04 lbs.  J25TR11C 1 7" 3/32" 0.04 lbs.  J25TR13C 11 10-5/16" 3/16" 0.16 lbs.  J25TR15C 5 8-13/16" 3/16" 0.16 lbs.  J25TR15C 5 8-13/16" 3/32" 0.08 lbs.  J25TR15C 5 8-13/16" 3/32" 0.08 lbs.  J25TR16C 8 12-1/2" 3/32" 0.07 lbs.  J25TR19C 6 12-5/16" 3/16" 0.18 lbs.  J25TR19C 6 12-5/16" 3/16" 0.18 lbs.  J25TR20C 10 11-11/16" 13/32" 0.45 lbs.  J25TR20C 3 10" 3/16" 0.18 lbs.  J25TR20C 3 10" 3/16" 0.18 lbs.  J25TR20C 7 9" 3/16" 0.12 lbs.  J25TR24C 7 9-1/2" 3/16" 0.12 lbs.  J25TR24C 7 9-1/2" 3/16" 0.12 lbs.  J25TR26C 9 9-1/2" 3/32" 0.06 lbs.  J25TR26C 9 9-1/2" 3/32" 0.06 lbs.  J25TR26C 9 9-1/2" 3/32" 0.08 lbs.  J25TR29C 7 11-11/16" 3/16" 0.20 lbs.  J25TR29C 7 11-11/16" 3/16" 0.20 lbs.  J25TR29C 7 11-11/16" 3/16" 0.20 lbs.  J25TR29C 7 11-11/16" 3/32" 0.06 lbs.  J25TR29C 7 11-11/16" 3/32" 0.08 lbs.  J25TR29C 7 11-11/16" 3/32" 0.08 lbs.  J25TR29C 7 11-11/16" 3/32" 0.08 lbs.  J25TR30C 5 12" 3/32" 0.08 lbs.  J25TR30C 5 12" 3/32" 0.08 lbs.  J25TR30C 7 11-11/16" 3/32" 0.47 lbs.  J25TR30C 10 13-5/16" 3/16" 0.22 lbs.  J25TR30C 5 12" 3/32" 0.08 lbs.  J25TR30C 7 11-11/16" 3/32" 0.17 lbs.  J25TR30C 17 11" 1/2" 0.29 lbs.  J25TR30C 17 11" 1/2" 0.47 lbs.  J25TR30C 17 11" 1/2" 0.57 lbs.  J25TR30C 10 15-5/16" 5/16" 0.29 lbs.  J25TR30C 10 15-5/16" 5/16" 0.29 lbs.  J25TR30C 10 15-5/16" 5/16" 0.20 lbs.  J25TR30C 10 15-5/16" 0.41 lbs.					
J25TR04C 5 14-11/16" 3/32" 0.18 lbs. J25TR05C 10 14-3/16" 3/16" 0.29 lbs. J25TR07C 7 11" 3/32" 0.12 lbs. J25TR07C 7 11" 3/32" 0.12 lbs. J25TR09C 9 9-3/32" 3/32" 0.12 lbs. J25TR10C 13 12" 3/32" 0.09 lbs. J25TR11C 1 7" 3/32" 0.04 lbs. J25TR11C 1 7" 3/32" 0.05 lbs. J25TR11C 1 7" 3/32" 0.09 lbs. J25TR11C 1 7" 3/32" 0.09 lbs. J25TR11C 1 7" 3/32" 0.09 lbs. J25TR16C 8 7-1/2" 3/32" 0.08 lbs. J25TR16C 8 12-1/2" 3/32" 0.08 lbs. J25TR16C 8 12-1/2" 3/32" 0.14 lbs. J25TR16C 8 12-1/2" 3/32" 0.07 lbs. J25TR16C 4 7-1/2" 3/16" 0.1 lbs. J25TR16C 4 7-1/2" 3/16" 0.1 lbs. J25TR16C 4 7-1/2" 3/16" 0.18 lbs. J25TR16C 10 11-11/16" 13/32" 0.45 lbs. J25TR2C 10 11-11/16" 13/32" 0.45 lbs. J25TR2C 3 10" 3/16" 0.47 lbs. J25TR2C 3 10" 3/16" 0.2 lbs. J25TR24C 7 9-1/2" 3/16" 0.12 lbs. J25TR24C 7 9-1/2" 3/16" 0.12 lbs. J25TR26C 9 9-1/2" 3/32" 0.06 lbs. J25TR26C 9 9-1/2" 3/32" 0.06 lbs. J25TR27C 8 9-1/2" 3/32" 0.06 lbs. J25TR29C 7 11-11/16" 3/32" 0.08 lbs. J25TR29C 7 11-11/16" 3/32" 0.08 lbs. J25TR30C 5 12" 3/32" 0.08 lbs. J25TR30C 7 12-29/32" 3/16" 0.22 lbs. J25TR30C 7 12-29/32" 3/16" 0.23 lbs. J25TR30C 7 12-29/32" 3/16" 0.23 lbs. J25TR30C 17 11" 1/2" 0.21 lbs. J25TR30C 17 11" 1/2" 0.71 lbs. J25TR30C 10 15-5/16" 5/16" 0.29 lbs. J25TR30C 17 11" 1/2" 0.71 lbs. J25TR30C 17 11" 1/2" 0.71 lbs. J25TR30C 10 15-5/16" 5/16" 0.29 lbs. J25TR30C 17 11" 1/2" 0.71 lbs. J25TR30C 17 11" 1/2" 0.71 lbs. J25TR30C 10 15-5/16" 5/16" 0.29 lbs. J25TR30C 10 15-5/16" 5/16" 0.29 lbs. J25TR30C 10 15-5/16" 5/16" 0.29 lbs. J25TR30C 10 15-5/16" 5/16" 0.20 lbs. J25TR30C 10 15-5/16" 0.40 lbs. J25TR30C 5 7" 11-1/2" 0.20 lbs. J25TR30C 5 7" 11-1/2" 0.20 l					
J25TR05C 10 14-3/16" 3/16" 0.29 lbs.  J25TR06C 5 12" 3/32" 0.10 lbs.  J25TR07C 7 11" 3/32" 0.12 lbs.  J25TR08C 14 15" 3/16" 0.36 lbs.  J25TR09C 9 9-3/32" 3/32" 0.12 lbs.  J25TR10C 13 12" 3/32" 0.09 lbs.  J25TR11C 1 7" 3/32" 0.04 lbs.  J25TR12C 8 7-1/2" 3/32" 0.04 lbs.  J25TR13C 11 10-5/16" 3/16" 0.16 lbs.  J25TR15C 5 8-13/16" 3/32" 0.08 lbs.  J25TR16C 8 12-1/2" 3/32" 0.07 lbs.  J25TR17C 3 10" 3/32" 0.07 lbs.  J25TR18C 4 7-1/2" 3/32" 0.07 lbs.  J25TR18C 4 7-1/2" 3/16" 0.11 lbs.  J25TR19C 6 12-5/16" 3/16" 0.11 lbs.  J25TR2C 10 11-11/16" 13/32" 0.45 lbs.  J25TR2C 3 3/16" 0.18 lbs.  J25TR2C 3 10" 3/16" 0.12 lbs.  J25TR2C 7 9" 3/16" 0.12 lbs.  J25TR26C 9 9-1/2" 5/16" 0.12 lbs.  J25TR26C 9 9-1/2" 3/32" 0.06 lbs.  J25TR27C 8 9-1/2" 3/32" 0.06 lbs.  J25TR29C 7 11-11/16" 3/16" 0.29 lbs.  J25TR29C 7 11-11/16" 3/16" 0.29 lbs.  J25TR29C 7 11-11/16" 3/32" 0.08 lbs.  J25TR30C 7 9" 3/16" 0.12 lbs.  J25TR29C 7 11-11/16" 3/16" 0.29 lbs.  J25TR29C 7 11-11/16" 3/32" 0.08 lbs.  J25TR30C 7 12-29/32" 3/16" 0.23 lbs.  J25TR30C 7 11-11/16" 3/32" 0.08 lbs.  J25TR30C 7 11-11/16" 3/32" 0.17 lbs.  J25TR30C 15 15" 5/16" 0.23 lbs.  J25TR30C 15 15" 5/16" 0.23 lbs.  J25TR30C 15 15" 5/16" 0.58 lbs.  J25TR30C 7 11-11/16" 3/32" 0.17 lbs.  J25TR30C 10 15-5/16" 5/16" 0.29 lbs.  J25TR30C 10 15-5/16" 5/16" 0.29 lbs.  J25TR30C 10 15-5/16" 5/16" 0.99 lbs.  J25TR30C 10 15-5/16" 5/1					
J25TR06C 5 12" 3/32" 0.10 lbs.  J25TR07C 7 11" 3/32" 0.12 lbs.  J25TR09C 9 9-3/32" 3/32" 0.12 lbs.  J25TR09C 13 12" 3/32" 0.09 lbs.  J25TR10C 13 12" 3/32" 0.09 lbs.  J25TR11C 1 7" 3/32" 0.04 lbs.  J25TR12C 8 7-1/2" 3/32" 0.05 lbs.  J25TR15C 5 8-13/16" 3/16" 0.16 lbs.  J25TR15C 5 8-13/16" 3/32" 0.08 lbs.  J25TR16C 8 12-1/2" 3/32" 0.07 lbs.  J25TR16C 8 12-1/2" 3/32" 0.07 lbs.  J25TR16C 8 12-1/2" 3/32" 0.07 lbs.  J25TR19C 6 12-5/16" 3/16" 0.1 lbs.  J25TR19C 6 12-5/16" 3/16" 0.18 lbs.  J25TR2C 10 11-11/16" 13/32" 0.45 lbs.  J25TR2C 3 10" 3/16" 0.47 lbs.  J25TR2C 3 10" 3/16" 0.2 lbs.  J25TR24C 7 9-1/2" 5/16" 0.12 lbs.  J25TR26C 9 9-1/2" 5/16" 0.12 lbs.  J25TR26C 9 9-1/2" 3/32" 0.06 lbs.  J25TR26C 9 9-1/2" 3/32" 0.06 lbs.  J25TR29C 7 11-11/16" 3/32" 0.06 lbs.  J25TR29C 7 11-11/16" 3/32" 0.08 lbs.  J25TR30C 5 12" 3/32" 0.08 lbs.  J25TR30C 7 11-11/16" 3/32" 0.06 lbs.  J25TR30C 7 11-11/16" 3/32" 0.08 lbs.  J25TR30C 7 12-29/32" 3/16" 0.23 lbs.  J25TR30C 15 15" 5/16" 0.23 lbs.  J25TR30C 17 11" 1/2" 0.47 lbs.  J25TR30C 15 15" 5/16" 0.58 lbs.  J25TR30C 17 11-12" 3/16" 0.29 lbs.  J25TR30C 17 11-12" 3/16" 0.29 lbs.  J25TR30C 17 11-12" 3/16" 0.17 lbs.  J25TR30C 17 11-12" 3/16" 0.17 lbs.  J25TR30C 17 11-12" 3/16" 0.29 lbs.  J25TR30C 10 15-5/16" 5/16" 0.30 lbs.  J25TR30C 10 15-5/16" 5/16" 0.57 lbs.  J25TR30C 10 15-5/16" 5/16" 0.59 lbs.  J25TR30C 10 15-5/16" 5/16" 0.50 lbs.  J25TR30C 10 15-5/16" 5/16" 0.30 lbs.  J25TR30C 10 15-5/16" 5/16" 0.30 lbs.  J25TR30C 10 15-5/16" 5/16" 0.30 lbs.  J25TR30C 5 12" 13/32" 0.57 lbs.  J25TR30C 5 12" 13/32" 0.57 lbs.  J25TR30C 7 11-1/2" 0.20 lbs.  J25TR30C 5 7" 1-1/2" 0.20 lbs.  J25TR30					
J25TR0C					
J25TR08C					
J25TR0C   9   9-3/32"   3/32"   0.12 lbs.     J25TR1C   13   12"   3/32"   0.09 lbs.     J25TR1C   1   7"   3/32"   0.04 lbs.     J25TR12C   8   7-1/2"   3/32"   0.05 lbs.     J25TR13C   11   10-5/16"   3/16"   0.16 lbs.     J25TR15C   5   8-13/16"   3/32"   0.08 lbs.     J25TR16C   8   12-1/2"   3/32"   0.14 lbs.     J25TR19C   3   10"   3/32"   0.07 lbs.     J25TR19C   4   7-1/2"   3/16"   0.1 lbs.     J25TR19C   6   12-5/16"   3/16"   0.18 lbs.     J25TR19C   6   12-5/16"   3/16"   0.45 lbs.     J25TR2C   10   11-11/16"   13/32"   0.45 lbs.     J25TR2C   3   10"   3/16"   0.2 lbs.     J25TR2C   3   10"   3/16"   0.12 lbs.     J25TR2C   7   9"   3/16"   0.12 lbs.     J25TR2C   7   9-1/2"   5/16"   0.12 lbs.     J25TR2C   9   9-1/2"   3/32"   0.06 lbs.     J25TR2C   9   9-1/2"   3/32"   0.06 lbs.     J25TR2C   8   9-1/2"   3/32"   0.06 lbs.     J25TR2C   8   9-1/2"   3/32"   0.06 lbs.     J25TR2C   7   11-11/16"   3/32"   0.15 lbs.     J25TR3C   7   12-29/32"   3/16"   0.23 lbs.     J25TR3C   7   12-1/16"   3/32"   0.15 lbs.     J25TR3C   7   12-29/32"   3/16"   0.23 lbs.     J25TR3C   7   11-11/16"   3/32"   0.17 lbs.     J25TR3C   7   11-1/2"   3/16"   0.23 lbs.     J25TR3C   7   11-1/2"   3/16"   0.23 lbs.     J25TR3C   7   11-1/2"   3/16"   0.23 lbs.     J25TR3C   7   11-1/2"   3/16"   0.29 lbs.     J25TR3C   7   11-1/2"   3/16"   0.17 lbs.     J25TR3C   7   11-1/2"   3/16"   0.17 lbs.     J25TR3C   9   13-3/4"   3/16"   0.17 lbs.     J25TR3C   7   11-1/2"   3/16"   0.17 lbs.     J25TR4C   18   13"   5/16"   0.29 lbs.     J25TR4C   18   13"   13/32"   0.51 lbs.     J25TR4C   18   13"   5/16"   0.41 lbs.     J25TR4C   18   13"   5/16"   0.41 lbs.     J25TR4C   18   13"   5/16"   0.41 lbs.     J25TR4C   18   13"   5/16"   0.40 lbs.     J25TR4C   19   0.40 lbs.     J25TR4C   10   0.40 lbs.					
J25TR10C   13   12"   3/32"   0.09 lbs.     J25TR11C   1   7"   3/32"   0.04 lbs.     J25TR12C   8   7-1/2"   3/32"   0.05 lbs.     J25TR13C   11   10-5/16"   3/16"   0.16 lbs.     J25TR15C   5   8-13/16"   3/32"   0.08 lbs.     J25TR16C   8   12-1/2"   3/32"   0.14 lbs.     J25TR16C   8   12-1/2"   3/32"   0.07 lbs.     J25TR19C   4   7-1/2"   3/16"   0.11 lbs.     J25TR19C   6   12-5/16"   3/16"   0.18 lbs.     J25TR20C   10   11-11/16"   13/32"   0.45 lbs.     J25TR21C   26   16-1/2"   3/16"   0.47 lbs.     J25TR21C   26   16-1/2"   3/16"   0.47 lbs.     J25TR21C   3   10"   3/16"   0.12 lbs.     J25TR22C   3   10"   3/16"   0.12 lbs.     J25TR23C   7   9"   3/16"   0.12 lbs.     J25TR24C   7   9-1/2"   5/16"   0.12 lbs.     J25TR25C   6   8-11/16"   3/16"   0.09 lbs.     J25TR26C   9   9-1/2"   3/32"   0.06 lbs.     J25TR27C   8   9-1/2"   1/2"   0.31 lbs.     J25TR29C   7   11-11/16"   3/32"   0.15 lbs.     J25TR30C   5   12"   3/32"   0.08 lbs.     J25TR30C   5   12"   3/32"   0.08 lbs.     J25TR33C   7   11-11/16"   3/32"   0.15 lbs.     J25TR33C   7   12-29/32"   3/16"   0.23 lbs.     J25TR33C   7   11-11/16"   3/32"   0.17 lbs.     J25TR33C   7   11-11/16"   3/32"   0.17 lbs.     J25TR33C   7   11-11/16"   3/32"   0.17 lbs.     J25TR33C   7   11-11/2"   3/16"   0.29 lbs.     J25TR39C   10   15-5/16"   5/16"   0.17 lbs.     J25TR39C   10   15-5/16"   5/16"   0.17 lbs.     J25TR39C   10   15-5/16"   5/16"   0.29 lbs.     J25TR39C   10   15-5/16"   5/16"   0.29 lbs.     J25TR39C   10   15-5/16"   5/16"   0.29 lbs.     J25TR44C   15   12"   13/32"   0.57 lbs.     J25TR45C   8   9-1/2"   2"   0.40 lbs.     J25TR45C   10   13"   5/16"   0.41 lbs.     J25TR45C   10   13"   5/16"   0.40 lbs.     J25TR45C   10   10"					
J25TR11C					
J25TR12C   8   7-1/2"   3/32"   0.05 lbs.     J25TR13C   11   10-5/16"   3/16"   0.16 lbs.     J25TR15C   5   8-13/16"   3/32"   0.08 lbs.     J25TR16C   8   12-1/2"   3/32"   0.14 lbs.     J25TR17C   3   10"   3/32"   0.07 lbs.     J25TR18C   4   7-1/2"   3/16"   0.1 lbs.     J25TR19C   6   12-5/16"   3/16"   0.18 lbs.     J25TR20C   10   11-11/16"   13/32"   0.45 lbs.     J25TR21C   26   16-1/2"   3/16"   0.21 lbs.     J25TR22C   3   10"   3/16"   0.21 lbs.     J25TR23C   7   9"   3/16"   0.12 lbs.     J25TR24C   7   9-1/2"   5/16"   0.12 lbs.     J25TR25C   6   8-11/16"   3/16"   0.09 lbs.     J25TR25C   9   9-1/2"   3/32"   0.06 lbs.     J25TR26C   9   9-1/2"   3/32"   0.06 lbs.     J25TR29C   7   11-11/16"   3/32"   0.15 lbs.     J25TR30C   5   12"   3/32"   0.08 lbs.     J25TR31C   7   8"   3/32"   0.08 lbs.     J25TR31C   7   11-11/16"   3/32"   0.15 lbs.     J25TR33C   7   11-11/16"   3/32"   0.16 lbs.     J25TR33C   7   11-11/16"   3/32"   0.08 lbs.     J25TR33C   7   11-11/16"   3/32"   0.17 lbs.     J25TR33C   7   11-11/2"   3/16"   0.23 lbs.     J25TR33C   7   11-11/2"   3/16"   0.25 lbs.     J25TR33C   7   11-11/2"   3/16"   0.17 lbs.     J25TR33C   9   13-3/4"   3/16"   0.17 lbs.     J25TR33C   9   13-3/4"   3/16"   0.17 lbs.     J25TR33C   10   15-5/16"   5/16"   0.29 lbs.     J25TR33C   10   15-5/16"   5/16"   0.29 lbs.     J25TR34C   15   12"   13/32"   0.57 lbs.     J25TR34C   15   12"   13/32"   0.51 lbs.     J25TR44C   18   13"   13/32"   0.51 lbs.     J25TR44C   18   13"   13/32"   0.51 lbs.     J25TR45C   8   9-1/2"   2"   0.40 lbs.     J25TR49C   5   7"   1-1/2"   0.20 lbs.					
J25TR13C					
J25TR15C   5   8-13/16"   3/32"   0.08 lbs.     J25TR16C   8   12-1/2"   3/32"   0.14 lbs.     J25TR17C   3   10"   3/32"   0.07 lbs.     J25TR18C   4   7-1/2"   3/16"   0.1 lbs.     J25TR19C   6   12-5/16"   3/16"   0.18 lbs.     J25TR20C   10   11-11/16"   13/32"   0.45 lbs.     J25TR21C   26   16-1/2"   3/16"   0.21 lbs.     J25TR22C   3   10"   3/16"   0.21 lbs.     J25TR23C   7   9"   3/16"   0.12 lbs.     J25TR24C   7   9-1/2"   5/16"   0.12 lbs.     J25TR25C   6   8-11/16"   3/16"   0.09 lbs.     J25TR26C   9   9-1/2"   3/32"   0.06 lbs.     J25TR26C   9   9-1/2"   1/2"   0.31 lbs.     J25TR29C   7   11-11/16"   3/32"   0.15 lbs.     J25TR29C   7   11-11/16"   3/32"   0.15 lbs.     J25TR30C   5   12"   3/32"   0.08 lbs.     J25TR31C   7   8"   3/32"   0.08 lbs.     J25TR31C   7   12-29/32"   3/16"   0.23 lbs.     J25TR33C   7   11-11/16"   3/32"   0.17 lbs.     J25TR36C   17   11"   1/2"   0.47 lbs.     J25TR36C   17   11"   1/2"   0.47 lbs.     J25TR36C   17   11"   1/2"   0.47 lbs.     J25TR39C   0   13-3/4"   3/16"   0.17 lbs.     J25TR39C   10   15-5/16"   5/16"   0.29 lbs.     J25TR44C   15   12"   13/32"   0.51 lbs.     J25TR4C   18   13"   13/32"   0.51 lbs.     J25TR45C   8   9-1/2"   2"   0.40 lbs.     J25TR49C   5   7"   1-1/2"   0.20 lbs.     J25TR49C   5   7"   1-1/2"   0.20 lbs.     J25TR49C   5   7"   1-1/2"   0.20 lbs.     J25TR50C   1   6-1/3"   3/16"   0.20 lbs.					
J25TR16C   8					
J25TR17C   3					
J25TR18C         4         7-1/2"         3/16"         0.1 lbs.           J25TR19C         6         12-5/16"         3/16"         0.18 lbs.           J25TR2OC         10         11-11/16"         13/32"         0.45 lbs.           J25TR21C         26         16-1/2"         3/16"         0.47 lbs.           J25TR2C         3         10"         3/16"         0.2 lbs.           J25TR23C         7         9"         3/16"         0.12 lbs.           J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR29C         7         11-11/16"         3/32"         0.06 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         11-11/16"         3/32"         <					
J25TR19C         6         12-5/16"         3/16"         0.18 lbs.           J25TR20C         10         11-11/16"         13/32"         0.45 lbs.           J25TR21C         26         16-1/2"         3/16"         0.47 lbs.           J25TR22C         3         10"         3/16"         0.2 lbs.           J25TR23C         7         9"         3/16"         0.12 lbs.           J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR36C         9         12-29/32"         1/32"					
J25TR20C         10         11-11/16"         13/32"         0.45 lbs.           J25TR21C         26         16-1/2"         3/16"         0.47 lbs.           J25TR22C         3         10"         3/16"         0.2 lbs.           J25TR23C         7         9"         3/16"         0.12 lbs.           J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR35C         9         12-29/32"         1/32"					
J25TR21C         26         16-1/2"         3/16"         0.47 lbs.           J25TR22C         3         10"         3/16"         0.2 lbs.           J25TR23C         7         9"         3/16"         0.12 lbs.           J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR30C         5         12"         3/32"         0.15 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR37C         7         11-1/2"         3/16"					
J25TR22C         3         10"         3/16"         0.2 lbs.           J25TR23C         7         9"         3/16"         0.12 lbs.           J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR39C         7         11-1/2"         3/16"         0.17					
J25TR23C         7         9"         3/16"         0.12 lbs.           J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR39C         7         11-1/2"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"					
J25TR24C         7         9-1/2"         5/16"         0.12 lbs.           J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"					
J25TR25C         6         8-11/16"         3/16"         0.09 lbs.           J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"					
J25TR26C         9         9-1/2"         3/32"         0.06 lbs.           J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR39C         7         11-1/2"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"		-			0.12 lbs.
J25TR27C         8         9-1/2"         1/2"         0.31 lbs.           J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"					
J25TR28C         10         13-5/16"         3/16"         0.22 lbs.           J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"		9	9-1/2"		
J25TR29C         7         11-11/16"         3/32"         0.15 lbs.           J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR44C         11         13"         5/16"		8	9-1/2"	1/2"	
J25TR30C         5         12"         3/32"         0.08 lbs.           J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 l	J25TR28C	10	13-5/16"	3/16"	0.22 lbs.
J25TR31C         7         8"         3/32"         0.08 lbs.           J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 l		7	11-11/16"	3/32"	0.15 lbs.
J25TR32C         7         12-29/32"         3/16"         0.23 lbs.           J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.	J25TR30C			3/32"	0.08 lbs.
J25TR33C         7         11-11/16"         3/32"         0.17 lbs.           J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.	J25TR31C	7	8"	3/32"	0.08 lbs.
J25TR34C         15         15"         5/16"         0.58 lbs.           J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR32C	7	12-29/32"	3/16"	0.23 lbs.
J25TR35C         9         12-29/32"         1/32"         0.17 lbs.           J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR33C	7	11-11/16"	3/32"	0.17 lbs.
J25TR36C         17         11"         1/2"         0.47 lbs.           J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR34C	15	15"	5/16"	0.58 lbs.
J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR35C	9	12-29/32"	1/32"	0.17 lbs.
J25TR37C         7         11-1/2"         3/16"         0.17 lbs.           J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR36C	17	11"	1/2"	0.47 lbs.
J25TR38C         9         13-3/4"         3/16"         0.17 lbs.           J25TR39C         10         15-5/16"         5/16"         0.29 lbs.           J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR37C	7	11-1/2"		0.17 lbs.
J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR38C	9	13-3/4"		0.17 lbs.
J25TR40C         14         13"         5/16"         0.30 lbs.           J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR39C	10	15-5/16"	5/16"	0.29 lbs.
J25TR41C         15         12"         13/32"         0.57 lbs.           J25TR42C         18         13"         13/32"         0.51 lbs.           J25TR43C         7         12-29/32"         3/32"         0.18 lbs.           J25TR44C         11         13"         5/16"         0.41 lbs.           J25TR45C         8         9-1/2"         2"         0.40 lbs.           J25TR49C         5         7"         1-1/2"         0.20 lbs.           J25TR50C         1         6-1/3"         3/16"         0.20 lbs.	J25TR40C	14			0.30 lbs.
J25TR42C       18       13"       13/32"       0.51 lbs.         J25TR43C       7       12-29/32"       3/32"       0.18 lbs.         J25TR44C       11       13"       5/16"       0.41 lbs.         J25TR45C       8       9-1/2"       2"       0.40 lbs.         J25TR49C       5       7"       1-1/2"       0.20 lbs.         J25TR50C       1       6-1/3"       3/16"       0.20 lbs.	J25TR41C	15	12"		
J25TR43C       7       12-29/32"       3/32"       0.18 lbs.         J25TR44C       11       13"       5/16"       0.41 lbs.         J25TR45C       8       9-1/2"       2"       0.40 lbs.         J25TR49C       5       7"       1-1/2"       0.20 lbs.         J25TR50C       1       6-1/3"       3/16"       0.20 lbs.	J25TR42C	18			0.51 lbs.
J25TR44C       11       13"       5/16"       0.41 lbs.         J25TR45C       8       9-1/2"       2"       0.40 lbs.         J25TR49C       5       7"       1-1/2"       0.20 lbs.         J25TR50C       1       6-1/3"       3/16"       0.20 lbs.	J25TR43C	7	12-29/32"		0.18 lbs.
J25TR45C       8       9-1/2"       2"       0.40 lbs.         J25TR49C       5       7"       1-1/2"       0.20 lbs.         J25TR50C       1       6-1/3"       3/16"       0.20 lbs.		11			
<b>J25TR49C</b> 5 7" 1-1/2" 0.20 lbs. <b>J25TR50C</b> 1 6-1/3" 3/16" 0.20 lbs.	J25TR45C				
<b>J25TR50C</b> 1 6-1/3" 3/16" 0.20 lbs.			•		
			6-1/3"		
		5			





### 11-POCKET PROFESSIONAL CONSTRUCTION POUCH

- •2 extra capacity deep flared main pockets.
- 2 outer pockets.
- •6 small utility pockets.
- •2 extra thick hammer or hatchet loops.
- Heavy-duty, top grain moccasin leather.
- 1 25"/30" tape ruler holder.
- 2-1/2" wide polypropylene web belt adjusts to fit waists up to 50".

Product	Weight
ID No.	lbs.
J95120	1.8 lbs.



### 2-POCKET WAIST APRON

- Heavy-duty 10 oz. white canvas.
- Triple stitched bindings and waist ties.

Product	Weight
ID No.	lbs.
J95350	0.28 lbs.



### 14-POCKET LEATHER EXTRA CAPACITY ELECTRICIAN'S TOOL POUCH

- 10" x 10"
- 4 Large gusseted utility pockets and 2 preformed plier pockets.
- 4 Screwdriver slots, 12" tape rule holder, secured T-type tape holder with swivel rivet.
- 2-3/4" Belt slots.
- Additional features: Sectioned pocket for torpedo level, multi-purpose tool snap, scratch awl pocket and pencil holders.
- Heavy-duty, top grain leather.

Product	Weight
ID No.	lbs.
J95030	1.43 lbs.



#### **HAMMER LEATHER HOLSTER**

- Heavy-duty top grain saddle leather.
- Double rivet reinforced.
- Rust-resistant steel cradle.
- 2-1/2" belt slots.

Product	Weight	
ID No.	lbs.	
J95151	0.22 lbs.	





### **UTILITY KNIFE LEATHER HOLDER**

- Open end "V" shape design.
- Heavy-duty top grain saddle leather.

Product	Weight
ID No.	lbs.
J95165	0.17 lbs.



### 2-POCKET CABLE SPLICER LEATHER HOLDER

- Heavy-duty top grain saddle leather.
- •2 flared pockets for cable splicer, knife and scissors.
- 2-1/2" belt slots.

Product	Weight
ID No.	lbs.
J95170	0.17 lbs.



### FOLDING KNIFE BLADE LEATHER SHEATH

- Preformed top grain leather holds knife securely.
- Heavy-duty stitching and safety snap.

Product	Weight
ID No.	lbs.
J95218	0.12 lbs.



### FLASHLIGHT LEATHER HOLDER

- Top grain saddle leather.
- Will accept standard "D" size flashlights.

ID No.	lbs.	
ID No. <b>J95260</b>	lbs. 0.11 lbs.	
Product	Weight	





### **TOOL LEATHER HOLDER**

- Heavy-duty, top grain saddle leather.
- Preformed 4" deep pocket for secure snug fit.
- Convenient for slip joint, diagonal and up to 7" side cutting pliers, or our Infrared Temperature Readers.
- 2-1/2" belt slots.
- 2-3/4" x 8"

Product	Weight
ID No.	lbs.
J95160	0.18 lbs.



### **LEATHERWORK BELTS**

- Heavy-duty top grain saddle leather.
- Extra strong double tongue roller buckle.
- Attractive embossed basket weave design.

Product		Weight
ID No.	Size (In)	lbs.
J95236	35" - 40"	0.5 lbs.
J95237	40" - 48"	0.52 lbs.
J95238	46" - 52"	0.65 lbs.



### FACOM® SAFETY GLOVES

- Silicon leather to help provide mechanical protection.
- Worn over latex insulating gloves.

Product			Weight
ID No.	Size	Length	lbs.
FT-BC.109VSE FT-BC.110VSE		11-13/16" 12-19/32"	0.36 lbs. 0.43 lbs.







### SOCKET BAR SETS - 1/4" THRU 3/4"

• Heavy gauge all welded steel construction.

Product ID No.	Drive Size	No. of Clips	Length	Weight lbs.
J2570 J2571 J2572 J2573 J2575 J2576	1/4" 1/4" 3/8" 3/8" 1/2" 3/4"	10 16 10 16 16 16	9" 17" 9" 17" 17"	0.15 lbs. 0.23 lbs. 0.19 lbs. 0.24 lbs. 0.28 lbs. 0.19 lbs.
J2577	3/4"	8	17"	0.30 lbs.



### **SOCKET BARS**

• All clips fit all bars.

Product		Weight	
ID No.	Length	lbs.	
J2584	6-1/4"	0.06 lbs.	
J2585	9"	0.08 lbs.	
J2588	11"	0.10 lbs.	
J2586	13"	0.11 lbs.	
J2587	17"	0.15 lbs.	



### **SOCKET CLIPS**

• All clips fit all bars.

Product		Weight
ID No.	Drive Size	lbs.
J2590	1/4"	0.01 lbs.
J2591	3/8"	0.01 lbs.
J2592	1/2"	0.01 lbs.
J2594	3/4"	0.01 lbs.

