

PRESS TOOLS

PRODUCT CATALOG

RIDGID



©2013, 2015, RIDGID, Inc. The Emerson logo and RIDGID logo are registered trademarks of Emerson Electric Co. or RIDGID, Inc. in the U.S. and other countries. All other trademarks belong to their respective holders. 999-997-618.10/7/2015

We Build Reputations™ **RIDGID**

EMERSON
Commercial & Residential Solutions

PRESS TOOLS EARN THEIR REPUTATION THE SAME WAY CONTRACTORS DO — PERFORMANCE.

Day after day, job after job, one press at a time. At RIDGID,® that works for us. We know our tools will show up for work every day, and we designed them with the features and versatility to help you work faster, smarter and better.



FLEXIBILITY - Barrel rotates, so no connection is too hard to reach.

QUALITY CONTROL - Internal microprocessor confirms a perfect press every time.

EFFICIENCY - Advanced Lithium Ion battery lasts longer — more than 250 presses on compact tools and more than 400 presses on standard tools.

DESIGN - With pistol-grip, inline and lightweight models, you choose the tool that works best for you.

POWERED BY
ADVANCED LITHIUM
TECHNOLOGY


24/7

SUPPORT - The industry's largest customer service network for 24/7 product and field support.



MONITORING - Onboard diagnostics alert you when the battery is low, the tool is too hot or too cold and when service is needed.

VERSATILITY - Press copper, stainless steel, PEX and black iron and cut soil pipe with RIDGID's line of press tool systems.



RELIABILITY - Service interval at 42,000 press cycles for the RP 340 — the longest service interval among all press tools.

LIFETIME WARRANTY - Trust the tool that's backed like no other — with the industry's only full lifetime warranty.



RP 200

YOU SEE HOW RIDGID HAS EARNED ITS REPUTATION. PICK UP A RIDGID PRESS TOOL AND LET US HELP YOU BUILD YOURS.

STANDARD SERIES PRESS TOOL

1/2" to 4" Capacity



NEW

RP 340 PRESS TOOL

The RP 340 press tool has a 4" capacity and weighs only 8.3 pounds. It features a 180° rotating swivel barrel, perfect for getting at hard-to-reach connections. An available 18V Advanced Lithium 4 battery helps the RP 340 achieve more than 400 presses per charge, and it has an industry-leading service interval of 42,000 cycles. An optional AC power adapter can further maximize uptime job site to job site.

SPECIFICATIONS

- Capacity: 1/2" to 4".
- 180° Barrel/Jaw Swivel.
- Battery: 18V Advanced Lithium 2.
- Battery Charger: 120V.
- Hydraulic Ram Output: 7,200 lbs. (32kN).
- Weight: 8.3 lbs. with Battery.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 4-5 seconds.
- Standard Kit includes: RP 340 Press Tool, 120V Charger, (2) 18V Advanced Lithium 2 batteries, and Carrying Case.
- Optional AC Power Adapter.
- Compatible with all RIDGID Standard Series Press Jaws and Attachments.
- For pressing copper, stainless steel, black steel and PEX, and cutting soil pipe.
- Service Interval: 42,000 cycles.



Standard Series Jaws for ProPress® Copper and Stainless



XL-C Pressing Rings for 2 1/2" to 4"



MegaPress® Jaws & Rings



Standard Jaws for Pureflow™



ProPress® Pressing Rings for 1/2" to 1 1/4"



Press Snap™ Soil Pipe Cutter

STANDARD SERIES PRESS TOOL

1/2" to 4" Capacity



RP 340 Battery Tool with ProPress® Jaws



RP 340 Corded Tool with ProPress® Jaws



RP 340 Kit

RP 340 Battery Tool with Jaw Sets for ProPress® (copper and stainless)

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43358	RP 340	RP 340 Battery Press Tool Kit w/ ProPress Jaws (1/2" - 2")	51	1
43353	RP 340	RP 340 Battery Press Tool Kit w/ ProPress Jaws (1/2" - 1")	31	1
43348	RP 340	RP 340 Battery Press Tool Kit without Jaw Sets	19	1
44483	RP 340	RP 340 Press Tool Only	6	1

RP 340 Corded Tool with Jaw Sets for ProPress® (copper and stainless)

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43373	RP 340	RP 340 Corded Press Tool Kit w/ ProPress Jaws (1/2" - 2")	48	1
43368	RP 340	RP 340 Corded Press Tool Kit w/ ProPress Jaws (1/2" - 1")	28	1
43363	RP 340	RP 340 Corded Press Tool Kit without Jaw Sets	16	1
44483	RP 340	RP 340 Press Tool Only	6	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43378	RP 340 Carrying Case	8	1
43458	18V Advanced Lithium Battery Charger	2	1
44798	18V Advanced Lithium Battery Charger Replacement Cord	.5	1
44468	120V AC Power Adapter	1	1
44693	18V Advanced Lithium 2 Battery	1	1
44698	18V Advanced Lithium 4 Battery	1.5	1

COMPACT BATTERY-OPERATED INLINE PRESS TOOL

1/2" to 1 1/4" Capacity for Copper and Stainless Steel

3/8" to 1 1/2" Capacity for PEX



RP 200-B INLINE

The RP 200-B is a new addition to the broad press tool lineup offered by RIDGID and gives contractors another option for a fast and reliable way to join copper, stainless steel and PEX. The inline form of the tool allows access to tighter spaces enabling press connections in hard-to-reach areas. The tool comes standard with two 18V Advanced Lithium 2 batteries that can produce over 250 presses per charge for jobsite efficiency. Large capacity Advanced Lithium 4 batteries are also available and can achieve over 550 presses per charge to maximize uptime.

SPECIFICATIONS

- Capacity: 1/2" to 1 1/4" (Copper & Stainless Steel), 3/8" to 1 1/2" (PEX).
- Compatible with all RIDGID compact series pressing attachments.
- Battery: 18V Advanced Lithium 2.
- Battery Charger: 120V.
- Hydraulic Ram Output: 5,400 lbs. (24kN).
- Weight: 6.2 lbs. with Battery.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 4-5 seconds.
- 270° barrel/jaw swivel.
- Service Interval: 32,000 cycles.
- Kit Includes: RP 200-B Press Tool, (2) 18V Advanced Lithium 2 Batteries, Battery Charger and Carrying Case.

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	BATTERIES	STD. PACK
43428	RP 200-B	RP 200-B Battery Press Tool Kit w/ProPress Jaws (1/2" - 1 1/4")	26	2 (2) Ahr	1
43433	RP 200-B	RP 200-B Battery Press Tool Kit w/ProPress Jaws (1/2" - 1")	26	2 (2) Ahr	1
43438	RP 200-B	RP 200-B Battery Press Tool Kit w/PureFlow PEX Jaws (1/2" - 3/4", 1")	24	2 (2) Ahr	1
43443	RP 200-B	RP 200-B Battery Press Tool Kit (no jaws)	16	2 (2) Ahr	1
43448	RP 200-B	RP 200-B Battery Press Tool Only	12	N/A	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43453	Carrying Case	10	1
43458	18V Advanced Lithium Battery Charger	2	1
44798	18V Advanced Lithium Battery Charger Replacement Cord	.5	1
44693	18V Advanced Lithium 2 Battery	1	1
44698	18V Advanced Lithium 4 Battery	1.5	1



COMPACT BATTERY-OPERATED PRESS TOOL

1/2" to 1 1/4" Capacity for Copper and Stainless Steel

3/8" to 1 1/2" Capacity for PEX



RP 210-B COMPACT

The RP 210-B is a fast and reliable way to join copper, stainless steel and PEX fittings. It features a pistol grip design with a 270° rotating swivel barrel that helps users get into tight spaces. Smaller and lighter than standard series tools, the RP-210 B is ideal for jobs that require connections that are 1 1/4" or smaller.

SPECIFICATIONS

- Capacity: 1/2" to 1 1/4" for copper and stainless; 3/8" to 1 1/2" for PEX.
- Compatible with all RIDGID compact series pressing attachments.
- 270° barrel/jaw swivel.
- Battery: 18V Advanced Lithium 2.
- Battery Charger: 120V.
- Hydraulic Ram Output: 5,400 lbs. (24 kN).
- Weight: 5.9 lbs. with battery.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 4-5 seconds.
- Service Interval: 32,000 cycles.
- Standard Kit Includes: RP 210-B Press Tool, (2) 18V Advanced Lithium 2 Batteries, Battery Charger and Carrying Case.

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
31028	RP 210-B	RP 210-B Battery Press Tool Kit w/ProPress Jaws (1/2" - 1 1/4")	26	1
31038	RP 210-B	RP 210-B Battery Press Tool Kit w/PureFlow PEX Jaws (1/2" - 1")	24	1
31048	RP 210-B	RP 210-B Battery Press Tool Kit (No Jaws)	16	1
31053	RP 210-B	RP 210-B Battery Press Tool Only	12	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
31023	Carrying Case	10	1
43458	18V Advanced Lithium Battery Charger	2	1
44798	18V Advanced Lithium Battery Charger Replacement Cord	.5	1
44693	18V Advanced Lithium 2 Battery	1	1
44698	18V Advanced Lithium 4 Battery	1.5	1



COMPACT SERIES PRESS JAWS

RIDGID Compact Series press jaws are 40% lighter and 33% smaller than Standard Series jaws, enabling them to fit into tight spaces. RIDGID Compact Series press jaws are only compatible with RIDGID Compact Series press tools (100-B, RP 210-B, RP 200-B).

Copper and Stainless



Compact Jaws for ProPress®

Compact Series Jaw Sets for ProPress® (copper and stainless)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
16958	½" Jaw for ProPress	2.5	1
16963	¾" Jaw for ProPress	2.5	1
16978	1" Jaw for ProPress	2.5	1
31228	1½" Jaw for ProPress	2.5	1

PEX



Compact Jaws for PureFlow™

Compact Series Jaw Sets for Pureflow™ (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
17003	¾" Jaw for Pureflow	2.5	1
17008	½" Jaw for Pureflow	2.5	1
19813	⅝" Jaw for Pureflow	2.5	1
17013	¾" Jaw for Pureflow	2.5	1
17018	1" Jaw for Pureflow	2.5	1
22683	1¼" Jaw for Pureflow	2.5	1
22688	1½" Jaw for Pureflow	2.5	1

PEX



Compact Series ASTM F 1807 Jaw Sets for PEX

Compact Series ASTM F 1807 Jaw Sets for PEX

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
22958	½" ASTM F 1807 Jaws	2.5	1
22968	¾" ASTM F 1807 Jaws	2.5	1
22973	1" ASTM F 1807 Jaws	2.5	1
22978	1¼" ASTM F 1807 Jaws	2.5	1

STANDARD SERIES PRESS JAWS

The Standard Series Pressing Jaws were designed in conjunction with the fitting manufacturer, ensuring compatibility. All RIDGID Standard Series pressing jaws are only compatible with RIDGID Standard Series Pressing Tools (320-E, CT-400, RP 330-B, RP 330-C or RP 340).

Copper and Stainless



Standard Jaws for ProPress®

Standard Series Jaw Sets for ProPress® (copper & stainless)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
76652	½" Jaw for ProPress	4	1
76657	¾" Jaw for ProPress	4.3	1
76662	1" Jaw for ProPress	4.5	1
76667	1¼" Jaw for ProPress	4.8	1
76672	1½" Jaw for ProPress	6.5	1
76677	2" Jaw for ProPress	10	1

PEX



Standard Jaws for Pureflow™

Standard Series Jaw Sets for Pureflow™ (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
22653	½" Jaw for Pureflow	4	1
22658	⅝" Jaw for Pureflow	4.3	1
22663	¾" Jaw for Pureflow	4.5	1
22668	1" Jaw for Pureflow	4.5	1
22673	1¼" Jaw for Pureflow	4.8	1
22678	1½" Jaw for Pureflow	6.5	1
35343	2" Jaw for Pureflow	10	1

See page 10 for MegaPress® Jaws

PRESS RINGS



STANDARD SERIES PRESS RINGS FOR PROGRESS® COPPER AND STAINLESS FITTINGS

Standard Series Press Rings for ProPress® fittings permit access in tighter spaces and serve as an excellent complement to your RIDGID jaw sets. The swivel actuator allows a press tool to be placed almost 90 degrees in either direction to the tube being pressed!

SPECIFICATIONS

- ProPress® Rings are available in ½" to 2" capacity.
- V1 and V2 Kits are designed for RIDGID Standard Press Tools.
- C1 Compact Kits are designed for RIDGID Compact Press Tools.
- Standard Kit includes: Press Rings, Actuator and Carrying Case.

COMPATIBLE WITH

- ProPress® System (copper & stainless steel ½" to 2").



STANDARD SERIES XL-C/S PRESS RINGS FOR USE WITH PROGRESS® XL-C® (COPPER) & XL-S (STAINLESS STEEL) FITTINGS

The patented XL-C/S Press Rings and V2 Actuator give contractors the ability to press copper and steel connections up to 4". The ball-tip V2 Actuator swivels nearly 180° with the XL-C/S Press Rings, allowing increased accessibility when making connections on ProPress® XL-C® and XL-S fittings. These rings work with all RIDGID Standard Series Pressing Tools to make connections on 2½" to 4" copper or stainless steel tubes (320-E, CT-400, RP 330-B, RP 330-C or RP 340).

Kits

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27423	V1	V1 Kit, ½", ¾", 1", 1¼" Ring	10.8	1
27428	V2	V2 Kit, 1½", 2" Ring	13.6	1
28043	C1	C1 Kit, ½", ¾", 1", 1¼" Ring	8.1	1
28048	V1/C1	V1/C1 Combo Kit, ½", ¾", 1", 1¼" Ring	12.9	1

Rings


CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27998	V1/C1	½" Press Ring	.5	1
28003	V1/C1	¾" Press Ring	.8	1
28008	V1/C1	1" Press Ring	1	1
28013	V1/C1	1¼" Press Ring	1	1
28018	V2	1½" Press Ring	1.5	1
28023	V2	2" Press Ring	2	1

Actuators

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
28033	V1	V1 Actuator for ½" - 1¼"	4.9	1
21878	V2	V2 Actuator 1½" - 2"	4.8	1
26163	C1	C1 Actuator for ½" - 1¼"	2.1	1

Accessories

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
28028	V1/C1	Carrying Case #1 for ½" - 1¼"	3	1
28038	V2	Carrying Case #2 for 1½" - 2"	3	1



RIDGID offers the only rings that provide almost 180° swivel around ring.

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
20483	XL-C/S	2½" - 4" Rings, Actuator and Case	40.3	1
20543	XL-C/S	2½" Press Ring	6	1
20548	XL-C/S	3" Press Ring	9.8	1
20553	XL-C/S	4" Press Ring	11.8	1
21878	V2	Ring Actuator	7.3	1
21103	-	XL-C Carrying Case Only	7.8	1

MEGAPRESS® JAWS & RINGS

½" to 2" Capacity

MegaPress® Jaws & Rings join ½" to 2" commercially-available black iron pipe schedules 5-40 when used with RIDGID Standard Press Tools (320-E, CT-400, RP 330-B, RP 330-C or RP 340) and Viega® MegaPress® fittings.



FEATURES

- For use with MegaPress® and MegaPress® G fittings.
- Press connections can be made on "wet" systems.
- FM & UL approved for the installation of fire sprinkler systems.
- No open flame required.

Kits

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
48553	½" - 2" MegaPress Kit for Standard RIDGID Press Tools	48.5	1
48558	½" - 1" MegaPress Kit for Standard RIDGID Press Tools	23.1	1

Jaws

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37958	½" MegaPress Jaw for Standard RIDGID Press Tools	4.9	1
37963	¾" MegaPress Jaw for Standard RIDGID Press Tools	5.2	1
37968	1" MegaPress Jaw for Standard RIDGID Press Tools	6.8	1

Rings & Actuator

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37973	1¼" MegaPress Ring for Standard RIDGID Press Tools	6	1
37978	1½" MegaPress Ring for Standard RIDGID Press Tools	6.5	1
37983	2" MegaPress Ring for Standard RIDGID Press Tools	6	1
21878	V2 Press Ring Actuator for Standard RIDGID Tools	6.7	1

Prep Tools

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37993	½" - 1" MegaPress End Prep Tool	1.6	1
37988	1¼" - 2" MegaPress End Prep Tool	2.3	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
38008	Abrasive Strips (Box of 10) to ½" - ¾"	0.03	1
38003	Abrasive Strips (Box of 10) to 1" - 2"	0.04	1
48563	MegaPress Carrying Case	6.4	1



MANUAL PEX CRIMP TOOLS

½" to 1" Capacity



½" & ¾" Close Quarters PEX Crimp Tool



ASTM F1807 PEX Crimp Tool



½" & ¾" PEX Combo Tool

ASTM F1807 PEX CRIMP TOOLS

The RIDGID ASTM F1807 PEX Crimp Tools are ideal for making PEX tubing connections in potable water and radiant heating applications with ASTM F1807 copper crimp rings. The handles are constructed of a durable, glass-filled polycarbonate making the tools over 20% lighter than traditional-style crimp tools, yet rugged enough for the toughest jobs. The E³® (Expert Engineered Ergonomics) handles provide increased comfort and durability.

SPECIFICATIONS

- Available sizes: ½", ¾", 1" and ½" & ¾" combo tool.
- Easily adjustable lock screw for tool calibration.
- All tools come standard with a go/no-go gauge.

CATALOG NO.	DESCRIPTION	TOOL WEIGHT LB.	STD. PACK
23448	½" PEX Crimp Tool	2.9	1
23458	¾" PEX Crimp Tool	2.9	1
23463	1" PEX Crimp Tool	3	1
23468	½" & ¾" PEX Combo Tool	3.5	1
43853	½" PEX Close Quarters Crimp Tool	2.1	1
43858	¾" PEX Close Quarters Crimp Tool	2.3	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
23473	¾"-¾" ASTM F1807 gauge	1	1
23478	1" ASTM F1807 gauge	1	1
29583	¾" - 1" Go/No Go gauge	1	1

PRESS SNAP™ SOIL PIPE CUTTER



SOIL PIPE CUTTER ATTACHMENT

The Press Snap™ Soil Pipe Cutter expands the capabilities of RIDGID standard press tools by providing a fast and easy way to cut cast iron soil pipe. Without lengthy lever arms used by traditional soil pipe cutters, improved access is a snap.

The Press Snap™ cutter works with all RIDGID standard press tools (320-E, CT-400, RP 330-B, RP 330-C or RP 340) to cut most 1½" to 4" soil pipe in seconds. Simply connect the Press Snap™ cutter to a RIDGID press tool, wrap the chain around the pipe, and press. No manual ratcheting or additional tools are required. Cutting soil pipe has never been so easy!

SPECIFICATIONS

- Compatible with all RIDGID® standard press tools.
- Cuts 1½" to 4" no hub & service weight soil pipe.
- Standard Kit: Press Snap cutter, case and operator's manual.

FEATURES

- No lengthy lever arms.
- Eliminates the need to score the pipe.
- Completes the cut in seconds.

CATALOG NO.	DESCRIPTION	TOOL WEIGHT LB.	STD. PACK
34403	Press Snap Soil Pipe Cutter Kit	12	1
34678	Press Snap Soil Pipe Cutter Case	3.4	1

SELECTION CHART

Press Tools

INLINE RP 200-B	JAWS	PRESSING RINGS	POWER	COPPER/SS CAPACITY	PEX CAPACITY	WEIGHT (LB.)	ROTATING BARREL	CHARACTERISTICS
	Compact Series Jaws: • ProPress (copper & stainless) • Pureflow (PEX) • ASTM F1807 (PEX)	Compact Series Press Rings (see chart below)	18V Advanced Lithium 2 Battery	½" - 1¼"	¾" - 1½"	6.2 with battery	270°	The inline form of the tool allows access to tighter spaces, enabling press connections in hard-to-reach areas. The tool comes standard with two 18V Advanced Lithium 2 batteries that can produce over 250 presses per charge for jobsite efficiency. Large capacity Advanced Lithium 4 batteries are also available and can achieve over 550 presses per charge to maximize uptime.
COMPACT RP 210-B								
	Compact Series Jaws: • ProPress (copper & stainless) • Pureflow (PEX) • ASTM F1807 (PEX)	Compact Series Press Rings (see chart below)	18V Advanced Lithium 2 Battery	½" - 1¼"	¾" - 1½"	5.9 with battery	270°	For ½" to 1¼" copper and stainless steel, and ¾" to 1½" PEX fittings, the RP 210-B is the right choice for contractors who prefer a pistol grip style tool. Also features a 270° rotating barrel to reach into tight spaces.
RP 340								
	Series Jaws: • ProPress (copper & stainless) • Pureflow (PEX) • MegaPress (Black Iron Pipe) • Press Snap Soil Pipe Cutter	Standard Series Press Rings (see chart below)	18V Advanced Lithium 2 Battery	½" - 4"	½" - 2"	8.3 with battery	180°	The RP 340 press tool has a 4" capacity and weighs only 8.3 pounds. It features a 180° rotating swivel barrel, perfect for getting at hard-to-reach connections. An available 18V Advanced Lithium 4 battery helps the RP 340 achieve more than 400 presses per charge, and it has a service interval of 42,000 cycles. An optional AC power adapter can further maximize uptime job site to job site.
PEX CRIMP TOOLS								
	• ASTM F1807 (PEX)	-	-	-	¾" - 1"	2.7-3.4	-	Constructed of lightweight, durable polycarbonate E ³⁰ handles, RIDGID PEX Crimp Tools are ideal for making copper crimp ring and stainless steel clamp connections in potable water and radiant heating applications.

Press Jaws & Rings

COMPACT SERIES PRESS JAWS FOR USE WITH 100B, RP 210-B or RP 200-B							
COMPACT SERIES JAWS	¾"	½"	¾"	¾"	1"	1¼"	1½"
ProPress (copper & stainless)	-	16958	-	16963	16978	31228	-
Pureflow (PEX)	17003	17008	19813	17013	17018	22683	22688
ASTM F 1807 (PEX)	-	22958	-	22968	22973	22978	-

STANDARD SERIES PRESS JAWS FOR USE WITH 320-E, RP 330-B, RP 330-C, CT400 & RP 340							
STANDARD SERIES JAWS	½"	¾"	¾"	1"	1¼"	1½"	2"
ProPress (copper & stainless)	76652	-	76657	76662	76667	76672	76677
Pureflow (PEX)	22653	22658	22663	22668	22673	22678	35343
MegaPress (black iron)	37958	-	37963	37968	-	-	-

PROGRESS - LARGE DIAMETER PRESS RINGS FOR USE WITH 320-E, RP 330-B, RP 330-C, CT400 & RP 340					
PRESSING RINGS	STANDARD SERIES ACTUATOR JAW	2½"	3"	4"	2½"-4" RING KIT WITH CASE
ProPress XL-C (copper and stainless steel fittings)	V2 Actuator 21878	20543	20548	20553	20483

MEGAPRESS - SMALL DIAMETER PRESS RINGS FOR USE WITH 320-E, RP 330-B, RP 330-C, CT400 & RP 340							
ACTUATOR JAW	½"	¾"	1"	1¼"	1½"	2"	FOR USE WITH
V2 21878	-	-	-	37973	37978	37983	RP 330-B RP 330-C 320E CT400 RP 340

PROGRESS - SMALL DIAMETER PRESS RINGS FOR USE WITH 320-E, RP 330-B, RP 330-C, CT 400, 100B, RP 210-B, RP 200-B or RP 340							
ACTUATOR JAW	½"	¾"	1"	1¼"	1½"	2"	FOR USE WITH
V1 28033	27998	28003	28008	28013	-	-	RP 330-B RP 330-C 320E CT400 RP 340
V2 21878	-	-	-	-	28018	28023	RP 330-B RP 330-C 320E CT400 RP 340
C1 26163	27998	28003	28008	28013	-	-	100B RP 210-B RP 200-B

ProPress® is a registered trademark of Viega. PureFlow™ is a trademark of Viega. MegaPress® is a registered trademark of Viega.

THE FASTEST, MOST RELIABLE PRESS TOOLS

FEATURES	BENEFITS	Compact			Standard
		RIDGID RP 200-B	RIDGID RP 210-B	RIDGID RP 340	RIDGID RP 340
Weight (tool and battery)	Lightweight, providing maximum comfort.	6.2 lbs.	5.9 lbs.	8.3 lbs.	
Battery	For convenience and maximum portability.	18V Advanced Lithium 2 Battery	18V Advanced Lithium 2 Battery	18V Advanced Lithium 2 Battery	
Rotating Barrel	Tool barrel rotates, allowing access into the tightest spaces.	270°	270°	180°	
Approximate Cycle Time	Fastest cycle times, providing maximum speed with every connection.	4-5 Seconds	4-5 Seconds	4-5 Seconds	
Tool Approval	Third party approval.	N/A	N/A	UL / CSA	
Smaller Size Tubing	½" to 1¼" copper and stainless steel. ½" to 1½" PEX.	✓	✓	✓	
Larger Size Tubing	1½" to 4" copper and stainless steel. 1½" to 2" PEX.			✓	
Works with Battery Adapter	Allows flexibility to switch between battery and AC power cord.			✓	
Lock-On Cycle Completion	Cycle completes automatically once pressing action begins, ensuring a reliable connection every time.	✓	✓	✓	
Auto Ram Retraction	Ram returns to start position automatically, providing maximum speed with every connection.	✓	✓	✓	
Jaw Pin Closure Sensor	Prevents cycle from starting if pin is not fully engaged, preventing tool damage.		✓	✓	
Automatic Maintenance Reminder and Low Battery Sensor	Automatic calibration reminder to ensure optimal performance. Alerts user to insufficient battery power, providing maximum reliability with every connection.	✓	✓	✓	
Warranty	RIDGID Full Lifetime Warranty.				

52563802930927359-8259
52563802930927359-82
52563802930927359-8259
359-8259-823592831579-8
52563802930927359-8259
52563802930927359-8259
525 930927359-8259-82
525638029
31579-887-884267380768
52563802930927359-8259
525638029309273 579
52563802930927359-8259
52563802930927359-8259
5256380293 756-9762
-88426738076807680795
52563802930927359-8259
52563802930927359-8259
52563802930