





















**Product Family**  
**Sperian Millennia Sport**




Sleek frame, sport design. Lightweight value-based frame with superior side and brow protection. Model comes standard with a Flexicord retainer.

**Product Numbers & Ordering Information**

Product Numbers	Details
 11150750	<b>Black Frame</b> Clear Lens, Anti-scratch Coating
 11150754	<b>Black Frame</b> Silver Mirror Lens, Anti-scratch Coating
 11150751	<b>Black Frame</b> TSR Gray Lens, Anti-scratch Coating
 11150755	<b>Black Frame</b> Clear Lens, Fog-Ban Anti-fog Coating
 11150756	<b>Black Frame</b> TSR Gray Lens, Fog-Ban Anti-fog Coating
Product Numbers	Details
 1005981	<b>Black Frame</b> Clear Lens, Anti-scratch Coating

Sperian Millennia Sport

	1005982	<b>Black Frame</b> TSR Gray Lens, Anti-scratch Coating
	1005985	<b>Black Frame</b> Clear Lens, Fog-Ban Anti-fog Coating
	1005986	<b>Black Frame</b> TSR Gray Lens, Fog-Ban Anti-fog Coating
	1006031	<b>Teal Frame</b> Clear Lens, Fog-Ban Anti-fog Coating
	1005987	<b>Teal Frame</b> Clear Lens, Anti-scratch Coating
	1006032	<b>Teal Frame</b> TSR Gray Lens, Fog-Ban Anti-fog Coating
	1005988	<b>Teal Frame</b> TSR Gray Lens, Anti-scratch Coating
<hr/>		
	<b>Product Numbers</b>	<b>Details</b>
	1005981	<b>Black Frame</b> Clear Lens, Anti-scratch Coating
	1005982	<b>Black Frame</b> TSR Gray Lens, Anti-scratch Coating
<hr/>		
	<b>Product Numbers</b>	<b>Details</b>
	1005985	<b>Black Frame</b> Clear Lens, Fog-Ban Anti-fog Coating
	1005986	<b>Black Frame</b> TSR Gray Lens, Fog-Ban Anti-fog Coating
	1006031	<b>Teal Frame</b> Clear Lens, Fog-Ban Anti-fog Coating

	Product Numbers	Details
	11150750-BR	<b>Black Frame</b> Clear Lens, Anti-scratch Coating
	11150754-BR	<b>Black Frame</b> Silver Mirror Lens, Anti-scratch Coating
	11150755-BR	<b>Black Frame</b> Clear Lens, Fog-Ban Anti-fog Coating, CA 18,820

### Additional Information

Americas: [information@sperianprotection.com](mailto:information@sperianprotection.com); 800-682-0839 EU: [Info-export@sperianprotection.com](mailto:Info-export@sperianprotection.com), [infobenelux@sperianprotection.com](mailto:infobenelux@sperianprotection.com), [infofrance@sperianprotection.com](mailto:infofrance@sperianprotection.com), [infoGermany@sperianprotection.com](mailto:infoGermany@sperianprotection.com), [Info-hungary@sperianprotection.com](mailto:Info-hungary@sperianprotection.com), [infoitalia@sperianprotection.com](mailto:infoitalia@sperianprotection.com), [biuro@sperianprotection.com](mailto:biuro@sperianprotection.com), [salesrussia@sperianprotection.com](mailto:salesrussia@sperianprotection.com), [infospain@sperianprotection.com](mailto:infospain@sperianprotection.com), [inforordic@sperianprotection.com](mailto:inforordic@sperianprotection.com), [uksales@sperianprotection.com](mailto:uksales@sperianprotection.com) Asia Pacific: [asia@sperianprotection.com](mailto:asia@sperianprotection.com)

## Overview

### Key Features

- Lightweight value frame with superior side and brow protection
- High impact dual 9-base wraparound unilens
- Comfortable universal nose bridge
- Available with scratch-resistant hardcoating or optional Fog-Ban® anti-fog
- Includes adjustable break-away FlexiCord

### Recommended Industries/Use

- Construction
- Manufacturing

### Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

### Regulations

- ANSI Z87+ - Meets ANSI Z87+ (High Impact) standard
- ANSI Z87.1-1989 / CA 18,820 - Meets ANSI Z87.1-1989 / CA 18,820, MTE Link [http://www.mte.gov.br/Empregador/segSau/Pesquisa/CA\\_DET.asp?vNRCAProc=18820&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=](http://www.mte.gov.br/Empregador/segSau/Pesquisa/CA_DET.asp?vNRCAProc=18820&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)
- AS/NZS 1337 - AS/NZS 1337, ANSI.Z.87.1/1989 MTE Link [http://www.mte.gov.br/Empregador/segSau/Pesquisa/CA\\_DET.asp?vNRCAProc=18822&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=](http://www.mte.gov.br/Empregador/segSau/Pesquisa/CA_DET.asp?vNRCAProc=18822&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)
- CSA Z94.3 - Certified to the requirements of CSA Z94.3 standard
- - EC Category PPE: Category II, Standards EN 166/EN 170 /EN172, European Directives 89/686/EEC, Optical Class 1, Impact Rating FT (low energy impact at extreme temperatures), , CA 18,820, ANSI.Z.87.1/1989 MTE Link [http://www.mte.gov.br/Empregador/segSau/Pesquisa/CA\\_DET.asp?vNRCAProc=18820&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=](http://www.mte.gov.br/Empregador/segSau/Pesquisa/CA_DET.asp?vNRCAProc=18820&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)

### Historical Brand

Pulsafe, Willson

### Warranty Information

LIMITED WARRANTY: Sperian warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Sperian Safety distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Sperian or the Sperian Safety distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Sperian product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or

any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Sperian Safety should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

## Specifications

### Range

- Spectacles

### Lens Material

- Polycarbonate

### Lens Overall Width

- 150 mm

### Lens Material

- Polycarbonate

### Lens Coating

- Hardcoat, Fog-Ban® Anti-fog coating

### Lens Thickness

- 2.1mm

### Available Lens Tints

- Clear, TSR® Gray, Silver Mirror

### Replacement Lenses Available (Yes/No)

- No

### Rx Capable

- No

### Temple Material

- Nylon

### Temple Length

- 100mm

### Temple Set-back

- 65mm

### Temple Style

- 1 piece

### Spectacle Weight

- 27.20 grams

### Frame Material

- Nylon

### Available Temple Colors

- Black, Orange

### Dielectric Frame (Yes/No)

- Yes

### Packaging

- 1/polybag, 10 pr./stocker, 200 pr./case

### Country of Origin

- China

### Side Shield Material

- N/A

### MSDS Requirements

- None

### WHMIS Requirements

- None

**Harmonization Code**

- 9004.90.0000

**Accessories**

- Flexicord retainer

## Literature & Documents

**Data Sheet - Millennia Sport NEWEST MAY 10 - AUS**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Eyewear/37086/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Eyewear/37086/1033.aspx)

▶ ▶ ▶ SPERIAN MILLENNIA SPORT PRODUCT INFORMATION Millennia Sport is a classic, simple in appearance but is highly sophisticated in design. This is sporty, sleek and stylish protective eyewear with exceptional optical properties and a universal fit. The lightweight value-based frame gives superior side and brow protecti

## Training & Proper Use

All products come packaged with instructions and warnings for proper use.

## Technical Support

Americas: [information@sperianprotection.com](mailto:information@sperianprotection.com); 800-682-0839 EU: [Info-export@sperianprotection.com](mailto:Info-export@sperianprotection.com), [infobenelux@sperianprotection.com](mailto:infobenelux@sperianprotection.com), [infofrance@sperianprotection.com](mailto:infofrance@sperianprotection.com), [infoGermany@sperianprotection.com](mailto:infoGermany@sperianprotection.com), [Info-hungary@sperianprotection.com](mailto:Info-hungary@sperianprotection.com), [infoitalia@sperianprotection.com](mailto:infoitalia@sperianprotection.com) , [biuro@sperianprotection.com](mailto:biuro@sperianprotection.com) , [salesrussia@sperianprotection.com](mailto:salesrussia@sperianprotection.com) , [infospain@sperianprotection.com](mailto:infospain@sperianprotection.com) , [infonordic@sperianprotection.com](mailto:infonordic@sperianprotection.com) , [uksales@sperianprotection.com](mailto:uksales@sperianprotection.com) Asia Pacific: [asia@sperianprotection.com](mailto:asia@sperianprotection.com)